RECEIVED KANSAS CORPORATION COMMISSION

For KCC	Use:		2.0/2	
Effective	Date:	27	7-06	
District #		<u> </u>		
SGA2	Yes	Y No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 1 2 2006

Form C-1 December 2002

CONSERVATION DIVISION orm must be Typed
WICHITM, KS Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date May 18, 2006	Spot ✓ East
month day year	<u>NE</u> - <u>NE</u> Sec. 2 Twp. 28 S. R. 16 West
OPERATOR: License#	660 feet from N / S Line of Section
Name: Quest Cherokee LLC	660 Feet from Feet from E / W Line of Section
9520 North May Avenue, Suite 300	ls SECTION <u>√</u> Regular <u></u> lrregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Martin	County: Wilson
Phone: (405) 286-9316	Lease Name: Campbell, Verna Mae Trust Well #: 2-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 1055feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other Other Coalbed Methane	Depth to bottom of usable water: 200
✓ Other	Surface Pipe by Alternate: ☐ 1
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other Air Drilled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e: 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and the statements are true and the stat	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. Fila 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on et. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26619 - CCC Conductor pipe required Mone feet per Alt. (2) Approved by: 21# 5 - 12-06	Will Cores be taken? If Yes, proposed zone: PIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Anch drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; after from below any usable water to surface within 120 days of spud date. The Hammber to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on et. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into to. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26619 - CCC Conductor pipe required Signature of Operator or Agent: 100 - 1	Will Cores be taken? If Yes, proposed zone: Place of the proposed zone: Ach drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Considering district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; and the placement is necessary prior to plugging; good or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Proposed zone: Yes V No Notify appropriate district office on the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: YP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on et. 3. The minimum amount of surface pipe as specified below shall be sufficiently that the well is dry hole, an agreement between the operator and the formulation of the total surface pipe as specified before well is either plue. If the well is dry hole, an agreement between the operator and the formulation of the post of the specific post of the specific plue. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the specific plue of the post of the specific plue of the specifi	Will Cores be taken? If Yes, proposed zone: Place of the well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Condition of the well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Condition of the well was prior to plugging; ged or production casing is cemented in; and the sequence of spud date. The sequence of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Provided of the KCC District office prior to any cementing. Title: Title: Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on et. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26619 - CCC Conductor pipe required Signature of Operator or Agent: Feet Minimum surface pipe required feet per Alt. Approved by: 21# 5 - 12 - 06 This authorization expires: 11 - 12 - 06	Will Cores be taken? If Yes, proposed zone: PlDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. And drilling rig; But by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. Title: WP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26 619-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Campbell, Verna Mae Trust	660 feet from 🗸 E / 🗌 W Line of Section
Well Number: 2-1	Sec. 2 Twp. 28 S. R. 16 VEast West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- ,4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LL	.C	License Number: 33344				
	klahoma City, Oklahoma 73120					
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316				
	erna Mae Tri	Pit Location (QQQQ):				
Lease Name & Well No.: Campbell, Verna Mae Trust #2-1 Type of Pit: Pit is:			_ NE NE			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 2 _{Twp.} 28 _{R.} 16 ✓ East			
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / 🗌 South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Workover Pit Haul-Off Pit Pit capacity: 300 (bbls)		Feet from 🗸 East / 🗌 West Line of Section			
			Wilson County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l			
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes V No	Yes V No		now is the pit lined if a plastic liner is not used:			
Pit dimensions (all but working pits): 30 Length (feet) 10			Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	10 (feet)			
If the pit is lined give a brief description of the			dures for periodic maintenance and determining			
material, thickness and installation procedure).		ocluding any special monitoring.			
		Air Drilling	Operation lasting approx 3 days			
			west fresh waterfeet.			
Distance to nearest water well within one-mile	e or pit	Source of infor				
N/r feet Depth of water wellfeet		measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:			al utilized in drilling/workover: Air Drilled			
Number of producing wells on lease:		Number of working pits to be utilized: One				
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
5/11/2006 L. Gard Warlin						
Date	ignature of Applicant or Agent					
KCC OFFICE USE ONLY						
Date Received: 5/12/06 Permit Number: Permit Date: 5/12/06 Lease Inspection: Yes No						