	RECEIVED KANSAS CORPORATION COMMISSION
District # SGA? Yes X No NOTICE OF INT	TION COMMISSION MAY 0 9 2006 ERVATION DIVISION CONSERVATION DIVISION Form must be Typed Form must be Signed All blanks must be Filled
Expected Spud Date June 19, 2006 month day year OPERATOR: License# 5208 Name: ExxonMobil Oil Corporation	Spot NE - NW - SW Sec. 29 Twp. 31 S. R. 35 West 2250 2530 per C4-9 feet from N / S Line of Section 1250 Feet from E / W Line of Section
Address: P O Box 4358 City/State/Zip: Houston, TX 77210-4358 Contact Person: Roy Springfield	Is SECTION Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Stevens
Phone: 281-654-1932 CONTRACTOR: License# 33545 Name: Pioneer Drilling Services	Lease Name: Prather Unit Field Name: Panoma Is this a Prorated / Spaced Field? Target Formation(s): Council Grove Well #: 3-29 Yes No
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec ✓ Infield ✓ Mud Rotary ✓ Gas Storage Pool Ext. Air Rotary OWO Disposal Wildcat Cable Seismic; # of Holes Other	Nearest Lease or unit boundary: 1250 Ground Surface Elevation: 3019 feet MSL Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 421 Depth to bottom of usable water: 551 Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore CEIVED Yes V No If Yes, true vertical depth: KANSAS CORPORATION COMMISSION	Length of Surface Pipe Planned to be set: 571 Length of Conductor Pipe required: NA Projected Total Depth: 3500 Formation at Total Depth: Council Grove Water Source for Drilling Operations: Well Farm Pond Other Hauled DWR Permit #:
HOCK Hole Location: KCC DKT #: MAY 1 2 2006 Proceed, Spaced Hugoston : Punoma CONSERVATION DIVISION	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set

- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. *In all cases, NOTIFY district office* prior to any cementing.

hereby certify that the statements made herein are true and to the best of Date: 05/08/2006 Signature of Operator or Agents:	f my knowledge and belief. Title: Staff Regulatory Specialist
For KCC Use ONLY API # 15 - 189 - 22531-0000 Conductor pipe required None feet Minimum surface pipe required 571 feet per Alt. (1) X Approved by: 4tt 5-12-06	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
This authorization expires: 1/-12-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date:
Mail to: KCC - Conservation Division, 130	S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 189-22 531-0000	Location of Well: County: Stevens
Operator: ExxonMobil Oil Corporation	2250 feet from N / 🗸 S Line of Section
Lease: Prather Unit	1250 feet from E / W Line of Section
Well Number: 3-29	Sec. 29 Twp. 31 S. R. 35 East ✓ Wes
Field: Panoma	
Number of Acres attributable to well- 640 QTR / QTR / QTR of acreage: NE - NW - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1			
		•	
l .		_	
1	•	-	•
1			
	•		•
1		· · · · · ·	
		•	
1			
	•	•	•
•			
1			•
		1 0 .	
		<u>9</u>	
1250		· —	
1250	<u></u> -∕	:	
1250	———	: :	
1250	<u> </u>		
1250	<u> </u>		· · ·
1	* :	: 	
1	* :		
1	* :		
1	* :		
1	* :	 : :	
1	* :	: : : :	
1	20		
1	* :	: : : :	
1	* :		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

MAY 0 9 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIPONSERVATION DIVISION WICHTA, KS

Submit in Duplicate

Operator Name: ExxonMobil Oil Corporation		License Number: 5208	
Operator Address: P O Box 4358		TX 772	10-4358
Contact Person: Roy Springfield			Phone Number: (281) 654 - 1932
Lease Name & Well No.: Prather Ur	nit 3-29		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>NE</u> - <u>NW</u> - <u>SW</u>
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 _{Twp.} 31 _{R.} 35 ☐ East ✓ West
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / 📝 West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	<u>Stevens</u> County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸		Chloride concentration: <3000 mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓	No	NA
Pit dimensions (all but working pits):	Congth (fe	et) 80	Width (feet)N/A: Steel Pits
, , , , ,	om ground level to de	· _	(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure NA			edures for periodic maintenance and determining nocluding any special monitoring. KANSAS CORPORATION COMMISSION MAY 1 2 2006
			CONSERVATION DIVISION
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water 333 feet
			uredwell owner electric log KDWR
		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation: Type of materi		over and Haul-Off Pits ONLY: al utilized in drilling/workover: FW Gel Mud	
		king pilo to be dilized.	
Barrels of fluid produced daily: Abandonment		procedure: Remove clear water, air dry and backfill.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		procedure: Remove clear water, air dry and backfill. be closed within 365 days of spud date. t of my knowledge and belief.	
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief.
05/08/06	Ø	25	ignature of Applicant or Agent
	КСС	OFFICE USE O	NLY
Date Received: 5/12/06 Permit Num	ber:	Perm	it Date: 5/12/05 Lease Inspection: Yes No



CORPORATION COMMISSION

KATHLEEN SEBELIES, COVERNOR
BRIAN 1. WOLINE CHAIR
BOBERT E. FRENDISE, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

"The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."

- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.