NOTICE OF INTENT TO DRILL  Must be approved by KCC five (5) days prior to commencing well  Expected Spud Date		DRATION COMMISSION RECEIVED Form C- NSERVATION DIVISION KANSAS CORPORATION COMMISSION September 199 Form must be Type
Expected Spud Date	NOTICE OF I	NTENT TO DRILL MAY 1 2 2006 Form must be Signe
Expected Spud Date	SGA! LIES KIND	ve (5) days prior to commencing well
Expected Spud Date		
OPERATOR: License# 33019  Is section   1380   feet from	Expected Spud Date June 1 2006	Wichita ke
OPERATOR: License# 33019  Name: Rosewood Resources, Inc. Address: 2711 N. Haskell Ave Suite 2800, LB #22  Contact Person: Tina Morrison  Contact Person: Tina Morrison  CONTRACTOR: License# 33532  Name: Advanced Drilling Technologies LLC  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Oil Enh Rec Other Obotom users with the drilling to ther Original Total Depth:  Seismic: # of Holes Original Completion Date: Original Total Depth:  Official Completion Date: Original Total Depth:  Bottom Hole Location: KCC DKT #: Well Class will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approvad notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set and the case of the cas	· · · · · · · · · · · · · · · · · · ·	0144
Name: Rosewood Resources, Inc.  Address: 2711 N. Haskell Ave Suite 2800, LB #22  Contact Person: Tina Morrison  Contact Person: Tina Morrison  Contact Person: Tina Morrison  CONTRACTOR: License# 33532  Name: Advanced Drilling Technologies LLC  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Wild Class: Type Equipment:  Oil Enh Rec Internation as Storage Pool Ext. Art Rotary  Ouwo Disposal Wildcat Cable  Seismic: # of Holes Other  Other  Well Name: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes Inc.  Oil Seismic: # of Holes Other  Other  Well Drilled For: Well Class: Type Equipment: Popie to bottom of resh water: Na 225  Depth to bottom of usable water: Na 225  Depth to bottom of persured: None  Projected Total Depth: 1500*  Formation at Cast Depth: None  Formation at Cast Depth: None  Projected Total Depth: 1500*  Formation at Cas	33019	
Address: 2711 N. Haskell Ave Suite 2800, LB #22  City/State/Zip: Dallas, Texas 75204  Contact Person: Tina Morrison  Contact Person: Tina Morrison  Contact Person: Tina Morrison  Contract	OPERATOR: License#	
Country State/Zip: Dallas, Texas 75204   Contact Person: Tina Morrison   Country State/Zip: Dallas, Texas 75204   Contact Person: Tina Morrison   Country Sherman   Country	2711 N. Haskell Ave Suite 2800 LB #22	
County: Sherman Lease Name: Wicck Well #: 24-11  Field Name: Goodland  Storage   Pool Ext.   Air Rotary   Other   Other   Operator:   Operator:   Operator:   Original Completion Date:   Other	Dallas Tevas 75204	
Phone: 214-756-6626  CONTRACTOR: License# 33532  Name: Advanced Drilling Technologies LLC  Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 3512 [feet MSI Water well within one mile: Yes V No Other Other Official Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Water well within one Directional, Deviated or Horizontal wellbore? Yes V No Bottom Hole Location: KCC DKT #: Well Core be taken?  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circ		
Field Name: Goodland  Is this a Prorated / Spaced Field?  Target Formation(s): Niobrara  Nearest Lease or unit boundary: 724'  Nearest Lease or un	214-756-6626	Lease Name. Wieck Well #. 24-11
CONTRACTOR: License## 393924 Name: Advanced Drilling Technologies LLC  Well Drilled For: Well Class: Type Equipment:  Oil Enh Rec Oil Infield Mid Rotary Oil Sas Storage Pool Ext. Air Rotary Other Other  Seismic: # of Holes Other Other  Official Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore?  Oil New original Completion Date: Original Total Depth: Bottom Hole Location: MCC DKT #:  Oil Seismic: Pool Ext. Air Rotary Oil Oil Shows: Operator: Well Name: Original Completion Date: Original Total Depth: Job No If Yes, true vertical depth: Bottom Hole Location: Well Name: Original Completion Date: Original Total Depth: Job No If Yes, true vertical depth: Source for Drilling Operations: Well Farm Pond Other XXX  DWR Permit #: (Note: Apply for Permit with DWR )  Will Cores be taken? If Yes I No If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set		Field Name: Goodland
Name: Advanced Drilling Technologies LLC  Well Drilled For: Well Class: Type Equipment: Oil	CONTRACTOR: License#	
Nearest Lease or unit boundary: \( \frac{724'}{2} \)	Name: Advanced Drilling Technologies LLC	
Ground Surface Elevation: 3512   feet MSL   Vater well within one-quarter mile:   Yes \( \sim \) No Mul Rotary   Value   Vater well within one-quarter mile:   Yes \( \sim \) No Mul Rotary   Vater well within one-quarter mile:   Yes \( \sim \) No Mul Rotary   Vater well within one-quarter mile:   Yes \( \sim \) No Mul water well within one-quarter mile:   Yes \( \sim \) No Mul water well within one-quarter mile:   Yes \( \sim \) No Mul water well within one-quarter mile:   Yes \( \sim \) No Mul water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well within one-quarter mile:   Yes \( \sim \) No Water well water: \( \sim \) No Water well water: \( \sim \) No Water well.   Yes \( \sim \) No Water Surface Pipe by Alternate: \( \frac{\text{XXX}}{\text{1}} = 2 \) Length to bottom of usable water: \( \sim \) No Depth to bottom of usable water: \( \sim \) No Depth to bottom of usable water: \( \sim \) No Depth to Depth	Well Drilled For: Well Class: Type Favigment:	
Water well within one-quarter mile:    Ves   No		
OWNO Disposal Wildcat Cable  Seismic; # of Holes Other  Ot		Water well within one-quarter mile: Yes ✓ No
Depth to bottom of fresh water: n/a 225  Depth to bottom of usable water: n/a 225  Depth to bottom of fresh vater: n/a 225  Depth to bottom of fresh vater  Length of Conductor Pipe required: None  Projected Total Depth: 1500'  Formation at Total Depth: 1500'  Water Source for Drilling Operations:  Well		Public water supply well within one mile:
Depth to bottom of usable water: Na    Depth to bottom of usable water: Na    Surface Pipe by Alternate: XXX 1 2 2		
Surface Pipe by Alternate: XXX 1 2 2 Length of Surface Pipe Planned to be set:    Coperator:		
Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:   AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. lt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>	Other	Conford Bird by Alternate XXX 4
Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:   AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. lt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 275 Minimum
Original Completion Date:Original Total Depth:	Operator:	
Original Completion Date:Original Total Depth:	Well Name:	
Directional, Deviated or Horizontal wellbore?    Yes	Original Completion Date:Original Total Depth:	Formation at Total Depth: Niobrara
If Yes, true vertical depth:  Bottom Hole Location:  (Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set		• •
Bottom Hole Location:	Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other XXX
Will Cores be taken?    Yes   No	•	- DWR Permit #:
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>		( <b>Note:</b> Apply for Permit with DWR)
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>	KCC DKT #:	_ Will Cores be taken? Yes ✓ No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>		If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>		TID AVIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>	Ai	FIDAVII
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i></li> </ol>	The undersigned hereby affirms that the drilling, completion and eventual	Il plugging of this well will comply with K.S.A. 55-101, et. seq.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set</li> </ol>	It is agreed that the following minimum requirements will be met:	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set	1. Notify the appropriate district office <i>prior</i> to spudding of well;	

- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: May 9, 2006 Signature of Operator or Agent Ma Moyuan Title: Land Administrator

For KCC Use ONLY API # 15 - 181-20438-0000
API # 15 - 76 None feet  Conductor pipe required 275 feet per Alt. (1) X  Approved by: Put 5-12-06
Approved by: 2005 17200  This authorization expires: 11-12-06  (This authorization void if drilling not started within 6 months of effective date.)
Spud date:Agent:

### Remember to:

- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 181-20438-0000	Location of Well: County: Sherman		
Operator: Rosewood Resources, Inc.	724 feet from(S)/ N (circle one) Line of Section		
Lease: Wieck	feet from E (W) (circle one) Line of Section		
Well Number: 24-11	Sec. 11 Twp. 7 S. R. 39 East  Wes		
Number of Acres attributable to well: 160	Is Section Regular or Irregular		
QTR / QTR / QTR of acreage: NW - SE - SW	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used:NENWSESW		

#### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

RECEIVED KANSAS CORPORATION COMMISSION

MAY 1 2 2006

CONSERVATION DIVISION WICHITA, KS





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION RECEIVED OIL & GAS CONSERVATION DIVISION COMMISSION RECEIVED

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

MAY 1 2 2006

	Su	bmit in Duplicat	e CONSERVATION DIVISION WICHTRA. KS	
Operator Name: Rosewood Reso	ources, Inc.		License Number: 33019	
		uite 2800	LB #22, Dallas, TX 75204	4
Contact Person: Tina Morrison			Phone Number: ( 214 ) 756 -6626	
Lease Name & Well No.: Wieck 24-	 11		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW . SE . SW </u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 11 Twp. 7S R. 39 East	✓ West
Settling Pit	If Existing, date co	onstructed:	724 Feet from North / South	Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1380 Feet from East / 🗸 West	Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	Sherman	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits of How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	Drilling Mud	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh water n/a feet.		
n/afeet Depth of water well _	n/a feet	measu	redwell owner electric log	KDWR
Emergency, Settling and Burn Pits ONLY	:	0.	over and Haul-Off Pits ONLY:	
Producing Formation:			al utilized in drilling/workover: Bentonite	
		king pits to be utilized: None		
Barrels of fluid produced daily:		Abandonment	procedure: Evaporation & Backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.	
May 9, 2006  Date		na Mo	YUUM Signature of Applicant or Agent	
	KCC	OFFICE USE O	NLY	
Date Received: 5/13/06 Permit Num	nber:	Perm	it Date: 5/12/06 Lease Inspection:	Yes 🔣 No