For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (
Expected Spud Date May 23, 2006 month day year	Spot
OPERATOR: License# 33074	4650 FSL feet from N / S Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	
Address: 211 W. Myrtle	Is SECTIONRegularIrregular?
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson
Phone: 620-331-7870	Lease Name: Bracken Well #: A3-13
	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# Unknown Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field?
Name: Will advise of licensed contractor on ACO-1	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 540 feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 946 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:Yes ✓ No ✓
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 150'+-
Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1525 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cementer	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set as the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the term of the term o	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the term of the term o	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In which we have the surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the specified below <i>shall be search</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the search	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In which we have the surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 12, 2006 Signature of Operator or Agent:	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WCHTA The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later. I hereby certify that the statements made herein are true and to the best of the plants. Signature of Operator or Agent:	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHIA The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26623-0000	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the se	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to plugging; ged or production casing is cemented in; all form below any usable water to surface within 120 days of spud date. It is a regulatory & Safety Compliance Specialist. Title: Sr Regulatory & Safety Compliance Specialist. Title: Sr Regulatory & Safety Compliance Specialist. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26623-0000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to plugging; To plugging; To plugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA To plugging: To plugging report to plugging; To plugging shall be set. To plugging: To plugging report to plugging is completed; Title: Sr Regulatory & Safety Compliance Specialist Title: Title: Sr Regulatory & Safety Compliance Specialist Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	DAVIT agging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHAA th drilling rig; the polycirculating cement to the top; in all cases surface pipe shall be seal the underlying formation. In this strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through a sec	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to plugging; To plugging; To plugging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA To plugging: To plugging report to plugging; To plugging shall be set. To plugging: To plugging report to plugging is completed; Title: Sr Regulatory & Safety Compliance Specialist Title: Title: Sr Regulatory & Safety Compliance Specialist Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be setherough</i> all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the set of the setherough and the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: May 12, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 266 23 - 0000 Conductor pipe required feet per Alt. Minimum surface pipe required feet per Alt.	DAVIT agging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA the drilling rig; the polycirculating cement to the top; in all cases surface pipe shall be set. the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved in the surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unconsolidated materials plus a specified below shall be seen through all unco	DAVIT Larging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CCC WCHITA The proposed zone: MAY 15 2006 CCC WCHITA A by circulating cement to the top; in all cases surface pipe shall be sent the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Apentic
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through a sec	DAVIT agging of this well will comply with K.S.A. 55 et. seq. MAY 15 2006 CC WICHTA the drilling rig; the polycirculating cement to the top; in all cases surface pipe shall be set. the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26623-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	4650 FSL feet from N / ✓ S Line of Section
Lease: Bracken	2100 FEL feet from F E / W Line of Section
Well Number: A3-13	Sec. 13 Twp. 30 S. R. 14E ✓ East West
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NW - NW - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

2100 FEL

RECEIVED
MAY 15 2006
KCC WICHITA

13

EXAMPLE

13

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074	
			ependence KS 67301
Contact Person: Tony Williams			Phone Number: (620) 331 - 7870
Lease Name & Well No.: Bracken	A:	3-13	Pit Location (QQQQ):
Type of Pit:	Pit is:		. NW . NE
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 13 _{Twp. 30 R.} 14E ✓ East
Settling Pit	If Existing, date c	onstructed:	4650 FSL Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit			2100 FFI
(If WP Supply API No. or Year Drilled)	Pit capacity: 926	(bbls)	Feet from Feast / West Line of Section Wilson
le the sit legated in a Consitive Crawal Mater			County
Is the pit located in a Sensitive Ground Water	Area? res	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	Nie	How is the pit lined if a plastic liner is not used?
Yes No	Yes ✓		Natural Clays
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits
Depth from ground level to deepest point: 5(feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			
material, thickness and installation procedure.		RECEN	
			MAY 15 2006 KCC WICHITA
			7 2006
Distance to nearest water well within one-mile of pit Depth to shallowest fresh waterfeet.		owest fresh waterfeet.	
Source of infor		mation:	
Property of water well	feet	measu	ured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of material utilized in drilling/workover: Air		al utilized in drilling/workover: All	
Į į		king pits to be utilized: ONE	
Barrels of fluid produced daily: Abandonment procedure: Air dry, fill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. May 12, 2006 Abandonment procedure: Air dry, fill Drill pits must be closed within 365 days of spud date.			
May 12, 2006 ON William			
Date Signature of Applicant or Agent			
KCC OFFICE USE ONLY			
Date Received: 5/15/06 Permit Number: Permit Date: 5/15/06 Lease Inspection: Yes a No			
Date Received: 5/15/04 Permit Num	ider:	Perm	it Date: 5/15/06 Lease Inspection: Yes A No