For KCC Use: District # 3 SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date May 23, 2006	Spot ✓ East
month day year	SW SE SE Sec. 14 Twp. 31 S. R. 14E West
OPERATOR: License#_33074	# 200 FSL feet from N / ✓S Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	690 FEL feet from Feet from Feet from W Line of Section
Address: 211 W. Myrtle	Is SECTIONRegularIrregular?
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Montgomery
Phone: 620-331-7870	Lease Name: Hawk Well #: D4-14
	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# Unknown	Is this a Prorated / Spaced Field?
Name: Will advise of licensed contractor on ACO-1	Target Information(s): Mississippian
	Nearest Lease or unit boundary: 460 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 916feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage ✓ Pool Ext: ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 125' +-
Seismic;# of Holes Other	Depth to bottom of usable water: 175'
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 40'
If OWWO: old well information as follows:	Length of Surface Pipe Plainled to be set.
Operator:	Projected Total Depth: 1661 feet
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Tomaton at Total Dopinion
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
# Oil & bus Lease attached	Will Cores be taken? Yes ✓ No
TO 11 7 Gas Lease at Total	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with KSA 55 et seg. MAV 4
The undersigned hereby animis that the unling, completion and eventual p	lagging of this well will comply with K.S.A. 33 et. seq. Fig. 7 f.
It is agreed that the following minimum requirements will be met:	15 2006
It is agreed that the following minimum requirements will be met:	'' ' ['] 2006
It is agreed that the following minimum requirements will be met:	ch drilling rig;
It is agreed that the following minimum requirements will be met:	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be shall be
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set A the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the sta	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be see a he underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the central specified before well is either plus to the set of the s	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be see a surface pipe shall
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into table to the well is dry hole, an agreement between the operator and the case of the surface of the	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; teed from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be see a surface pipe shall
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the constant of the standard of the specified before well is either plus that a standard of the	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Iteed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the constant of the standard of the specified before well is either plus that a standard of the	ch drilling rig; In the production casing is cemented in; Interest office on plug length and placement is necessary prior to plugging; Interest office on plug length and placement is necessary prior to plugging; Interest office on plug length and placement is necessary prior to plugging; Interest of production casing is cemented in; Interest office on plug length and placement is necessary prior to plugging; Interest of plugging is cemented in; Interest of plugging is of plugging in all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the constant of the state of the specific terms of	ch drilling rig; In the underlying formation. In the underlying is cemented in; In the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall of the surface of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surface of the spud date. Date: May 12, 2006 Signature of Operator or Agent:	ch drilling rig; In the circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. It is included the control of the control of the underlying formation. It is included the control of the cont
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the decidence of the well is dry hole, an agreement between the operator and the decidence of the surface district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 12.55 - 310 74 - 0000	ch drilling rig; In the property of the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Igged or production of plugging; Igged or production of pluggi
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall of the surface of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the surface of the spud date. Date: May 12, 2006 Signature of Operator or Agent:	ch drilling rig; In the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; Integration of the enderlying formation. Instrict office on plug length and placement is necessary prior to plugging; Integration of the enderlying is cemented in; Integration below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. In the enderlying form to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plus for a pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remented to the set of the s	ch drilling rig; In the property of the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Igged or production of plugging; Igged or production of pluggi
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus to the set of the well is either plus to the set of the well is either plus to the set of the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the well shall the statements made herein are true and to the best of the well shall the statements made herein are true and to the best of the well shall the statements of the statement of the well shall the statements of the statement of the well shall the statements of the statement of the well shall the statement of the statement of the well shall the statement of the statemen	ch drilling rig; In the process of the top; in all cases surface pipe shall be set A the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ### Title: Sr Regulatory & Safety Compliance Specialist #### Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface district office will be notified before well is either plus to the surface district office will be notified before well is either plus to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface plus of the surface p	ch drilling rig; In the circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. # Title: Sr Regulatory & Safety Compliance Specialist ## Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the construction of the specific of the specific of the well is either plus to the specific of the specific of the specific of the specific of the well shall of the specific of the specifi	ch drilling rig; In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Inged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ### Title: Sr Regulatory & Safety Compliance Specialist ###################################
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface district office will be notified before well is either plus to the surface district office will be notified before well is either plus to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface plus of the surface p	ch drilling rig; In the provided provid
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the determinant of the d	ch drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set A the underlying formation. It is instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production of plugging; aged o
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the construction of the specific of the specific of the well is either plus to the specific of the specific of the specific of the specific of the well shall of the specific of the specifi	ch drilling rig; In the provided provid

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31074-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	200 FSL feet from N / V S Line of Section
Lease: Hawk	690 FEL feet from Feet fro
Well Number: D4-14	Sec. 14 Twp. 31 S. R. 14E / East Wes
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SW - SE - SE	Is Section:
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

RECEIVED
MAY 15 2000
KCC WICHITA

14

EXAMPLE

1980

3390'

SEWARDCO.

NOTE: in all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

- Cubintin Suprouto			
Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074	
Operator Address: 211 W. Myrtle Independence KS 67301			
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870	
Lease Name & Well No.: Hawk	D4-14		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>SWSESE</u>
Emergency Pit Bum Pit	Proposed Existing		Sec. 14 Twp. 31 R. 14E
Settling Pit	If Existing, date constructed:		200 FSL Feet from North / V South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		690 FEL Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	926	(bbls)	Montgomery County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	_Mo	Chloride concentration: mg/l
In the bettern below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Is the bottom below ground level?	Yes 🗸	No	Natural Clays
]			Natural Clays
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet)			
Depth fr	om ground level to de	epest point: 2	(feet)
		west fresh waterfeet.	
Source of infor		west fresh waterfeet.	
N feet Depth of water well	ter well feet measu		redwell owner electric logKDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Work		over and Haul-Off Pits ONLY:	
Producing Formation: Type of material utilized in drilling/workover: Air		al utilized in drilling/workover: Air	
Number of producing wells on lease: Number of wor		king pits to be utilized: One	
Barrels of fluid produced daily: Abandonment procedure: Air dry, fill		procedure: Air dry, fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
May 12, 2006 Date Date Date Date Date Day Welliam Signature of Applicant or Agent			
KCC OFFICE USE ONLY			
Date Received: S/15/01- Permit Num	ber:	Perm	it Date: ち/15/oよLease Inspection: □ Yes 【 No