For KCC Use:
Effective Date: 3-2+0b
District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| month day year | Spot |
|---|--|
| / | / 3 / |
| OPERATOR: License# 33583 | |
| Name: Admiral Bay (USA) Inc. | feet from F / W Line of Section |
| Address: 14550 E Easter Ave, Ste. 1000 | Is SECTION RegularIrregular? |
| City/State/Zip: Centennial, CO 80112 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Steven Tedesco | County: Allen |
| Phone: 303.671-7242 | Lease Name: MarkhamWell #: 1-36 |
| | Field Name: Humboldt-Chanute |
| CONTRACTOR: License# 5786 | Tiold Name. |
| Name: McGowan Drilling | |
| | Target Formation(s): Riverton 596 FFI |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 596 FEL |
| Oil Enh Rec Infield Infield Mud Rotary | Ground Surface Elevation: 960 feet MSL |
| ✓ Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile:Yes ✓ No |
| OMMO Disposal Wildcat Cable | Public water supply well within one mile: Yes ✓ No |
| | Depth to bottom of fresh water: 100'+ |
| Seismic; # of Holes Other | Depth to bottom of usable water: 200'+ |
| Other | Surface Pipe by Alternate: ☐ 1 			 2 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20' |
| | Length of Conductor Pipe required: None |
| Operator: | Projected Total Depth: 1400" |
| Well Name: | \$ \$1 1 1 1 1 |
| Original Completion Date: Original Total Depth: | Formation at Total Deptili. |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Water Source for Drilling Operations: |
| | Well ✓ Farm Pond Other |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? Yes ✓ No |
| | If Yes, proposed zone: |
| AFFI | DAVIT KANSAS CORPORATION COMMIS |
| | |
| I no undersigned hereby affirms that the diffing completion and eventual of | idding of this well will comply with K S A 55 et seg |
| The undersigned hereby affirms that the drilling, completion and eventual pl | ugging of this well will comply with K.S.A. 55 et. seq. MAY 1 6 2006 |
| It is agreed that the following minimum requirements will be met: | MAY 16 2006 |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order | CONSERVATION DIVISION the drilling rig; It by circulating cement to the top; in all cases surface pipe share set to the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order | CONSERVATION DIVISION the drilling rig; the drilling rig; the underlying formation. In the drilling rig; the underlying formation. It is is is is is in the cases surface pipe share set to be underlying formation. It is is is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case is in the case is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case is in the case is in the case is in the case is in the case in |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the surfac | CONSERVATION DIVISION the drilling rig; the drilling rig; the underlying formation. In the drilling rig; the underlying formation. It is is is is is in the cases surface pipe share set to be underlying formation. It is is is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case is in the case is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case in the case in the case in the case is in the case is in the case is in the case is in the case is in the case in |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either pluguated for the well is either pluguated. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of | CONSERVATION DIVISION of diffiling rig; It by circulating cement to the top; in all cases surface pipe sharkset be underlying formation. In the interpretation of the strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Manager |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the term of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plugung to the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the control of the surface of the s | CONSERVATION DIVISION of diffilling rig; It by circulating cement to the top; in all cases surface pipe share set to the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying format |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the specified before well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the heavy certify that the statements made herein are true and to the best of the specified of the specific of the specified statements. Signature of Operator or Agent: For KCC use ONLY | CONSERVATION DIVISION of different to the top; in all cases surface pipe share set to be circulating cement to the top; in all cases surface pipe share set to be underlying formation. In the underlying formation of the top; in all cases surface pipe share set to be underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formatio |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plant of | CONSERVATION DIVISION of different to the top; in all cases surface pipe share set to be circulating cement to the top; in all cases surface pipe share set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The knowledge and belief. Title: Land Manager Perfember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the heavy certify that the statements made herein are true and to the best of the surface of Operator or Agent: Date: 5/15/06 | CONSERVATION DIVISION of different to the top; in all cases surface pipe share set to be circulating cement to the top; in all cases surface pipe share set to be underlying formation. In the underlying formation of the top; in all cases surface pipe share set to be underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formatio |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the trough all unconsolidated materials plus a minimum of 20 feet into the trough all through its either pluges. The appropriate district office will be notified before well is either pluges. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plant of the pl | CONSERVATION DIVISION of different to the top; in all cases surface pipe share set to be circulating cement to the top; in all cases surface pipe share set to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The knowledge and belief. Title: Land Manager Perfember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the entire of the well shall be the sequence of the spud date or the well shall be completed. For KCC use ONLY API # 15 - ONL - 294/19-0000 Conductor pipe required None feet per Alt. (2) | CONSERVATION DIVISION of the drilling rig; It by circulating cement to the top; in all cases surface pipe share set to be underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either plug | CONSERVATION DIVISION of different to the top; in all cases surface pipe share set to be circulating cement to the top; in all cases surface pipe share set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The knowledge and belief. Title: Land Manager **File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of the production of the | CONSERVATION DIVISION of the drilling rig; It by circulating cement to the top; in all cases surface pipe share set to be underlying formation. It is by circulating cement to the top; in all cases surface pipe share set to be underlying formation. Is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; It is defined below any usable water to surface within 120 days of spud date. If it is permit has expired (See: authorized expiration date) please CONSERVATION DIVISION CONSERVATION DIVISION The definition plugging; To plugging at the plugging is completed; To obtain written approval before disposing or injecting salt water. To plugging report (See: authorized expiration date) please |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either pluguate. The appropriate district office will be notified before well is either plug | CONSERVATION DIVISION of the drilling rig; It by circulating cement to the top; in all cases surface pipe share best to the underlying formation. In this period of the top of the top of the underlying formation. In this period of the top of the top of the underlying formation. In this period of the top o |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sum of the sequence of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent: For KCC Use ONLY | CONSERVATION DIVISION of the drilling rig; It by circulating cement to the top; in all cases surface pipe share best to the underlying formation. In this period of the top of the top of the underlying formation. In this period of the top of the top of the top of the underlying formation. In this period of the top o |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of the production of the | CONSERVATION DIVISION of the drilling rig; It by circulating cement to the top; in all cases surface pipe state between the underlying formation. In this period of the top in all cases surface pipe state between the underlying formation. In this period of the top in all cases surface pipe state between the underlying formation. In this period of the top in all cases in all cases, in all c |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sum of the sequence of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent: For KCC Use ONLY | CONSERVATION DIVISION of the drilling rig; It by circulating cement to the top; in all cases surface pipe share best to the underlying formation. In this period of the top of the top of the underlying formation. In this period of the top of the top of the top of the underlying formation. In this period of the top o |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 001-29419-000 | Location of Well: County: Allen |
|---|--|
| Operator: Admiral Bay (USA) Inc. | · |
| Lease: Markham | feet from VN/ S Line of Section 2520 feet from VE/ W Line of Section |
| Well Number: 1-36 Field: Humboldt-Chanute | Sec. 25 Twp. 26S S. R. 17 ✓ East Wes |
| Number of Acres attributable to well: 40 | Is Section: ✓ Regular or Irregular |
| QTR / QTR / QTR of acreage: NE NE | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Admiral Bay (USA) Inc. | | License Number: 33583 | | |
|--|--------------------------------|---|---|--|
| Operator Address: 14550 E Eas | ter Ave., St | e. 100 | | |
| Contact Person: Janet Johnson | | | Phone Number: (303) 350 - 1255 | |
| Lease Name & Well No.: Markham 1- | -36 | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | <u>NE</u> <u>NE</u> | |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. 36 Twp. 26S R. 17 Fast West | |
| Settling Pit | If Existing, date constructed: | | 625 Feet from 🗸 North / 🗌 South Line of Section | |
| Workover Pit Haul-Off Pit | Pit capacity: | | Feet from ✓ East / West Line of Section | |
| (If WP Supply API No. or Year Drilled) | <u>150</u> | (bbls) | Allen | |
| Is the pit located in a Sensitive Ground Water | r Area? Yes | No | Chloride concentration: mg/l | |
| | | | (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? Yes No | Artificial Liner? ✓ Yes | No | How is the pit lined if a plastic liner is not used? | |
| Pit dimensions (all but working pits): | 20 Length (fe | | Width (feet) N/A: Steel Pits | |
| | | | MAY 1 6 2006 CONSERVATION DIVISION WICHITA, KS | |
| Distance to nearest water well within one-mil | le of pit | Depth to shallo Source of infor | west fresh waterteet. | |
| N/A feet Depth of water well | feet | measu | redwell owner electric logKDWR | |
| Emergency, Settling and Burn Pits ONLY | | | over and Haul-Off Pits ONLY: | |
| | | | rpe of material utilized in drilling/workover: Fresh Water & Native mud | |
| | | ndonment procedure: Evaporation and back fill | | |
| Does the slope from the tank battery allow al | Il spilled fluids to | Abandonment | procedure. | |
| | | be closed within 365 days of spud date. | | |
| I hereby certify that the above stat | | | <u> </u> | |
| | ements are true and | correct to the bes | t of my knowledge and belief. | |
| 5/15/06 Date | ements are true and | 13/ | of my knowledge and belief. | |
| | Jo | 13/ | Olivering of Applicant or Agent | |