For KCC Use: SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Target Formation(s): Mississippi Nearest Lease or unit boundary: 460 '	Must be approved by KCC five (5	5) days prior to commencing well
OPERATOR: License# 8490 Name: Dwight D. Keen & Lenore M, Keen d/b/a Address: #1 Tam-o-Shanter Ct. Contact Person: Dwight: D. Keen Contact Person: Dwight: D. Keen Contact Person: Dwight: D. Keen Contract Person: Dwight: D. Keen Contract Person: Mokat Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Seismic: # of Holes Other Other Other Other Other Original Completion Date: Original Total Depth: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbace/VED Bottom Hole Location: MAY 1 5 2006 Sefsion: Will Cores be taken? If Yes, proposed zone: CONSERVATION DIMISION WICHITAL KS Affidad/ Address: #1 Tam-o-Shanter Ct. It seet from N / X s Line of Section Lete from N / X s Line of Section Let from	pected Spud Date	Spot X East
Phone: (620) 221-6267 CONTRACTOR: License# 5831 Name: MOKAT Drilling, Inc. Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable Other Other Other Other Other Original Completion Date: Original Total Depth: Well Name: Original Question: Well Air Rotary Projected Total Depth: Mare Source for Drilling Operations: Directional, Deviated or Horizontal Wellbars COMMISSION KCC DKT #: MAY 1 5 2006 CONSERVATION DIVISION WICHTAL KS Lease Name: Pitts Well #: 5 Field Name: Peru - Sedan Is this a Prorated / Spaced Field? Target Formation (s): Mississippi Nearest Lease or unit boundary: 460¹ Nearest Lea	PERATOR: License# 8490 Imme: Dwight D. Keen & Lenore M. Keen d/b/a Keen Oil Co. Idress: #1 Tam-o-Shanter Ct. Idry/State/Zip: Winfield, KS 67156	
State of the state		Lease Name: Pitts Well #: 5
Well Drilled For: Well Class: Type Equipment: Sassation: Sas	NYTHAOTOTI. Licenser	Is this a Prorated / Spaced Field?
Length of Surface Pipe Planned to be set: 40' Operator:	Well Drilled For: Well Class: Type Equipment: X Oil Enh Rec X Infield Mud Rotary Gas Storage Pool Ext. X Air Rotary CWWO Disposal Wildcat Cable Seismic; # of Holes Other	Nearest Lease or unit boundary: 460 Ground Surface Elevation: 820 Water well within one-quarter mile: Yes X No Depth to bottom of fresh water: 260 Depth to bottom of usable water: 300
Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal Wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: CONSERVATION DIVISION WILL TALKS Original Total Depth: Mississippi Water Source for Drilling Operations: Will Cores Apply for Permit with DWR If Yes, proposed zone: AFFIDAVIT	Operator:	Length of Surface Pipe Planned to be set: 40 ' Length of Conductor Pipe required: None
KCC DKT #: Will Cores be taken? Will Cores be taken? If Yes, proposed zone: CONSERVATION DIVISION WICHITAL KS AFFIDAVIT	Original Completion Date:Original Total Depth: rectional, Deviated or Horizontal wellbore? Yes X No	Formation at Total Depth: Mississippi Water Source for Drilling Operations: Well X Farm Pond Other
CONSERVATION DIVISION WICHITA, KS AFFIDAVIT	Atom Tiole Location.	Will Cores be taken?
	WICHITA, KS AFFIL The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 days</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i>, <i>NOTIFY district office</i> prior to any cementing. 	 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of an knowledge and belef. Date: 5-15-06 Signature of Operator or Agent: Title: Operator		Title: Operator
Minimum surface pipe required feet per Alt. (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	API # 15 - 0/9 - 26729-0000 Conductor pipe required None feet Minimum surface pipe required 40 feet per Alt. X(2)	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It this permit has expired (See: authorized expiration date) please	This authorization expires: / / / / / / / / / / / / / / / / / / /	- If this permit has expired (See: authorized expiration date) please
Well Not Drilled - Permit Expired		Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 019-26729-0000	Location of Well: County:
Operator:	feet from N / S Line of Section
Lease:	feet from E / W Line of Section
Well Number:	Sec Twp S. R
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 : :	
	2110
	3465



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dwight D. Keen & Lenore M. Keen d/b/a Keen 0il Co.		License Number: 8490	
Operator Address:#1 Tam-O-Shanter	56		
Contact Person: Dwight D. Keen		Phone Number: (620) 221-6267	
Lease Name & Well No.: #5 Pitts		Pit Location (QQQQ):	
Type of Pit: Pit is:		NE - NW - SW - NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 33 R. 12 🕅 East 🗌 West
Settling Pit X Drilling Pit	If Existing, date of	onstructed:	3465 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2110 Feet from X East / West Line of Section
	140	(bbis)	Chautauqua County
is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
X Yes No	Yes X	No	Natural soil and clay
Pit dimensions (all but working pits):50	O Length (fe	eet)15	Width (feet) N/A: Steel Pits
Depth fr	rom ground level to de	eepest point:	8 (feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determinization ncluding any special monitoricans Corporation Commission
			MAY 1 5 2006 CONSERVATION DIVISION
Distance to nearest water well within one-mile	e of pit	Depth to shallo	MAY 1 5 2006 CONSERVATION DIVISION WIGHTIA, KS Divest fresh water 45 feet.
Distance to nearest water well within one-mile	·	Depth to shallo Source of infor	MAY 1 5 2006 CONSERVATION DIVISION WIGHTIA, KS Divest fresh water 45 feet.
NI /3	feet	Depth to shallo Source of infor X measu	MAY 1 5 2006 CONSERVATION DIVISION WIGHTA, KS owest fresh water 45 feet.
N/A feet Depth of water well	feet	Depth to shallo Source of infor X measu	MAY 1 5 2006 CONSERVATION DIVISION WIGHTA, KS Owest fresh water45feet. mation: uredwell owner electric logKDWR
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Depth to shallo Source of infor X measu Drilling, Work	MAY 1 5 2006 CONSERVATION DIVISION WIGHTIA, KS Divest fresh water45feet. mation: uredwell owner electric logKDWR tover and Haul-Off Pits ONLY:
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Depth to shallo Source of infor X measu Drilling, Work Type of materia Number of work Abandonment	CONSERVATION DIVISION WIGHTA, KS west fresh water45feet. rmation: uredwell ownerelectric logKDWR tover and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh_water rking pits to be utilized: procedure:pit_allowed_to_dry_and
N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shalic Source of infor X measu Drilling, Work Type of materia Number of wor Abandonment then	CONSERVATION DIVISION WIGHTA, KS owest fresh water45feet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh_water rking pits to be utilized:one
N/A feet Depth of water well	feet	Depth to shallo Source of infor X measu Drilling, Work Type of materia Number of wor Abandonment then Drill pits must	CONSERVATION DIVISION WIGHTIA, KS owest fresh water45feet. mation: uredwell ownerelectric logKDWR tover and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh_water rking pits to be utilized:one procedure:pit_allowed to dry and be filled in with soil be closed within 365 days of spud date.
N/A feet Depth of water well	feet	Depth to shallo Source of infor X measu Drilling, Work Type of materia Number of wor Abandonment then Drill pits must correct to the bes	CONSERVATION DIVISION WESTITA, KS owest fresh water 45 feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh water rking pits to be utilized: One procedure: pit_ allowed to dry and be filled in with soil be closed within 365 days of spud date.
N/A feet Depth of water well	feet	Depth to shallo Source of infor X measu Drilling, Work Type of materia Number of wor Abandonment then Drill pits must correct to the bes	CONSERVATION DIVISION WIGHTA, KS owest fresh water 45 feet. mation: ured well owner electric log KDWR tover and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh_water rking pits to be utilized: One procedure: pit_allowed to dry and be filled in with soil be closed within 365 days of spud date.
N/A feet Depth of water well	I spilled fluids to	Depth to shallo Source of infor X measu Drilling, Work Type of materia Number of wor Abandonment then Drill pits must correct to the bes	CONSERVATION DIVISION WIGHTA, KS owest fresh water45feet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh_water rking pits to be utilized:one procedure:pit_allowed to dry and be filled in with soil be closed within 365 days of spud date. Signature of Applicant/or Agent