KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

For KCC Use:

Conductor pipe required ,

Spud date:

Minimum surface pipe required

Approved by: PcH 5-17-06

This authorization expires: 11-17-00

(This authorization void if drilling not started within 6 months of effective date.)

Agent

RECEIVED KANSAS CORPORATION COMMISSION: ember 2002

Form C-1 Form must be Typed

| eet from XE/W Line of Section Regular Irregular? | | | |
|--|--|--|--|
| on Section Plat on Reverse Side) | | | |
| 20.114 | | | |
| OZONE Well #:33 #1 | | | |
| Field? Yes X No | | | |
| dary: <u>330 '</u> | | | |
| 3235 feet MSL | | | |
| ter mile: yes x no pone mile: yes x no ater: 350' | | | |
| vater: 550'58 | | | |
| X 2 2 2 1700 2 1700 2 1700 1 1700 | | | |
| UPPER MORROW | | | |
| perations: Ond Other | | | |
| | | | |
| Permit with DWR X) Yes X No | | | |
| S.A. 55- 101 et, seq, | | | |
| n all cases surface pipe shall be set | | | |
| nement is necessary prior to plugging; nted in; surface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing. | | | |
| Title: OPERATIONS ASSISTANT | | | |

File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;

File acreage attribution plat according to field proration orders;

Obtain written approval before disposing or injecting salt water.

If permit has expired (See: authorized expiration date) please check the box below and return to the address below

Submit plugging report (CP-4) after plugging is completed;

Date:

Well Not Drilled - Permit Expired

Signature of Operator or Agent: _

Notify appropriate district office 48 hours prior to workover or re-entry;

W

| Effective Date: 5 00 0 NOTICE OF INTEN District # Must be approved by KCC five (5) day | MAI L ZOGO SIGNES |
|---|---|
| SGA? Yes No | CONSERVATION DIVISION |
| <u> М. Г</u> | Sant MACLITA VS |
| Expected Spud Date | SE SE SE Sec 33 Twp 32 S.R 39 X Wes |
| month day year | |
| _ | feet from N/S X Line of Section |
| OPERATOR: License # <u>5278</u> | feet from X E / W Line of Section |
| Name: EOG Resources, Inc. | Is SECTION X Regular Irregular? |
| Address: 3817 NW Expressway, Suite 500 | |
| City/State/Zip: Oklahoma City, Oklahoma 73112 | (Note: Locate well on Section Plat on Reverse Side) |
| Contact Person: BREANNA VARGAS | County: MORTON |
| Phone: 405-246-3158 | Lease Name:BOZONE Well #:33 #1 |
| | Field Name: |
| CONTRACTOR: License #:30684 | Is this a Prorated/Spaced Field? Yes X No |
| Name: ABERCROMBIE RID, INC. | Target Formation(s): UPPER MORROW |
| | Nearest Lease or unit boundary: 330' |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: 32351 feet MSL |
| Oil Enh Rec Infield X Mud Rotary | Water well within one-quarter mile: yes x no |
| | Public water supply within one mile: yes X no |
| | Depth to bottom of fresh water: 350' |
| OWWO Disposal X Wildcat Cable | Depth to bottom of usable water: 550 1580 |
| Seismic; # of Holes Other | Surface Pipe by Alternate: X 1 2 |
| Other If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 1700' |
| | Length of Conductor pipe required: 40' |
| Operator: ———————————————————————————————————— | Projected Total Depth: 6000' |
| Well Name: | Formation at Total Depth: UPPER MORROW |
| Original Completion Date: Original Total Depth | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes X No | |
| If yes, true vertical depth: | Well X Farm Pond Other |
| Bottom Hole Location | DWR Permit #: |
| KCC DKT # | (Note: Apply for Permit with DWR X) |
| Provaled, Spaced Hugoton & Panoma | Will Cores Be Taken?: Yes X No |
| • | If yes, proposed zone:———————————————————————————————————— |
| AFFID | |
| The undersigned hereby affirms that the drilling, completion and eventual plugging | g of this well will comply with K.S.A. 55- 101 et, seq, |
| It is agreed that the following minimum requirements will be met: | |
| | |
| Notify the appropriate district office prior to spudding of well; | |
| 2. A copy of the approved notice of intent to drill shall be posted on each of | |
| The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the | |
| If the well is dry hole, an agreement between the operator and the district the second s | |
| The appropriate district office will be notified before well is either plugge | |
| If an ALTERNATE II COMPLETION, production pipe shall be cemented | |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | 3,891-C, which applies to the KCC District 3 area, alternate II cementing |
| must be completed within 30 days of the spud date or the well shall be p | olugged. In all cases, NOTIFY district office prior to any cementing. |
| I hereby certify that the statements made herein are true and to the best of my k | nowledge end belief. |
| -10/00 CK 10/0 | |
| Date:Signature of Operator or Agen | Title: OPERATIONS ASSISTANT |

feet per Alt 1

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15- 129-21785-0000 Operator EOG RESOURCES, INC. | Location of Well: County: MORTON 330 feet from N / S X Line of Section |
|--|--|
| Lease BOZONE | 330_ feet from X E / W Line of Section |
| Field | Sec33Twp32S. R39East _X We |
| Number of Acres attributable to well: | Is Section X Regular or Irregular |
| QTR/QTR/QTR of acreage:SESESE | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 1 2 2006

Form CDP-1 April 2004

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: EOG Resources, Inc. License Number: 5278 Operator Address: 3817 NW Expressway Suite #500 Oklahoma City, OK 73112 Contact Person: Breanna Vargas Phone Number: (405) 246 3158 Lease Name & Well No.: Bozone 33 #1 Pit Location (QQQQ): C SE SE SE Type of Pit: Pit is: Sec. 33 _{Twp.} 32S _{R.} 39 ☐ East ✓ West ✓ Proposed Existing Burn Pit Emergency Pit If Existing, date constructed: Settling Pit Drilling Pit Feet from North / ✓ South Line of Section Haul-Off Pit 330 Workover Pit Feet from ✓ East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Morton 12,500 (bbis) County Is the pit located in a Sensitive Ground Water Area? Yes Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? ✓ Yes No Yes **√** No 125 125 Pit dimensions (all but working pits): Length (feet) ... Width (feet) N/A: Steel Pits Depth from ground level to deepest point: If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. 200 86 feet. Distance to nearest water well within one-mile of pit Depth to shallowest fresh water Source of information: 3960_feet 437 feet ✓ measured _____ Depth of water well _well owner ___ electric log _ **KDWR** Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: 15-129-21/785-0xx Type of material utilized in drilling/workover: Gel Producing Formation: _ Number of working pits to be utilized: None Number of producing wells on lease: ___ Abandonment procedure: Evaporation/dewater and backfilling of Barrels of fluid produced daily: _ reserve pit. Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 5/9/06 KCC OFFICE USE ONLY Permit Date: 5/17/06 Lease Inspection: 🖟 Yes 🗌 No Date Received: 5/12/06 Permit Number:



COPPERATION COMMISSION

RATHLEEN SEBELIES, GOVERNOR
BRIAN J. MOLINE, CHAIR
POBERT E PRERBIEL, IONNISSIONER
MICHAEL C. MORFET, FORMICSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be comented with a calculated volume of coment sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells. irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.