#### KANSAS CORPORATION COMMISSION For KCC Use: OIL & GAS CONSERVATION DIVISION

SGA? Yes X No

## **RECEIVED**

Form C-1

MAY 1 8 2006 December 2002
Form must be Typed
FORM must be Signed
WICH Therm must be Filled

#### NOTICE OF INTENT TO DRILL

5	June	11	2006	0
Expected Spud Date	month	day	year	Spot East  NW - SE - SW Sec. 17 Twp. 28 S. R. 40 West
	9855	,	,	Sec. Twp. S. R. Wwest
OPERATOR: License#_				1,350 feet from E / V W Line of Section
Name: Grand Mesa Open Address: 200 E. First St., S	ating Company			Is SECTION ✓ Regular — Irregular?
14/: -L:4- 1/C	67202			
City/State/Zip. ————				(Note: Locate well on the Section Plat on reverse side)
Contact Person: Ronald N Phone: 316-265-3000	i. Sirician			County: Stanton Lease Name: Circle 8 Woll #: 1-17
Phone: 010-200-3000		/		Wildest Well #
CONTRACTOR: License	<sub>#</sub> 30684 $\nu$			rieid iname:
Name: Abercrombie RTD				Is this a Prorated / Spaced Field?  Target Formation(s): St. Louis
				POO!
Well Drilled For:	Well Class:	Туре	Equipment:	Nearest Lease or unit boundary: Osu feet MSL
✓ Oil ✓ Enh	Rec Infield	✓	Mud Rotary	Water well within one-quarter mile:
Gas Store	age Pool E	xt.	Air Rotary	Public water supply well within one mile:
OWWO Dispe	osal 🗹 Wildcat		Cable	Depth to bottom of fresh water: 380'
Seismic;# o	of Holes Other			Depth to bottom of usable water:
Other				Surface Pipe by Alternate:
15 O1484O 1d 11 forform				Length of Surface Pipe Planned to be set:
If OWWO: old well inform				Length of Conductor Pipe required: None
				Projected Total Depth: 5700'
Well Name: Original Completion I	Data:	Original Tot	al Dooth:	Formation at Total Depth: St. Louis
Original Completion i	Date	.Original lot	ai Depin	Water Source for Drilling Operations:
Directional, Deviated or I	Horizontal wellbore?	,	Yes 🗸 No	Well Farm Pond Other Haul City Water
If Yes, true vertical depth	i			DWR Permit #:
Bottom Hole Location:				(Note: Apply for Permit with DWR )
KCC DKT #:				Will Cores be taken? Yes   ✓ No
Prorated, Space	cod Hugoton	5 Hun	oma	If Yes, proposed zone:
(10/4/-/-/	·			TIDANIT
The condensioned basels	. affirms that the d	diina ooma		FIDAVIT
•			·	olugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follo				
through all uncon: 4. If the well is dry h 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete	roved notice of intrount of surface pip solidated materials note, an agreement listrict office will be II COMPLETION, opendix "B" - Easte ad within 30 days o	ent to drill so as specific plus a mini to between the notified before production for Kansas of the spud of	chall be posted on eatied below shall be s imum of 20 feet into the operator and the fore well is either plu pipe shall be comen surface casing order date or the well shall	the the underlying cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; after from below any usable water to surface within 120 days of spud date.  The state of the transfer of the t
I hereby certify that the	statements made	herein are t	rue and to the best	of my knowledge/and ballef. //
Date: 05/17/06	<b>.</b>		XOII	Will President
Date: 05/1//06	Signature of	Operator of	9 1	1100
			Ronal	d Remember C. Lair
For KCC Use ONLY	01000 0			- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 187-	<u>-21083-0</u>	000		- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe require	ed None		feet	File acreage attribution plat according to field proration orders;     Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe	760		feet per Alt. 1	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Pett .	required		idet per Ait.	Obtain written approved before dispessing an injection polytransport
Approved by:	11-12-12			- Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please
This authorization expir				check the box below and return to the address below.
(This authorization void	ıı arılııng not started ı	vitnin 6 mont	ns of approval date.)	Well Not Drilled - Permit Expired
Spud date:	Agent:			
Spou date.	Agent.			Signature of Operator or Agent:
				S 11 - Last December 14 - Last S 2000

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 187-21083-0000	Location of Well: County: Stanton
Operator: Grand Mesa Operating Company	
Lease: Circle 8	
Well Number: 1-17 Field: Wildcat	Sec17Twp28S. R40 East
Number of Acres attributable to well: QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	[ ·						
	1 .	-					•
		•		.	•	•	•
	• • •						
				.			•
					•	•	-
					·		·
				. 1			
				.			•
				. ]			-
	-	•				•	
	-	•		.	•	•	•
						:	:
						<del></del> :	
	-   :	:					
				. 1			
	1						
	· ·	•		.	•	•	•
		•		<u> </u>	· ·	•	•
	1						· · · · · ·
	٠ .			. }		-	
				.			
1,350' FWL —	<del></del>		•	١ ١			
		:	Ι.	.	·	:	
			] .				
				.			
			t				
	NOTE: In	ali cases	locate t	the spot o	f the prop	osed drilling	g locaton.



890' FSL

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

**APPLICATION FOR SURFACE PIT** 

# RECEIVED

Form CDP-1 MAY 1 8 2006 Form must be Typed

KCC WICHITA

#### Submit in Duplicate

Deperator Name: Grand Mesa Operating Company  License Number: 9855  Deperator Address: 200 E. First St., Ste 307 Wichita, KS 67202  Deperator Address: 200 E. First St., Ste 307 Wichita, KS 67202  Deperator Address: 200 E. First St., Ste 307 Wichita, KS 67202  Deperator Address: 200 E. First St., Ste 307 Wichita, KS 67202  Deperator Address: 200 E. First St., Ste 307 Wichita, KS 67202  Phone Number: ( 316 ) 265 - 3000  Pit Location (QQQQ):  SW _ NW _ SE _ SW _ Sec_ 17 _ Twp. 28S _ R_ 40 _ East _ West _ Sec_ 17 _ Twp. 28S _ R_ 40 _ East
Contact Person: Ronald N. Sinclair  Phone Number: ( 316 ) 265 3000  Pit Location (QQQQ):  Sype of Pit:  Pype of Pit:  Pit is:  Proposed Existing  If Existing, date constructed:  Workover Pit Haul-Off Pit  Pit capacity:  4,363 (bbls)  Stanton  County  Stanton  County  Chloride concentration:  Mey Proposed Existing  If Existing, date constructed:  Pit capacity:  4,363 (bbls)  Stanton  County  Chloride concentration:  Mey Pit and Settling Pits
Pit Location (QQQQ):  Sype of Pit:    Pit is:   SW NW SE SW     Sec. 17 Twp. 28S R. 40   East West     Section   North / South Line of Section     Workover Pit   Haul-Off Pit     WW Supply API No. or Year Drilled)     Step it located in a Sensitive Ground Water Area? Yes No     Yes No   No     Yes No   No     No is the pit lined if a plastic liner is not used?     Depth from ground level to deepest point: 5 (feet)     Sw NW SE SW     Sec. 17 Twp. 28S R. 40   East West     Sec. 17
Sec. 17 Twp. 28S R. 40 East V West    Sec. 17 Twp. 28S R. 40 East V West   Sec. 17 Tw
Emergency Pit Burn Pit
Settling Pit
Workover Pit
Workover Pit
Stanton  County  4,363  (bbls)  Stanton  County  Chloride concentration:
s the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration:
(For Emergency Pits and Settling Pits only)  s the bottom below ground level?
Artificial Liner?  Yes No Pit dimensions (all but working pits):  Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining  How is the pit lined if a plastic liner is not used?  Drilling mud  N/A: Steel Pits  Describe procedures for periodic maintenance and determining
Pit dimensions (all but working pits): 70 Length (feet) 70 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 5 (feet)  The pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining
Depth from ground level to deepest point:5 (feet)  The pit is lined give a brief description of the liner
f the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining
Distance to nearest water well within one-mile of pit  Depth to shallowest fresh water
Source of information:  2,348 feet Depth of water well 405 feet measured well owner electric leg. 4 KDWR
reet Depth of water well leet leet leet well owner electric log V KDVR
mergency, Settling and Burn Pits ONLY:  Drilling, Workover and Haul-Off Pits ONLY:
roducing Formation: Type of material utilized in drilling/workover: Drilling Mud
lumber of producing wells on lease: Number of working pits to be utilized:
arrels of fluid produced daily: Abandonment procedure: Evaporation and Backfill
Abandonment procedure: Evaporation and Backfill  Abandonment procedure: Evaporation and Backfill  Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  May 17, 2006  May 17, 2006  Ronald N. Sinc
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.
8
May 17, 2006 May 17, 2006 May 18 and N. Sincla
Date Signature of Applicant or Agent Pres.
KCC OFFICE USE ONLY
1. 1
ate Received: S/18 Oc. Permit Number: Permit Date: S/18/06 Lease Inspection: Yes K No



CORPORATION COMMISSION

RATELEEN SEBELIES, GOVERNOR BRIAN I MOLINE CHAIR ROBERT E TREMBRE, COMMISSIONER MICHAEL C MOFFET, COMMISSIONER

### NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickers(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.