For KCC Use: 5-23-06

Effective Date: 1

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

lust be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date 7 20 2006	Snot	
month day year	Spot Eas Eas Eas	
33476	Sec. Iwp. S. H. V Wes	Sī
OPERATOR: License# 33476 Name: FIML Natural Resources, LLC	1980 feet from E / V W Line of Section	
Address, 410 - 17th Street, Suite 900 FECEIVED	ls SECTIONRegular Irregular?	
City/State/Zip: Denver, CO 80202 KANSAS CORPORATION COMMISS	SION (Note: Locate well on the Section Plat on reverse side)	
Contact Person Phyllis Sobotik	County: Scott	_
Phone: 303-899-5608 MAT I 0 2000	Lease Name: Pfeifer-Ball Well #: 3-9-1931	_
CONTRACTOR: Licenset 8273 CONSERVATION DIVISION	Field Name: To be determined	
CONTRACTOR: License# 8273 CONSERVATION DIVISION Name: Excell Services, Inc. WICHITA, KS	Is this a Prorated / Spaced Field?	10
Name.	Target Formation(s): Mississippian Spergen	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660' Ground Surface Elevation: 2979' feet MS	_
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 29/9 feet MS Water well within one-quarter mile: Yes ✓ N	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'	_
Seismic; # of Holes Other	Depth to bottom of usable water: 1550'	_
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350'	_
Operator: N/A	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 4850' Formation at Total Depth: Osage	_
Original Completion Date:Original Total Depth:	Formation at Total Depth: Osage Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Hauled in	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓ N	ю
	If Yes, proposed zone:	_
ΔFFI	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plants		
It is agreed that the following minimum requirements will be met:		
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	t by circulating cement to the top; in all cases surface pipe shall be set as underlying formation. istrict office on plug length and placement is necessary prior to plugging ;	
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.	
Date: May 17 206 Signature of Operator or Agent: Hyll	Title: Operations Regulatory Manage	er
	Remember to:	
For KCC Use ONLY API # 15 - 171-20633-0000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. X 2 Approved by: 2ct 5-13-06	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. 	9 /
This authorization expires: IF 18-06	- If this permit has expired (See: authorized expiration date) please	9
(This authorization void if drilling not started within 6 months of effective date.)	check the box below and return to the address below. Well Not Drilled - Permit Expired	
Spud date: Agent:	Signature of Operator or Agent:	لن
	Date:	<u>-</u>
Mail to: KCC - Conservation Division, 130 S	S. Market - Room 2078, Wichita, Kansas 67202	<

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

MAY 1 8 2006

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 171-20633-0000	Location of Well: County: Scott
Operator: FIML Natural Resources, LLC	660 feet from N / S Line of Section
Lease: Pfeifer-Ball	1980 feet from E / V W Line of Section
Well Number: 3-9-1931	Sec. 9 Twp. 19 S. R. 31 East ✓ West
Field: To be determined	
Number of Acres attributable to well:	Is Section: Regular or ✓ Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE ✓ NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION MAY 1 8 2006

MAY 1 8 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION

WICHITA, KS Submit in Duplicate

Operator Address: 410 - 17th Street, Ste 900; Denver, CO 80202 Contact Person: Phyllis Sobotik Lease Name & Well No: Pfeifer-Ball #3-9-1931 Type of Pit: Burn Pit Burn Pit Pit is: Settling Pit Dufilling Pit Pit capacity: 3000 (bbis) Settling Pit Pit Pit capacity: 3000 (bbis) Settling Pit Pit	Operator Name: FIML Natural Resources, LLC		License Number: 33476	
Lease Name & Well No.: Pfeifer-Ball #3-9-1931 Type of Pit: Setting Pit Burn Pit Pit is: Proposed Existing Existing Feet from North / South Line of Section 1980 Feet from North / South Line of Section 1980 Feet from North / South Line of Section 1980 Feet from North / South Line of Section 1980 Feet from South Line of Section 1980 Feet from South Line of Section Scott County Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: NIA mg/l (For Emergency Pits and Setting Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Natural Clay Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 3.5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Depth from ground level to deepest point: Source of information: Distance to nearest water well within one-mile of pit Source of information: NA feet Depth of water well feet Source of information: Producing Formation: NIA Number of producing wells on lease: Source of information: In the pit is lined give a brief description of the liner measured well owner electric log KDWR Distance to nearest water well within one-mile of pit Source of information: NA feet Depth of water well feet Source of information: Producing Formation: NIA Number of producing wells on lease: Source of information: In the pit is lined give a brief description of the liner Source of information: Producing Formation: NIA Number of working pits to be utilized: 2 Number of working pits				
Lease Name & Well No.: Pfeifer-Ball #3-9-1931 Type of Pit: Setting Pit Burn Pit Pit is: Proposed Existing Existing Feet from North / South Line of Section 1980 Feet from North / South Line of Section 1980 Feet from North / South Line of Section 1980 Feet from North / South Line of Section 1980 Feet from South Line of Section 1980 Feet from South Line of Section Scott County Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: NIA mg/l (For Emergency Pits and Setting Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Natural Clay Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 3.5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Depth from ground level to deepest point: Source of information: Distance to nearest water well within one-mile of pit Source of information: NA feet Depth of water well feet Source of information: Producing Formation: NIA Number of producing wells on lease: Source of information: In the pit is lined give a brief description of the liner measured well owner electric log KDWR Distance to nearest water well within one-mile of pit Source of information: NA feet Depth of water well feet Source of information: Producing Formation: NIA Number of producing wells on lease: Source of information: In the pit is lined give a brief description of the liner Source of information: Producing Formation: NIA Number of working pits to be utilized: 2 Number of working pits			Phone Number: (303) 899 - 5608	
Emergency Pit Burn Pit Setting Pit Drilling Pit Setting Pit Drilling Pit Setting Pit Drilling Pit Setting Pit Drilling Pit Pit capacity: 3000 Scott		#3-9-1931	_	Pit Location (QQQQ):
Settling Pit	Type of Pit:			<u>NE</u> <u>NW</u> _
Workover Pit	Emergency Pit Burn Pit	✓ Proposed		Sec. 9 Twp. 19S R. 31 ☐ East 🗸 West
Pit capacity: 3000 Scott	Settling Pit	If Existing, date constructed:		Feet from V North / South Line of Section
Scott County		Pit capacity:		Feet from East / ✓ West Line of Section
State Source of information: Source of information: NA Steel Pits Only: Source of information: Source of information: NA Steel Pits Only: Source of information: Source of informati	(IT WP Supply API No. or fear Drilled)	3000	(bbls)	Scott County
Is the bottom below ground level? Yes No Artificial Liner? No Natural Clay Pit dimensions (all but working pits): Both from ground level to deepest point: Depth from ground level to deepest point: Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Describe procedures fresh water feet. Source of information: Depth to shallowest fresh water feet. Source of information: Depth to shallowest fresh water sell-well will will mone feet. Producing Formation: N/A Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandourse of Applicant or Agent Signature of Applicant or Agent	Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: N/A mg/l
Pit dimensions (all but working pits):	le the bottom below ground level?	Artificial Liner?		
Depth from ground level to deepest point: 3.5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Depth to shallowest fresh water				
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of pit NA	Depth fr	om ground level to de	epest point: 3	.5 (feet)
Distance to nearest water well within one-mile of pit NAfeetDepth of water wellfeetSource of information:	If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining			
Source of information: NA	material, thickness and installation procedure.		including any special monitoring.	
Source of information: NA				
Source of information: NA				
NAfeetDepth of water well	· ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			
Producing Formation: N/A Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Type of material utilized in drilling/workover: Bentonite Mud Number of working pits to be utilized: 2 Abandonment procedure: Evaporation/backfill Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. MAY 11 MB Date Signature of Applicant or Agent	NA feet Depth of water well			
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. May 11 206 Signature of Applicant or Agent	Emergency, Settling and Burn Pits ONLY: Drilling		Drilling, Work	over and Haul-Off Pits ONLY:
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. May 11 206 Date Abandonment procedure: Evaporation/backfill Drill pits must be closed within 365 days of spud date. Signature of Applicant or Agent	Producing Formation: N/A Type of mate		Type of materia	al utilized in drilling/workover: Bentonite Mud
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. The place Signature of Applicant or Agent			10	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. May 11 206 Drill pits must be closed within 365 days of spud date. May 11 206 Signature of Applicant or Agent	Barrels of fluid produced daily: Abandonment		procedure: Evaporation/backfill	
May 11306 Alyllu Sobotto Signature of Applicant or Agent	· ·		Drill pits must l	be closed within 365 days of spud date.
	I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
	May 17206 Shill Sobotto			
KCC OFFICE USE ONLY	Date Signature of Applicant or Agent			
	KCC OFFICE USE ONLY			
Date Received: 5/18/04 Permit Number: Permit Date: 5/18/04 Lease Inspection: Yes Y No				