### For KCC Use: 5-2406 District # SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 All blanks must be Filled

M 04 .0000	_
Expected Spud Date May 24, 2006	Spot East
month day year	SE - NW Sec. 9 Twp. 31 S. R. 17 Wes
OPERATOR: License#	1980 feet from V N / S Line of Section
Name: Layne Energy Operating, LLC	1991 HOM F / Y VY LINE OF SECTION
Address: 1900 Shawnee Mission Parkway	ls SECTION Regular Irregular?
Address: City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: M. B. Nattrass	County: Montgomery
Phone: 913-748-3987	Lease Name: JD Friess Well #: 6-9
CONTRACTOR: License# 33606	Field Name: Coffeyville-Cherryvale
Name: Thomton Air	Is this a Prorated / Spaced Field?  Chemical Coals
IVallib.	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 933'
Oil Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 877feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Yes ✓ No.
OWWO Disposal Wildcat Cable	Public water supply well within one mile:  Yes V  No
Seismic;# of Holes Other	Depth to bottom of fresh water: 150  Depth to bottom of usable water: 200
Other	_ <b>_</b>
	Surface Pipe by Alternate: 1 20
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20°  Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1200 Feet
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Total Copul
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
NO DRI W.	
	If Yes, proposed zone:
AFFI	DAVIT KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	MAY 1 9 2006
1. Notify the appropriate district office prior to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be se	
through all unconsolidated materials plus a minimum of 20 feet into the	ie underlying formation. istrict office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either plug	
	ed from below any usable water to surface within 120 days of spud date.
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall t	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: 5/18/06 Signature of Operator or Agent: MR	Natta Agent
Date: 5/18/06 Signature of Operator or Agent: MS	Title: Agent
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 125-31093-0000	- File Completion Form ACO-1 within 120 days of spud date;
None	- File acreage attribution plat according to field proration orders;
	Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CR 4) offer plugging in completed;
	Submit plugging report (CP-4) after plugging is completed;     Obtain written approval before disposing or injecting salt water.
Approved by: 214 579-06	
This authorization expires: 11-19-06	<ul> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>
(This authorization void if drilling not started within 6 months of approval date.)	
Count data:	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15- 125-31093-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	1980 feet from V N / S Line of Section
Lease: JD Friess	1980 feet from E / W Line of Section
Well Number: 6-9	Sec. 9 Twp. 31 S. R. 17 ✓ East Wes
Field: Coffeyville-Cherryvale	
Number of Acres attributable to well:	Is Section: 🕢 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

:		
	<u>:</u>	
: 1980	· · · · · · · · · · · · · · · · · · ·	
	: :	
:  :	· :	:
 : :		

KANSAS CORPORATION COMMISSION
MAY 1 9 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lawrence France O			License Number: 00005	
Operator Name: Layne Energy O			License Number: 33365	
Operator Address: 1900 Shawne	e Mission F	Parkway,	Mission Woods, KS 66205	
Contact Person: M. B. Nattrass			Phone Number: ( 913 ) 748 - 3987	
Lease Name & Well No.: JD Friess 6-9		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SE</u> . <u>NW</u>	
Emergency Pit Burn Pit	<b></b> ✓ Proposed	Existing	Sec. 9 Twp. 31 R. 17 ✓ East West	
Settling Pit	If Existing, date co	onstructed:	1980 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1980 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Montgomery	
			County	
Is the pit located in a Sensitive Ground Water	Area? Yes	Νο	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes  No	Yes ✓ N	No 	Self-Sealing	
Pit dimensions (all but working pits):	BO' Length (fee	et)20'	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	epest point: 3'	(feet)	
If the pit is lined give a brief description of the		Describe proce	dures for periodic maintenance and determining RECEIVED	
If the pit is lined give a brief description of the material, thickness and installation procedure	liner		dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMPANY 1 9 200 CONSERVATION DIVINGED	mmiss 6
material, thickness and installation procedure  Distance to nearest water well within one-mile	e liner e.	liner integrity, i	CONSERVATION DIVI	mmiss 6
material, thickness and installation procedure	e liner	Depth to shallo	CONSERVATION DIVI	mmiss 6
material, thickness and installation procedure	e liner e. e of pit	Depth to shallo Source of infor measu Drilling, Work	CONSERVATION CO  WAY 1 9 200  CONSERVATION DIVI  WICHITA, KS  west fresh waterfeet.  mation:  liredwell owner electric log KDWR  over and Haul-Off Pits ONLY:	mmiss 6
Distance to nearest water well within one-mile	e liner e.  e of pitfeet	Depth to shallo Source of infor measu	CONSERVATION DIVI WICHITA, KS  west fresh waterfeet. mation: iredwell owner electric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud	mmiss 6
Distance to nearest water well within one-mile	e liner e.  e of pitfeet	Depth to shallo Source of infor measu  Drilling, Work Type of materia	CONSERVATION CONSERVATION CONSERVATION CONSERVATION DIVINGUITA, KS  west fresh waterfeet. mation: liredwell owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: TWO	mmiss 6
Distance to nearest water well within one-mile    Distance to nearest water well within one-mile   Distance to nearest water w	e liner e.  e of pitfeet	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of work Abandonment	CONSERVATION DIVI WICHITA, KS  west fresh waterfeet. mation: iredwell owner electric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud	mmiss 6
Distance to nearest water well within one-mile    Distance to nearest water well within one-mile   Distance to nearest water water well within one-mile   Distance to nearest water well within one-mile   Distance to nearest water well within one-mile   Distance to nearest water wate	e of pit	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment and restore	MAY 1 9 200  CONSERVATION DIVISUAL METAL M	mmiss 6
Distance to nearest water well within one-mile    Distance to nearest water well within one-mile   Depth of water well	e of pit	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment and restore	CONSERVATION CONSERVATION CONSERVATION CONSERVATION DIVINGUITA, KS  west fresh waterfeet. mation: liredwell owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: TWO	mmiss 6
Distance to nearest water well within one-mile    Distance to nearest water well within one-mile   Distance to nearest water water well within one-mile   Distance to nearest water well within one-mile   Distance to nearest water well within one-mile   Distance to nearest water wate	e liner e.  e of pit  feet  :	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment and restore Drill pits must in the state of the state	CONSERVATION DIVISION TO WICHITA, KS  west fresh water feet. mation: lired well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let evaporate until dry, then backfill  be closed within 365 days of spud date.	mmiss 6
Distance to nearest water well within one-mile    Depth of water well	e liner e.  e of pit  feet  :	Depth to shallo Source of informeasu.  Drilling, Work. Type of materia Number of wor Abandonment and restore Drill pits must be correct to the best	CONSERVATION DIVISION TO WICHITA, KS  west fresh water feet. mation: lired well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let evaporate until dry, then backfill  be closed within 365 days of spud date.	mmiss 6
Distance to nearest water well within one-mile    Depth of water well	e of pit  feet  I spilled fluids to  ements are true and comments.	Depth to shallo Source of informeasu.  Drilling, Work. Type of materia Number of wor Abandonment and restore Drill pits must be correct to the best	CONSERVATION CONSERVATION CONSERVATION CONSERVATION DIVINGUITA, KS  West fresh waterfeet. mation: Iredwell owner electric log KDWR  over and Haul-Off Pits ONLY: In utilized in drilling/workover: Fresh Water Mud  king pits to be utilized: Two procedure: Let evaporate until dry, then backfill  be closed within 365 days of spud date.	mmiss 6

Mall to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202