FORKCO Use: KANSAS CORPORA	ATION COMMISSION RECEIVED Form C-1
Effective Date: 3 - 28 - 00 OIL & GAS CONSE	ERVATION DIVISION KANSAS CORPORATION COMMISSION PROFESSION TO THE PROPERTY OF
NOTICE OF IND	
Sun: 163 17 No	FENT TO DRILL MAY 2 3 2006 Form must be Signed
Must be approved by KCC five ((5) days prior to commencing well Shiloh
	CONSERVATION DIVISION
Expected Spud Date 05/19/06	Spot WICHTA KS Z East
month day year	SW - SE Sec. 26 Twp. 26S S. R. 17E West
22592	830 feet from N / S Line of Section
OPERATOR: License# 33583	100 Hour Total Hour To
Name: Admiral Bay (USA) Inc.	lest from V L / Line of Section
Address: 14550 E Easter Ave, Ste. 1000	Is SECTION Regular Irregular?
City/State/Zin. Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Steven Tedesco	County: Allen
Phone: 303.671-7242	Lease Name: Isle Well #: 15-36
Phone:	Field Name: Humboldt-Chanute
CONTRACTOR: License# 5786	
Name: McGowan Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Riverton
Wall Brillian Early and a second a second and a second an	Nearest Lease or unit boundary: 510 FEL
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 976feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100'+
Other	Depth to bottom of usable water: 200'+
Ottlet	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1400'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Pormation at total Depth.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	17 100, proposod 2010.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT RECEIVED ugging of this well will comply with K.S.A. 55 SAS CORPORATION COMMISSIO

It is agreed that the following minimum requirements will be met:	MAY 1 6 2006
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	th drilling rig; CONSERVATION DIVISION
A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	of by circulating cement to the top; in all cases surface note share be serviced within the service within t
through all unconsolidated materials plus a millimum of 20 feet into the	ic underlying formation.
	istrict office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either plug	
	ed from below any usable water to surface within 120 days of spud date.
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
	A
I hereby certify that the statements made herein are true and to the best of	mý/knowledge ánd belief.
4	No I de la Constitución
Date: 5/17/06 Signature of Operator or Agent: Y	Title: Land Coordinator
	Remember to:
- Van II - AII - A	
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 001 - 29423-000	File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required None feet	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

- Submit plugging report (CP-4) after plugging is completed;

Date:

Well Not Drilled - Permit Expired

Signature of Operator or Agent:

- Obtain written approval before disposing or injecting salt water.

 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Minimum surface pipe required.

Spud date:_

Approved by: 24-5-23-06

This authorization expires: 11-23-06

(This authorization void if drilling not started within 6 months of effective date.)

Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001- 29423-0000	Location of Well: County: Allen
Operator: Admiral Bay (USA) Inc.	830 feet from N / S Line of Section
Lease: Isle	510 feet from 🗸 E / W Line of Section
Well Number: 15-36 Field: Humboldt-Chanute	Sec. 26 Twp. 26S S. R. 17E ✓ East Wes
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage:SWSE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•			•	
		•	•		•
		.			
		.			
_	•	·		•	
-					
		.			
	•			-	
-		.	•	•	•
-		.			
	•	.		•	
		.			•
		. 1			
-	•	<u>.</u> 1:	າ	•	•
			۷ .		
	•		•	•	•
		.		•	
		I			
		I			
					· · · · ·
	· · · · ·	· · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · ·	· · · · · · · · · · · · · · · · · · ·
	•	· · · · ·		:	· · · · · ·
:		· · · · ·	year than manufacture matter to the state of		· · · · · · · · · · · · · · · · · · ·
	•	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
		· · · · ·		:	· · · · · · · · · · · · · · · · · · ·
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
					· · · · · · · · · · · · · · · · · · ·
	830 —		0		· · · · · · · · · · · · · · · · · · ·
			0		
			0		



NOTE: In all cases locate the spot of the proposed drilling locaton. 2020

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE CORPORATION COMMISSION

		bmit in Duplicat	<u>MAY 2 3 2006</u>	
Operator Name: Admiral Bay (I	JSA) Inc.		License Nucharia Anna Avision	
Operator Address: 14550 E East		e. 100	WICHITA, KS	
Contact Person: Janet Johnson			Phone Number: (303) 350 - 1255	
Lease Name & Well No.: Isle 15-34			Pit Location (QQQQ): 5 မ	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 36 Twp. 26S R. 17	st
Settling Pit	If Existing, date of	onstructed:	830 Feet from North / South Line of S	ection
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from Fast / West Line of S	ection
	150	(bbls)		County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 💆	No	Chloride concentration: (For Emergency Pits and Settling Pits only)	mg/l
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes ✓	No		
Pit dimensions (all but working pits):	.0 Length (fe	eet) 20	Width (feet) N/A: Steel Pits	.
Depth fr	om ground level to de	eepest point:	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and determ RECEIVE including any special monitoring. KANSAS CORPORATION MAY 1 6 20	COMMISSIC
Distance to nearest water well within one-mike			CONSERVATION DIV WICHITA, KS	/ISION
	e of pit	Depth to shallo Source of infor	west fresh waterfeet.	/ISION
N/A / feet Depth of water well	•	Source of infor	west fresh waterfeet.	
N/A / feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasu	west fresh waterfeet. mation: liredwell ownerelectric logKDW over and Haul-Off Pits ONLY:	/R
	feet	Source of informeasu	west fresh waterfeet. mation: iredwell ownerelectric logKDW	/R
Emergency, Settling and Burn Pits ONLY:	feet	Source of informeasure measure	west fresh waterfeet. mation: iredwell ownerelectric logKDW over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native m king pits to be utilized: 2	/R
Emergency, Settling and Burn Pits ONLY: Producing Formation:	feet	Source of informeasure measure	west fresh waterfeet. mation: liredwell ownerelectric logKDW over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native m	/R /5-00/-
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of informeasure measure Drilling, Work Type of materia Number of work Abandonment	west fresh waterfeet. mation: iredwell ownerelectric logKDW over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native m king pits to be utilized: 2	/R /5-00/-
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet feet	Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh waterfeet. mation: liredwell owner electric logKDW over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native m king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date.	/R /5-00/-
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet feet	Source of informeasure measurement. Drilling, Worke Type of material Number of worker Abandonment. Drill pits must be correct to the besure measurement.	west fresh waterfeet. mation: liredwell owner electric logKDW over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native m king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date.	/R
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state 5/17/06	spilled fluids to	Source of informeasure measurement. Drilling, Worke Type of material Number of worker Abandonment. Drill pits must be correct to the besure measurement.	west fresh waterfeet. mation: liredwell owner electric logKDW lover and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water & Native m king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date. It of my knowledge and belief.	/R /5-00/-