| For KCC    | Use:    | 5-28-06      |
|------------|---------|--------------|
| Effective  | Date: _ | 3-20-00      |
| District # |         | <del>-</del> |
| SGA?       | Yes     | X No         |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

**RECEIVED** 

MAY 18 2006

Form C-1 December 2002
Form must be Typed
Form must be Signed

# NOTICE OF INTENT TO DRILL

| Expected Spud Date 05/29/06 month day year   | Spot  |
|--|---|
|  | ME - NE 1/4 - NE 1/4 Sec. 19 Twp. 19 S. R. 6 Wes  |
| DPERATOR: License# 30483 /   | 400 feet from N / S Line of Section 400 feet from V E / W Line of Section   |
| Name: Les Kremeier dea Kremeier Production & Operating   | Is SECTION ✓ RegularIrregular?  |
| Address: 3183 US Hwy 56  | is SECTIONRegularIrregular?   |
| City/State/Zip: Herington KS 67449   | (Note: Locate well on the Section Plat on reverse side)   |
| Contact Person: Les Krerneier Phone: 785-366-6249  | County: Chase  Lease Name: Steerman Well #: 1   |
| Shone: 100-000-0245  | Lease Name: SteermanWell #: 1   |
| CONTRACTOR: License# 32548   |   |
| Name: Kan-Drill  | Is this a Prorated / Spaced Field? Yes ✓ N  Target Formation(s): Viola  |
|  | Nearest Lease or unit boundary: 400   |
| Well Drilled For: Well Class: Type Equipment:  | Ground Surface Elevation: 1371 feet MS  |
| Oil / Enh Rec Infield / Mud Rotary   | Water well within one-quarter mile: Yes ✓ N   |
| Gas Storage Pool Ext. Air Rotary   | Public water supply well within one mile;   |
| OWO Disposal Wildcat Cable   | Denth to hottom of fresh water: 40ft  |
| Seismic; # of Holes Other  | Depth to bottom of usable water: 46t 180  |
| Other  | Surface Pipe by Alternate: 11   |
| f OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set: 200 feet AH-1   |
| Operator:  | Length of Conductor Pipe required: none   |
| Well Name:   | Projected Total Depth: 2200?  |
| Original Completion Date:Original Total Depth:   | Formation at Total Depth: viola   |
|  | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No   | Well Farm Pond Other  |
| f Yes, true vertical depth:  | DWR Permit #:   |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR  |
|  | (Note: Apply for Fernia War DWA)  |
|  | (Note: Apply for Permit with DWR □ )  Will Cores be taken? □ Yes ✓ N  |
|  | Will Cores be taken? Yes ✓ N If Yes, proposed zone:   |
| KCC DKT #:   | Will Cores be taken?  |
| AFF  | Will Cores be taken?  |
| KCC DKT #:   | Will Cores be taken?  |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order   | Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging;  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shell be</i> posted on each an advantage of the approved notice of intent to drill <i>shell be</i> posted on each and the drill and the second of the second | Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set                | Will Cores be taken?  If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each and the description of the surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specific to a surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the specific case.   | If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each an advantage of the approved notice of intent to drill shell be posted on each an advantage of the specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the seed               | If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  In ged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  |
| AFF  The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the description of the properties of the second of the posted on each and the description of the properties of the second o               | If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each an interval all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drill shell be completed in the drill appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is eit               | If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the proposed zone is to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each and the drill shell be posted on each and the drill shell be low shall be seen through all unconsolidated materials plus a minimum of 20 feet into the statements and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell be computed.  5. The appropriate district office will be notified before well is either plug to the spund to the operator of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spund date or the well shall thereby certify that the statements made herein are true and to the best of the spund date or the well shall be seened.  For KCC Use ONLY  API # 15 - O17 - 20885-0000  Conductor pipe required  | If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the top to the top; in all cases surface pipe shall be set to be underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  In the plugged or production casing is cemented in;  Itel from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each and a surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the defense of the well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the su               | If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the top to the top; in all cases surface pipe shall be set to be underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  In the from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each an advantage of the approved notice of intent to drill shell be posted on each an advantage of the drill shell be posted on each an advantage of the specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator and the drill shell is dry hole, an agreement between the operator will be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O17 - 20885-000  Conductor pipe required   | If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each and a surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the defense of the well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the su               | If Yes, proposed zone:    JAVIT   |
| AFF  The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shell be posted on each and the description of the properties of the prior of the posted on each and the description of the properties of the well is dry hole, an agreement between the operator and the description of the properties of the proper               | If Yes, proposed zone:  IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| AFF  The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shell be posted on each and the description of the properties of the prior to spudding of well; 3. The minimum amount of surface pipe as specified below shell be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug to the surface of the surface of the surface of the surface of the well is either plug to the surface of t               | If Yes, proposed zone:    JAVIT   |

MAY 2 2 2006

MAY 18 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW Plat of acreage attributable to a well in a prorated or spaced field

**KCC WICHITA** 


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 0/7-20885-0000                                | Location of Well: County: Chase                                    |
|--|--|
| Operator: Les Kremeier dba Kremeier Production & Operating | 400 feet from N / S Line of Section                                |
| Lease: Steerman  | 400 feet from F E / W Line of Section                              |
| Well Number: 1 Field: Koegoboehn                           | Sec. 19 Twp. 19 S. R. 6 V East West                                |
| Number of Acres attributable to well:                      | Is Section: 🗸 Regular or 🗌 Irregular                               |
| QTR / QTR / QTR of acreage: NE 1/4 _ NE 1/4                | If Section is irregular, locate well from nearest corner boundary. |
|  | Section corner used:  NE NW SE SW                                  |

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

|   |     |             | •          |            | •                     |        |
|---|-----|-------------|------------|------------|-----------------------|--------|
| ł |     |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
|   |     |             |            | ١.         |                       |        |
|   |     |             |            |            |                       |        |
|   | •   | •           | •          |            | •                     |        |
|   | ٠., |             |            | <i>' .</i> |                       | . ·    |
| [ |     |             |            |            |                       |        |
|   | •   |             | •          |            |                       | •      |
|   | •   |             | •          |            | •                     | •      |
|   | •   |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
| J |     |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
|   |     |             |            | ١.         |                       |        |
|   |     |             |            |            |                       |        |
| 1 |     |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
|   |     |             |            |            |                       |        |
|   |     | :           | :          | :          |                       |        |
|   |     | :           | :          | :          |                       |        |
|   |     | :           |            | :          |                       |        |
|   |     | :           | :          | :          |                       |        |
|   | :   | · · · · ·   | <u>;</u> ; |            | :                     | :<br>: |
|   | :   | · · · · · · | ·          |            | :                     | :<br>: |
|   | :   | :           | :          |            | :                     | :<br>: |
|   | :   | :           | :          |            | :                     | :<br>: |
|   |     |             | :<br>      |            | :<br>:<br>:           | :<br>  |
|   |     |             | :          |            | :<br>:<br>: : : : : : | :<br>  |
|   |     | :           | :<br>      |            | :                     | :<br>  |
|   |     | :           | :<br>      |            | :<br>:<br>: : : : : : | :<br>  |
|   |     | :           | :<br>      |            | :                     | :<br>  |
|   |     |             |            |            | :                     | :<br>  |
|   |     |             |            |            | :                     | :<br>  |
|   |     |             |            |            | :                     | :<br>  |
|   |     |             |            |            | :                     | :<br>  |



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; RECEIVED CG-8 for gas wells).

MAY 2 2 2006 KCC WICHITA

## Kansas Corporation Commission Oil & Gas Conservation Division

# RECEIVED

MAY 18 2006

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

**KCC WICHITA** 

| Operator Name: Les Kremeier   |                                | License Number: 30483  |  |  |  |  |
|---|--------------------------------|--|--|--|--|--|
| Operator Address: 3183 US Hwy 56 Herington KS 67449   |                                |  |  |  |  |  |
| Contact Person: Les Kremeier  |                                | Phone Number: ( 785 ) 366 -6249  |  |  |  |  |
| Lease Name & Well No.: Steerman   | #1                             | Pit Location (QQQQ):   |  |  |  |  |
| Type of Pit:  | Pit is:                        |  | <u>NE</u> _ <u>1/4</u>                               |  |  |  |
| Emergency Pit Burn Pit  | Proposed Existing              |  | Sec. 19 Twp. 19 R. 6                                 |  |  |  |
| Settling Pit  | If Existing, date constructed: |  | 400 Feet from 🕢 North / 🗌 South Line of Section      |  |  |  |
| Workover Pit Haul-Off Pit   | Plt capacity:                  |  | 400 Feet from 🗸 East / West Line of Section          |  |  |  |
| (If WP Supply API No. or Year Drilled)  |                                | (bbls)   | Chase  |  |  |  |
| Is the pit located in a Sensitive Ground Water  | Area?  Yes ✓                   | No   | Chloride concentration; mg/l                         |  |  |  |
|   |                                |  | (For Emergency Pits and Settling Pits only)          |  |  |  |
| Is the bottom below ground level?   | Artificial Liner?              |  | How is the pit lined if a plastic liner is not used? |  |  |  |
| ✓ Yes No  | ✓ Yes                          | No<br>   | na   |  |  |  |
| Pit dimensions (all but working pits): 40 Length (feet) 10 Width (feet) X N/A: Steel Pits               |                                |  |  |  |  |  |
| Depth fr  | om ground level to de          | epest point: 2   | (feet)   |  |  |  |
| If the pit is lined give a brief description of the material, thickness and installation procedure      |                                | edures for periodic maintenance and determining ncluding any special monitoring. |  |  |  |  |
| 3 mil   |                                | water mete   | er on pump   |  |  |  |
| - · · · · · · · · · · · · · · · · · · ·   |                                |  | 5 656  |  |  |  |
|   |                                |  |  |  |  |  |
| Distance to nearest water well within one-mile of pit Depth to shall                                    |                                |  | west fresh water 60feet.                             |  |  |  |
|   |                                | Source of infor  | mation:  |  |  |  |
| 4,000 feet Depth of water well  | feet                           | measured well owner electric log KDWR  |  |  |  |  |
| Emergency, Settling and Burn Pits ONLY:   |                                | Drilling, Workover and Haul-Off Pits ONLY:                                       |  |  |  |  |
| Producing Formation:  |                                | Type of materia  | al utilized in drilling/workover: mud                |  |  |  |
| Number of producing wells on lease:   |                                |  | king pits to be utilized:                            |  |  |  |
| Barrels of fluid produced daily:  |                                | Abandonment  | procedure: let dry and cover                         |  |  |  |
| Does the slope from the tank battery allow all flow into the pit? Yes No                                | spilled fluids to              | Drill pits must be closed within 365 days of spud date.                          |  |  |  |  |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. |                                |  |  |  |  |  |
| 05/05/06  Date  Le Ellement Signature of Applicant or Agent   |                                |  |  |  |  |  |
| KCC OFFICE USE ONLY   |                                |  |  |  |  |  |
| Date Received: 5/22/06 Permit Number: Permit Date: 5/22/06 Lease Inspection: Yes No                     |                                |  |  |  |  |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED

MAY 2 2 2006

**KCC WICHITA**