RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	5-29-06
Effective Date:	77
District #	7
CCA2 Voc	No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 2 3 2006

Form C-1 December 2002

Form must be Typed
CONSERVATION DIVISIONOR must be Signed NOTICE OF INTENT TO DRILL

Expected Spud Date May 28, 2006	Spot
month day year	<u>W2</u> - <u>E2</u> - <u>NW</u> Sec. 34 Twp. 9 S. R. 16 ✓ West
DPERATOR: License# 33401	1320 feet from N / S Line of Section
_{lame} . Emst Oil Company	1650 feet from E / W Line of Section
	Is SECTION Regular Irregular?
Address: 1234 Walker Avenue City/State/Zip: Walker, KS 67674	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Fred Ernst	County: Rooks
Phone: (785) 735-2588	Lease Name: Becker-AL Well #: 1
	Field Name: wildcat
CONTRACTOR: License# 33237	Is this a Prorated / Spaced Field?
Name: Anderson Drilling	Target Formation(s): Kansas City
Wall Dillad Fare Mall Classe Type Equipment:	Nearest Lease or unit boundary: 1320'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1955 feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 820'
Other	Surface Pipe by Alternate: 1 √ 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3,700'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kansas City
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	Th. 43 (1999)
AFFI	DAVII
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved and the drill approved and the drill approved and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office well appropriate district of	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this concentration is trict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved and the drill approved and the drill approved and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug and the drill appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office will be notified before well is either plug appropriate district office well appropriate district of	the drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is is is increased and placement is necessary prior to pluggling; ged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the figure is the appropriate district office will be notified before well is either plug to figure and the set of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be the set of the spuddate or the well shall be the spuddate.	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the appropriate district office pipe as specified below <i>shall be search</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the search of the specified district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the spuddate of the spuddate or the well shall the statements made herein are true and to the best of the spuddate or the well shall the statements made herein are true and to the best of the spuddate or the well shall the statements made herein are true and to the best of the spuddate or the well shall the statements made herein are true and to the best of the spuddate or the well shall the statements made herein are true and to the best of the spuddate or the well shall the statements made herein are true and to the spuddate or the well shall t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. In istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the best of the spud sale. Signature of Operator or Agent: For KCC Use ONLY	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is is completed by the set of production casing is cemented in; It is defined by the set of production casing is cemented in; It is defined by the set of the set of production casing is cemented in; It is defined by the set of the
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of sould date:
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each and the drill all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the drill be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later of the best of the propriet of the statements made herein are true and to the best of the place of the spud date or Agent: May 23, 2006	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. It is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dropped state of the well is either plug to the set of the spund to the set of t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for the surface and the description of the well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and to the best of the surface of the surface provided by the surface pipe required to the surface pipe required feet per Alt. Approved by: Perf 5 - 24-06	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drill the sear through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the expectation of the well shall be the expectation of the statements made herein are true and to the best of the plug for the spud date or the well shall be completed. Signature of Operator or Agent: **Date: May 23, 2006** Signature of Operator or Agent: **Date: May 23, 2006** **Conductor pipe required **Date: May 24, 2006** **Conductor pipe required **Date: May 24, 2006	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. It is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - /63 - 23532 - 0000 feet per Alt. Approved by: Per 5 - 24-06	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the post of the approved notice of intent to drill shall be posted on each as the post of the approved notice of intent to drill shall be posted on each as the post of the post of the post of the post of the set into the driving of the set into the driving of the set into the driving of the post of t	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the provided in the provided in the posted on each as the provided in the	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is a licases, NOTIFY district office prior to any cementing. If it is print to plugged. In all cases, NOTIFY district office prior to any cementing. If it is a licases, NOTIFY district office prior to any cementing. If it is print to plugged. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23532-0000	Location of Well: County: Rooks
Operator: Ernst Oil Company	1320 feet from V / S Line of Section
Lease: Becker-AL	1650 feet from E / V Line of Section
Well Number: 1 Field: wildcat	Sec. 34 Twp. 9 S. R. 16 East ✓ Wes
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: W2 - E2 - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•			
	_			
	-			
1				
			•	
·	•			
	•			
	-	-	•	
		• • • •		•
	•	•		
	•	•		
	•	•		
	- .	-		
		· .		
			: ::	
			: ::	
			: ::	
			: ::	
			: ::	
	: 	: :	: : : : : : : : : : : : : : : : : : : :	
	· · · · · · · · · · · · · · · · · · ·	: :	: ::	
	· · · · · · · · · · · · · · · · · · ·	: :	: : : : : : : : : : : : : : : : : : : :	
	· · · · · · · · · · · · · · · · · · ·	: :	: : : : : : : : : : : : : : : : : : : :	
	· · · · · · · · · · · · · · · · · · ·	: :	: : : : : : : : : : : : : : : : : : : :	
	· · · · · · · · · · · · · · · · · · ·	: :	: : : : : : : : : : : : : : : : : : : :	
	· · · · · · · · · · · · · · · · · · ·	: :	: : : : : : : : : : : : : : : : : : : :	
		: 		
		: 		
		: 	: : : : : : : : : : : : : : : : : : : :	
		: 		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RESCRIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

MAY 2 3 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WIGHTA, KS

Submit in Duplicate

Operator Name: Ernst Oil Company			License Number: 33401		
Operator Address: 1234 Walker		er, KS 67	674		
Contact Person: Fred Ernst			Phone Number: (785) 735 - 2588		
Lease Name & Well No.: Becker-AL #1			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 9 R. 16 ☐ East ✓ West		
Settling Pit	If Existing, date co	onstructed:	1320 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity: 3,600 (bbls)		1650 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Rooks		
Is the pit located in a Sensitive Ground Water		No	Chloride concentration:mg/l		
is the pit located in a defisitive dround vvaler	Alea: 163 V		(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓ I	No 	native clay		
Pit dimensions (all but working pits):	60 Length (fe	et)60	Width (feet) N/A: Steel Pits		
Depth f	rom ground level to de	epest point: 5	(feet)		
			Depth to shallowest fresh waterfeet. Source of information:		
N/k feet Depth of water wellfeet		measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: drilling mud			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. correct to the best of my knowledge and belief.			
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.		
May 23, 2006 Date	(D)	una	Signature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		
Date Received: 5/23/06 Permit Num	nber:	Perm	it Date: 5/23/06 Lease Inspection: Yes X No		