For KCC Use: Effective Date: 5-39-06 District #______

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

SGA? Yes X No Must be approved by the K.C.C.	five (5) days prior to commencing well All blanks must be Filled
Expected Spud Date JUNE 11 2006	Spot 10' North 8 20' West OF CENTED
Expected Spud Date JUNE 11 2006 month day year	Spot 10' North & 20' West_OF CENTER
,	650 FNL feet from N / S Line of Section
OPERATOR: License # 3882	2000 feet from \boxtimes E / \square W Line of Section
Name: SAMUEL GARY JR. & ASSOCIATES, INC.	Is SECTION X Regular Irregular?
Address: 1670 BROADWAY, SUITE 3300	(Note: Locate well on the Section Plat on Reverse Side)
City/State/Zip: DENVER, CO 80202	(Note: Locale well of the Section Flat on Reverse Side)
Contact Person: TOM FERTAL	County: BARTON
Phone: (303) 831-4673	Lease Name: HOUSKA Well #: 2-11
CONTRACTOR: License	Field Name: WILDCAT
CONTRACTOR: License 33323	_ Is this a Prorated / Spaced Field?
Name: PETROMARK DRILLING	Target Formation(s): ARBUCKLE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 640' Ground Surface Elevation: EST 1800' feet MSL
☐ Oil ☐ Enh Rec ☐ Infield ☐ Mud Rotary ☐	Water well within one-quarter mile: Yes No
☐ Gas ☐ Storage ☐ Pool Ext. ☐ Air Rotary	Public water supply well within one mile:
☐ OWWO ☐ Disposal ☐ Wildcat ☐ Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water: 380
Other	Surface Pipe by Alternate: 🛛 1 🔲 2
	Length of Surface Pipe Planned to be set: 420'
If OWWO: old well information as follows:	Length of Conductor pipe required: NONE
Operator:	Projected Total Depth: 3500'
Well Name:	Formation at Total Depth: ARBUCKLE
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
	☐ Well ☐ Farm Pond OtherX
Directional, Deviated or Horizontal wellbore?	
If yes, true vertical depth:	(Note : Apply for Permit with DWR □)
Bottom Hole Location:	_ Will Cores Be Taken? ☐ Yes ☐ No
KCC DKT#:	_ If yes, proposed zone: N/A Kus Richard
A	FFIDAVIT
•	MAN COMPANIENT COMPANI
The undersigned hereby affirms that the drilling, completion and eventual plugging	If yes, proposed zone: N/A N/A N/A N/A N/A N/A N/A N/A
It is agreed that the following minimum requirements will be met:	conservation Division silling rig; circulating cement to the top; in all cases surface pipe shall be set
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved Notice of Intent to Drill shall be posted on each dr	rilling rig; circulating cement to the top; in all cases surface pipe shall be set
3. The minimum amount of surface pipe as specified below shall be set by o	
through all unconsolidated materials plus a minimum of 20 feet into the un 4. If the well is a dry hole, an agreement between the operator and the district	• •
The appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district of t	
If an ALTERNATE II COMPLETION, production pipe shall be cemented from	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,	· · · · · · · · · · · · · · · · · · ·
must be completed within 30 days of spud date or the well shall be plugge	d. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of my kn	nowledge and belief.
N A	0/2-4
Date: MAY 23, 2006 Signature of Operator or Agent:	THAS ST. GEOLOGIST SR. GEOLOGIST
	Remember to:
For KCC use ONLY	- File Drill Pit Application (Form CDP-1) with Intent to Drill;
API#15009-24942-000	- File Completion Form ACO-1 within 120 days of spud date;
	- File acreage attribution plat according to field proration orders;
Conductor pipe required None feet	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required feet per Alt 1	Submit plugging report (CP-4) after plugging is completed;
Approved by: PCH 5-3 4-06	Obtain written approval before disposing or injecting salt water.
This authorization expires: 112406	
(This authorization void if drilling not started within 6 months of effective date.)	- If this permit has expired (See: authorized expiration date) please
,	check the box below and return to the address below.
Sould date:	Well Not Drilled – Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of Acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-24942-0000	Location of Well: County: BARTON
Operator: SAMUEL GARY JR & ASSOCIATES, INC.	650feet from N/ S Line of Section
Lease: HOUSKA	feet from 🔀 E / 🗌 W Line of Section
Well Number: 2-11	Sec11Twp16S. R11
Field: WILDCAT	
	Is Section: 🛛 Regular or 🔲 Irregular
Number of Acres attributable to well:	
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SAMUEL GARY JR. AND ASSOCIATES, INC.		License Number: 3882		
Operator Address: 1670 BROADWAY, SUITE 3300 DENVER, CO 80202-4838				
Contact Person: TOM FERTAL		Phone Number: (303) 831 - 4673		
Lease Name & Well No.: HOUSKA 2-11		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NW . NE</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 11 Twp. 16 R. 11 East	
Settling Pit	If Existing, date constructed:		Feet from 📝 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:			
(If WP Supply API No. or Year Drilled)	3200	(bbis)	BARTON County	
is the pit located in a Sensitive Ground Water Area? Yes		Mo	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	NATIVE MUD AND CLAY	
Pit dimensions (all but working pits):	Length (fe	eet)80	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	eepest point: 3	edures for periodic maintenance and the mining any special monitoring. MAY 2 4 2000	
			MA CORATION CO	
	: }		MAY 2 4 2006 CONSERVATION DIVISION	
Distance to nearest water well within one-mil	e of pit	_	west fresh waterfeet.	
Distance to nearest water well within one-mil	·	Depth to shallo Source of info	west fresh waterfeet.	
43/4	feet	Depth to shallo Source of information measured Drilling, Work	west fresh waterfeet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY:	
N/&feet Depth of water well _	feet	Depth to shallo Source of information measurements Drilling, Work Type of materia	west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD	
Emergency, Settling and Burn Pits ONLY. Producing Formation: Number of producing wells on lease:	feet	Depth to shallo Source of information measurements Drilling, Work Type of material Number of work	west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD king pits to be utilized: 3	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed the slope from the tank battery allowed the slope from the slope from the tank battery allowed the slope from t	feet	Depth to shallo Source of informeast Drilling, Work Type of materi Number of work Abandonment	west fresh waterfeet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD kking pits to be utilized: 3 procedure: ALLOW TO DRY, THEN BACKFILL	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	feet	Depth to shallo Source of informeast Drilling, Work Type of materi Number of work Abandonment	west fresh waterfeet. mation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD rking pits to be utilized: 3 procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed the slope from the tank battery allowed the slope from the slope from the tank battery allowed the slope from t	feet	Depth to shallo Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh waterfeet. rmation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH MUD rking pits to be utilized: 3 procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet	Depth to shallo Source of informers. Drilling, Work Type of materia Number of work Abandonment. Drill pits must correct to the best Month of the best Month of the source of the second of the secon	west fresh waterfeet. rmation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH MUD rking pits to be utilized: 3 procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date.	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state MAY 23, 2006	spilled fluids to	Depth to shallo Source of informers. Drilling, Work Type of materia Number of work Abandonment. Drill pits must correct to the best Month of the best Month of the source of the second of the secon	west fresh waterfeet. mation: uredwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD king pits to be utilized: 3 procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date. It of my knowledge and belief. ALLOW TO DRY and the control of the contr	