RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use: Effective Date: _ KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 2 3 2006

Form C-1 Form must be Typed

Expected Spud Date May 28, 2006	Spot <u>SW Swc. 26 Twp. 34 S. R. 25 </u> Wes
	550 sec. Iwp. S. H. V wes
OPERATOR: License# 33384	400E / V W Line of Section
Name: High Bluff Operating, LLC Address: 730 17th Street	Is SECTION Regular Irregular?
City/State/Zip: Denver, Colorado 80202	
City/State/Zip: Samie Brown	(Note: Locate well on the Section Plat on reverse side) County: Clark
Phone: (303) 295-2223	Lease Name: Mary Well #: 1
	Field Name: McKinney
CONTRACTOR: License# Will advise on ACO-1	Is this a Prorated / Spaced Field? Yes ✓ N
Name: ANASEON ACCOUNTST	Target Formation(s): Chester - Mississippian
RE LICENSED WITH KCC	Nearest Lease or unit boundary: 400'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2002 feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 200'
Seismic;# of Holes Other	Depth to bottom of usable water: 240'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 800'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 6,000' Formation at Total Depth: Chester - Mississippian
Original Completion Date:Original Total Depth:	Tottilation at Total Depth.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: ★ Well Farm Pond Other existing well
If Yes, true vertical depth:	▼ □ □
Bottom Hole Location:	DWR Permit #: *** (Note: Apply for Permit with DWR **)
KCC DKT #:	
NOO DIN #	Will Cores be taken?Yes ✓ N If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
It is agreed that the following minimum requirements will be met:	lugging of this well will comply with N.S.A. 55 et. seq.
· ·	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. If the well is dry hole, an agreement between the operator and the c. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the control of the surface of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t. If the well is dry hole, an agreement between the operator and the c. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best or 	bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. If the well is dry hole, an agreement between the operator and the c. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: May 23, 2006	be the process of the set of the set of the underlying formation. Idistrict office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; attended the set of from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the construction of the set of the se	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the construction of the set of the s	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the constraint of the set o	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constraint of the set o	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 025-21364-0000	Location of Well: County: Clark
Operator: High Bluff Operating, LLC	
Lease: Mary	400 feet from E / ✓ W Line of Section
Well Number: 1	Sec. 26 Twp. 34 S. R. 25 East ✓ West
Field: McKinney	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NESW - SW - SW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•		•	•	•
١						
				•		•
				•		•
				•	•	-
					•	•
				•		
						_
					•	-
				•	•	-
					•	-
				.	•	
	. .				· · · · · · · · · · · · · · · · · · ·	•
		:		:	•	
	· .	:		:	•	
		:		:	•	
		:	 	:	•	
	: 		 	:		
	: 	:	 	:	•	
	· · · ·					:
	· · · ·					:
	· · · ·		 			:
	· · · ·		 		: 	:
					: 	:
						:
					: 	:
					: 	:
					: 	:
					: 	:
					: 	:
					: 	:
					: 	:
					: 	:
					: 	:



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RESCEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 2 3 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WIGHTY, KS

Submit in Duplicate

		Liesans Number: 00004			
Operator Name: High Bluff Operating, LLC			License Number: 33384		
Operator Address: 730 17th Street, Denver, CO 80202					
Contact Person: Jamie Brown		Phone Number: (303) 295 - 2223			
Lease Name & Well No.: Mary #1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE _ SW _ SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 34 R. 25		
Settling Pit	If Existing, date constructed:		550 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			400 Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 600	(bbls)	Clark		
			County		
Is the pit located in a Sensitive Ground Water	Area?	No_	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?	_	How is the pit lined if a plastic liner is not used?		
Yes No	Yes V	No	steel pit		
Pit dimensions (all but working pits):12	25 Length (fe	_{et)} 125	Width (feet) N/A: Steel Pits		
	om ground level to de	epest point: 4	(feet)		
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining		
material, thickness and installation procedure).	liner integrity, in	ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water		
3241 feet Depth of water well	LOO feet		ried well owner electric log KDWR		
			over and Haul-Off Pits ONLY:		
Producing Formation:		•	pe of material utilized in drilling/workover: drilling mud		
Number of producing wells on lease:			king pits to be utilized: 1		
			procedure: remove pit, air dry and backfill		
Does the slope from the tank battery allow all	spilled fluids to				
		Drill pits must t	st be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
May 23, 2006 Wonna Thanda					
Date		S	ignature of Applicant or Agent		
KCC OFFICE USE ONLY USC GIT. (OCCATION)					
Date Received: 5/23/06 Permit Number: Permit Date: 5/24/06 Lease Inspection: 1 Yes No					



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

May 24, 2006

Mr. Jamie Brown High Bluff Operating, LLC 730 17th Street Denver, CO 80202

RE: Drilling Pit Application Mary Lease Well No. 1 SW/4 Sec. 26-34S-25W Clark County, Kansas

Dear Mr. Brown:

District staff has inspected the above referenced location and has determined that the alternate location must be used with the pit **lined with bentonite or caliche.** The reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant