RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

For KCC Use:

Effective Date:

District #_

MAY 2 5 2006

Form C-1 December 2002 Form must be Typed

NOTICE OF INTENT TO DRILL

Form must be Signed

Expected Spud Date May 30, 2006		East
month day year		Vest
OPERATOR: License# 33365	1959 feet from VN / S Line of Section 1959	
Name. Layne Energy Operating, LLC	Teet from V E / W Line of Section	1
Address: 1900 Shawnee Mission Parkway	is SECTIONRegularirregular?	
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person. Victor H. Dyal	County: Wilson	
Phone: 913-748-3987	Lease Name: Realty AX&P Well #: 7-29	
CONTRACTOR: License# 33606	Field Name: Neodesha	
Name: Thornton Air	Is this a Prorated / Spaced Field?	∕ No
Name: Thermony a	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 681'	
Oil Enh Rec Infield Mud Rotary		MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	= 2
OWWO Disposal Wildcat Cable		∕ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 150	
Other	Depth to bottom of usable water: 200	
	Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: None	
Operator:	Projected Total Depth: 900 Feet	
Well Name:	Formation at Total Depth: Cherokee	
Original Completion Date:Original Total Depth:	Mater Serves for Delling Operations	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
AFF	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p		
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	olugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig;	
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> seems.	olugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be sufficiently all unconsolidated materials plus a minimum of 20 feet into	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently the surface pipe as minimum of 20 feet into the surface pipe as the surface pipe as minimum of 20 feet into the surface pipe as minimum of 20 feet into the surface pipe as minimum of 20 feet into the surface pipe as minimum of 20 feet into the surface pipe as minimum of 20 feet into the surface pipe as the surface pipe	chack drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglingged or production casing is cemented in;	ng;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglingged or production casing is cemented in; and the set of the underlying formation as a pluggling the set of the underlying formation.	n g;).
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into: 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order.	ch drilling rig; ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II ceme	n g;). nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as the surface pipe as the surface and the surface pipe and the surface pipe and the surface pipe and the surface pipe as specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	ch drilling rig; ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing	n g;). nting
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into: 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order.	ch drilling rig; ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing	n g;). nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all through the well is district office will be notified before well is either plus through the first through through the first through the first through through the first through the first through the first through through the first through through the first through the first through through the first through through the first through th	chach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; and the set of the district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and beligh.	n g;). nting
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as the surface pipe as the surface and the surface pipe and the surface pipe and the surface pipe and the surface pipe as specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	chach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging length or production casing is cemented in; and the set of the underlying formation casing is cemented in; and the set of the set	n g;). nting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the second	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging or production casing is cemented in; the from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to:	n g;). nting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the tenth of the set of the propriate district office will be notified before well is either plue. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed. Signature of Operator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglings or production casing is cemented in; the from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	ng; o. nting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the second	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggli gigged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date; #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ng;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the the appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or Agent: Date: Signature of Operator or Agent: S	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging length or production casing is cemented in; the form below any usable water to surface within 120 days of spud date; It is plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ng; o. nting
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure is either plu. 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the place	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggli gigged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date; #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ng;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure in the appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be demonstrated by the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud state of the spud shall be completed. For KCC Use ONLY API # 15 - 205-2669/-0000 Conductor pipe required None feet per Alt. Y 2	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggli gged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II ceme the plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and beligh. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry.	ng;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure of the well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be demonstored by the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state of the well shall. For KCC Use ONLY API # 15 - 205 - 26691-0000 Conductor pipe required	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; and the set of the set o	ng;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drilli shall be posted on ease through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is dry hole, an agreement between the operator and the solid through the well is either plus to the well is either plus to the sum of the sum of the sum of the sum of the well shall thereby certify that the statements made herein are true and to the best of the through the sum of the plus through the plus through the plus through the material plus through th	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling or production casing is cemented in; the form below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ng;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements made herein are true and to the best of the first three statements are true and to the best of the first three statements are true and to the best of the first three statements are true and to the best of the first three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the best of three statements are true and to the statement are three statements are three statements are three statements are three statements are three stat	ach drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggli giged or production casing is cemented in; the from below any usable water to surface within 120 days of spud date; #133,891-C, which applies to the KCC District 3 area, alternate II cemel to be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or Injecting salt water.	ng;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drilli shall be posted on ease through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is dry hole, an agreement between the operator and the solid through the well is either plus to the well is either plus to the sum of the sum of the sum of the sum of the well shall thereby certify that the statements made herein are true and to the best of the through the sum of the plus through the plus through the plus through the material plus through th	chach drilling rig; ach drilling rig; bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggli gged or production casing is cemented in; the from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belied. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ng;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

MAY 2 5 2006

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-205-26691-0000	Location of Well: County: Wilson
Operator: Layne Energy Operating, LLC	
Lease: Realty AX&P	1959 feet from N / S Line of Section 1959 feet from E / W Line of Section
Well Number: _7-29	Sec. 29 Twp. 30 S. R. 16 Vest
Field: Neodesha	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SW NE	If Section is irregular, locate well from nearest comer boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION
OIL & GAS CONCERNATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 2 5 2006 Form must be Typed

Form CDP-1

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITIA, KS

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway,		Mission Woods, KS 66205		
Contact Person: Victor H. Dyal		Phone Number: (913) 748 - 3987		
Lease Name & Well No.: Realty AX&P 7-29		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> . <u>NE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec29Twp30R16	
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗸 East 7 🗍 West Line of Section	
(If WP Supply API No. or Year Drilled)			Wilson	
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: (For Emergancy Pite and Settling)		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	☐ Yes ✓	No	Self-Sealing	
Pit dimensions (all but working pits): 30' Length (feet) 20' Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point: 3'(feet)				
Distance to nearest water well within one-mile	•	Source of info	(6)	
ieet Deptil of water wen_			uredwell owner electric logKDWR	
		}	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Water Mud	
			Number of working pits to be utilized: TWO	
			Abandonment procedure: Let evaporate until dry, then backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
5/24/06 Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 5/25/06 Permit Number: Permit Date: 5/25/06 Lease Inspection: Yes A No				