

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot East
month day year	Approx - C - N/2 Sec. 11 Twp. 34 S. R. 35 West
OPERATOR: License# 20942 32730	1370 feet from V N / S Line of Section
Name: Four Star Oil and Gas Company	2640feet from E / ✓ W Line of Section
Address: P.O. Box 36366	Is SECTION Regular Irregular?
City/State/Zip: Houston	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jennifer Simmons	County: Stevens
Phone: (281)561-4701	Lease Name: Rittenoure Well #: 11-3
	Field Name: Kansas Hugoton
CONTRACTOR: License# ANSE ON ACO-	le this a Prorated / Spaced Field?
Name: MUST BE LICENS FO WITH KCC	Target Formation(s): Unknown Marmaton per percent contact
William I Superior William I Sup	Nearest Lease or unit boundary: 1320`
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2978feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: ✓ Yes No _
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO ✓ Disposal Wildcat Cable	Depth to bottom of fresh water: 400
Seismic;# of Holes Other	Depth to bottom of usable water: 200 750
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 6800
Original Completion Date:Original Total Depth:	Formation at Total Depth: -6800 Marmaton per operator conto
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗍)
KCC DKT #:	Will Cores be taken?
Prorated, Spaced Hugoton & Panoma	If Yes, proposed zone:
,	D=0
	IDAVIT KANSAS GORDON
AFF	TOAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	TOAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	olugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	olugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the	ANSAS CORPORATION COMMISSION olugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006 Inch drilling rig; CONSERVATION DIVISION the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the second	ANSAS CORPORATION COMMISSION Diugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006 CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the construction. 5. The appropriate district office will be notified before well is either plus	ANSAS CORPORATION COMMISSION Diugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006 The drilling rig; CONSERVATION DIVISION The triple of the top; in all cases surfaction complete the underlying formation. Considering the set of the underlying formation and placement is necessary prior to plugging; giged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second of the well is dry hole, an agreement between the operator and the second of t	ANSAS CORPORATION COMMISSION Diugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006 CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second of the well is dry hole, an agreement between the operator and the second of t	ANSAS CORPORATION COMMISSION Diugging of this well will comply with K.S.A. 55 et. seq. MAY 1 9 2006 The drilling rig; CONSERVATION DIVISION The underlying formation. Considering the underlying formation. Considering the underlying formation. Considering the set of the underlying formation. Considering the underlying formation. Considering the set of the underlying formation. Conservation Division Conser
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second of the well is dry hole, an agreement between the operator and the second of th	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION et by circulating cement to the top; in all cases surfate of the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the constant of the surface pipe as specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction commission Conservation district office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If maknowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> surface high all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the constant of the surface will be notified before well is either plus that a LTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction commission Conservation district office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the constant of the surface pipe as specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction commission Conservation district office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the second street of the well is dry hole, an agreement between the operator and the confidence of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of	ANSAS CORPORATION COMMISSION MAY 1 9 2006 The drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction commission Conservation district office on plug length and placement is necessary prior to plugging; led from below any usable water to surface within 120 days of spud date. Title: Regulatory Technical States of the knowledge and belief. Title: Regulatory Technical Commission Title: Regulatory Te
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the specific terms of the second of	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If maknowledge and belief. Title: Regulatory Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the construction. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 189 - 22534-000	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Kegylatory Technicular is the completion form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the second shall be such that the well is dry hole, an agreement between the operator and the confidence of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of th	ANSAS CORPORATION COMMISSION MAY 1 9 2006 The drilling rig; The conservation Division of the underlying formation. The underlying formation. The underlying formation of the underlying formation of the underlying formation. The underlying formation of the underlying formation of the underlying formation. The underlying formation of the underlying formation of the underlying formation. The underlying formation of the underlying formation orders, Title: Regulatory Tit
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be second shall be so that the well is dry hole, an agreement between the operator and the second shall be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second shall be considered. Signature of Operator or Agent: For KCC Use ONLY	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfate Conservation district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Knowledge and belief. Title: Republic to the conservation orders; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second strict of the well is dry hole, an agreement between the operator and the construction of the specific strict office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud strict of the s	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction district office on plug length and placement is necessary prior to plugging; let ged or production casing is cemented in; let from below any usable water to surface within 120 days of spud date. 1 #133,891-C, which applies to the KCC District 3 area, alternate II cementing let be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the second shall be second to the well is dry hole, an agreement between the operator and the construction of the shall be composed to the well is either plus to the shall be composed to the well is either plus to the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: Date: For KCC Use ONLY API # 15 - 189 - 225340000 Conductor pipe required feet Minimum surface pipe required feet per Alt. This authorization expires: 17-25000	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfate of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. If the English Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be retrieved that the statements made herein are true and to the best of the surface casing order of the surface plus of the surface of the well shall be retrieved. Signature of Operator or Agent: Date: For KCC Use ONLY API # 15 - 189 - 225340000 Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by: Date: 189 - 2253400000 Feet per Alt. Approved by: 189 - 255000	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; Let by circulating cement to the top; in all cases surfaction physics be set the underlying formation. Conservation physion be set the underlying form to physion be set the underlying formation. Conservation physion be set the underlying formation or physion be set the underlying formation. Conservation physion physion be set the underlying formation or physion
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the sufficient of the well is dry hole, an agreement between the operator and the construction of the sufficient of the well is either plus to the sufficient of the well is either plus to the sufficient of the sufficient of the sufficient of the well is either plus to the sufficient of the sufficient of the sufficient of the sufficient of the well shall in the sufficient of	ANSAS CORPORATION COMMISSION MAY 1 9 2006 The drilling rig; CONSERVATION DIVISION The underlying formation. Consider the underlying formation for the plugging; Conservation Division Conservation Conserv
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the second shall be second to the well is dry hole, an agreement between the operator and the construction of the shall be composed to the well is either plus to the shall be composed to the well is either plus to the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: Date: For KCC Use ONLY API # 15 - 189 - 225340000 Conductor pipe required feet Minimum surface pipe required feet per Alt. This authorization expires: 17-25000	ANSAS CORPORATION COMMISSION MAY 1 9 2006 Ich drilling rig; CONSERVATION DIVISION Let by circulating cement to the top; in all cases surfaction price be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 189-22534-0000	Location of Well: County: Stevens
Operator: Four Star Oil & Gas	1370 feet from VN/ S Line of Section
Lease: Rittenoure	2640 feet from E / V W Line of Section
Well Number: 11-3	Sec. 11 Twp. 34 S. R. 35 East ✓ West
Field: Kansas Hugoton	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
· · · · · · · · · · · · · · · · · · ·	R-35W
	roe6: Packer Unit #1 Four Star Coo Wheeler #1 Chase (Herrington) 2658'
503	Four Star OdG: RW PACKER 2-Z Chase (Hemington) 2663'
OXII SKINNER B #4 O PROPOSED 2910' CHASE	APPLICANT WELL APPLICANT WELL
4) Skinner B#2 TD 659510- :	FOUR SIACO SIRITENCULE!
CXY: SKINU ER B#1 CHASE (HE PRINGING)	CHASE (HEREMAKA) CXY Expansion #1
	HAROSG: Ritlewood 11-2 ASE (Hemington) 774' 5000
	CXY: HANNEL A*I RECASED TD & 6100' LIDFELTER A*5 2919' No Dola 560/3
CXV: Skinner #1 520.5	Sec 14 CXY; COLE #1
Chase Cheminston) 2688' applicant well Δ producing	SXY: Cold Feiter #1 Chase (Herring TOX) 2653; well Chase (Herring TOX) 2662;
1	ction well temporary abandoned well ta KANSAS CORPORATION COMMISSION
plugged producer 🗩 water sup	MAY 1 9 2006
	CONSERVATION DIVISION

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

WICHITA, KS

- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 2 2 2006

Form CDP-1

CONSERVATION DIVISION must be Typed WICHITA, KS

APPLICATION FOR SURFACE PIT

Submit in Dunlicate

		onnicini Dupnicat	<u> </u>	
Operator Name: Four Star Oil a	and Gas		License Number:	
Operator Address: P.O. Box 36366 Houston, Tx. 77236				
Contact Person: Jennifer Simmons		Phone Number: (281)561 -4701		
Lease Name & Well No.: Rittenoure 11-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>C</u> _ <u>N/2</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 _{Twp.} 34 _{R.} 35 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1370 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:			
(If WP Supply API No. or Year Drilled)		(bbls)	Stevens	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l	
la the hellers heless ground level?	Additional Linear		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	eet)	Width (feet) X N/A: Steel Pits	
Depth fi	om ground level to de	eepest point:	(feet)	
material, thickness and installation procedure		,	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 288 feet. 6 mation: JR-KGS		
feet Depth of water well	460 feet	measu	iredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover:		
Number of producing wells on lease: Number of wor		king pits to be utilized:		
Barrels of fluid produced daily: Abandonment		procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
KCC OFFICE USE ONLY Open: Steel Pits				
Date Received: 5/22/06 Permit Number: Permit Date: 5/22/06 Lease Inspection: Yes				



COPPORATION COMMISSION

RATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR POBERT E ERSHEFEL, IDMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA


The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KRENBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.