RECEIVED

For KCC Use:	5-30-06
Effective Date:_	5-30-00
District #	

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

MAY 2 4 2006

Form C-1

MAY 2 4 2006

December 2002

Form must be Typed

KCC WICHITA orm must be Signed NOTICE OF INTENT TO DRILL

Expected Spud Date May 31, 2006	Spot	st
month day year	SE - SE - NW/4 Sec. 23 Twp. 18 S. R. 4	
OPERATOR: License# 5192	2310 feet from \sqrt{N} N / \sqrt{S} Line of Section	
Name: Shawmar Oil & Gas Company, Inc.	2100 feet from E / W Line of Section	
Address: PO Box 9	Is SECTION _✓RegularIrregular?	
City/State/Zip: Marion, KS 66861	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Beau J. Cloutier	County: Marion	
Phone: 620-382-2932	Lease Name: WIGHT CWell #: 7	
•	Field Name: Lost Springs	
CONTRACTOR: License# 5192 Name: Shawmar Oil & Gas Company, Inc.	Is this a Prorated / Spaced Field?	No
Name: Onawritar Oil & Gas Company, Inc.	Target Formation(s): Severy	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330	_
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary ✓	Ground Surface Elevation: 1418feet M	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No
OWO Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic; # of Holes Other	Depth to bottom of fresh water: 80'	
Other	Depth to bottom of usable water: 200'	
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'	
Operator:	Length of Conductor Pipe required: none	_
Well Name:	Projected Total Depth: 1300	_
Original Completion Date:Original Total Depth:	Formation at Total Depth: Severy	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other Creek	
If Yes, true vertical depth:		_
Bottom Hole Location:	DWR Permit #:	_
KCC DKT #:	(Note: Apply for Permit with DWR)	
ROO DRI #	Will Cores be taken? Yes ✓! If Yes, proposed zone:	No
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shail be</i> posted on ea		
3. The minimum amount of surface nine as enecified below shall he so	• •	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the complete of the well shall of the completed within 30 days of the spud date or the well shall of the best constitution of the statements made herein are true and to the best constitution.	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements.	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the complete of the spund of the spund date or the well shall be completed within 30 days of the spund date or the well shall be the shall of the spund of the spund of the best of the spund o	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice-President	ing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the constitution of the constit	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice-President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the constitution of the constitut	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice-President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	ing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the complete of the well shall of the spund date or the well shall of the statements made herein are true and to the best of the constitution of the constitution of the spund date or the well shall of the statements made herein are true and to the best of the constitution of the constitution of the spund date or the well shall of the statements made herein are true and to the best of the constitution of the statements of the constitution of the spund date or the well shall of the spund date or the well shall of the statements made herein are true and to the best of the spund date or the well shall of the spund date or the spund date	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice-President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. This authorization expires: 1	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice-President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	ing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the complete of the well shall of the spund date or the well shall of the statements made herein are true and to the best of the constitution of the constitut	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. In my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ing X
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be demended by the completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the constitution	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementi be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice-President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ing

RECEIVED MAY 2 4 2006 KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 115-21353-0000	Location of Well: County: Marion	
Operator: Shawmar Oil & Gas Company, Inc.	2310 feet from VN/ S Line of Section	
Lease: WIGHT C	2100 feet from E / V W Line of Section	
Well Number: 7	Sec. 23 Twp. 18 S. R. 4 Fast West	
Field: Lost Springs		
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular	
QTR / QTR / QTR of acreage: <u>SE</u> - <u>SE</u> - <u>NW/4</u>	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED MAY 2 4 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CC WICHITA

Submit In Duplicate

Operator Name: Shawmar Oil & Gas Company, Inc.			License Number: 5192		
Operator Address: PO Box 9					
Contact Person: Beau J. Cloutier			Phone Number: (620) 382 - 2932		
Lease Name & Well No.: Wight C #7		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>SE</u> . <u>SE</u> . <u>NW/4</u>		
Emergency Pit Burn Pit	✓ Proposed		Sec. 23 _{Twp.} 18 R. 4 ✓ East ☐ West		
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Dit asses the		2100 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 533	(hble)	Marion		
Is the pit located in a Sensitive Ground Water			County Chloride concentration:mg/l		
15 the produced in a densitive Ground Water	Alea: Tes y		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓	No	clay sides and bottom		
Pit dimensions (all but working pits): 45 Length (feet) 8 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet)					
[dures for periodic maintenance and determining ncluding any special monitoring.		
N/a					
		Depth to shallo Source of infor	west fresh water 40feet.		
		measured well owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: air/mud			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment procedure: let dry and cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. May 22, 2006 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 5/24/06 Permit Number: Permit Date: 5/24/06 Lease Inspection: Yes Yes					