

RECEIVED
DEC 17 2003
KCC WICHITA

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 5447
Name: OXY USA Inc.
Address: P.O. Box 2528
City/State/Zip: Liberal, KS 67905
Purchaser: CITGO
Operator Contact Person: Vicki Carder
Phone: (620) 629-4200
Contractor: Name: Best Well Service
License: NA
Wellsite Geologist: _____
Designate Type of Completion:
 New Well Re-Entry X Workover
 X Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl, Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: OXY USA, Inc.
Well Name: Garden City L-5

Original Comp. Date: 08/23/94 Original Total Depth: 4950
 Deepening Re-perf. Conv. To Enhr./SWD
 X Plug Back 4630 Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
06/27/03 07/10/03
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 055-21314-0001
County: Finney
 - SW - SW - NE Sec 34 Twp. 23 S. R. 34W
2970 feet from (S) N (circle one) Line of Section
2310 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Garden City L Well #: 5
Field Name: Pott, North
Producing Formation: Marmaton
Elevation: Ground: 2958 Kelly Bushing: 2970
Total Depth: 4950 Plug Back Total Depth: 4630
Amount of Surface Pipe Set and Cemented at 1935 feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.


Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp, _____ S. R. East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Vicki Carder
Title: Capital Project Date December 15, 2003
Subscribed and sworn to before me this 15th day of Dec.
20 03
Notary Public: Anita Peterson
Date Commission Expires: Oct. 1, 2005

KCC Office Use Only
DEW Letter of Confidentiality Attached DPW
If Denied, Yes Date: 12-29-03 (a)
____ Wireline Log Received
____ Geologist Report Received
____ UIC Distribution



Operator Name: OXY USA Inc. Lease Name: Garden City L Well #: 5
 Sec. 34 Twp. 23 S. R. 34W East West County: Finney

Instructions: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum

RECEIVED
DEC 17 2003
KCC WICHITA

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set(in. O.D.)	Weight Lbs./ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor					C		
Surface					C		
Production					C		

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing	-			
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	11/24/96 CIBP @ 4750 w/2 sxs cmt		
	11/27/96 Perf Marmaton 4370-4379 w/4 spf	Acidized - 1250 fls 15% HCL	
3	4694-4698	Acidize - 12 bbls 15% MCA-FE	
	CIBP @ 4686 w/2 sxs cmt		
3	4649-4658	Acidize - 1000 gls 15% NEFE (See Side Three)	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8	4441		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumed Production, SWD or Enhr.	Producing Method
07/11/03	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil BBLS	Gas Mcf	Water Bbls	Gas-Oil Ratio	Gravity
	3		8		

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18)

METHOD OF COMPLETION Other (Specify) _____

Production Interval _____

Side Two

Operator Name: OXY USA Inc. Lease Name: Garden City L Well #: 5
Sec. 34 Twp. 23 S. R. 34W East West County: Finney

Shots Per Foot	PERFORATION RECORD – Bridge Plugs Set/type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	CIBP @ 4630 w/2 sxs cmt	Acidize – 24 bbls 15% FE Acid	

RECEIVED
DEC 17 2003
KCC WICHITA