

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Lease Operator: Quest Cherokee, LLC
Address: 211 W. 14th Street Chanute, KS 66720
Phone: (620) 431-9500 Operator License #: 33344
Type of Well: Gas Docket #: n/a
(Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR)
The plugging proposal was approved on: _____ (Date)
by: _____ (KCC District Agent's Name)
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)
n/a Depth to Top: _____ Bottom: _____ T.D. _____
_____ Depth to Top: _____ Bottom: _____ T.D. _____
_____ Depth to Top: _____ Bottom: _____ T.D. _____

API Number: 15 - 099-23434 -00-00
Lease Name: Saye, Doyal L.
Well Number: 28-1
Spot Location (QQQQ): n/2 - s/2 - ne - ne
800 Feet from North / South Section Line
660 Feet from East / West Section Line
Sec. 28 Twp. 31 S. R. 18 East West
County: Labette
Date Well Completed: n/a
Plugging Commenced: 6/25/04
Plugging Completed: 6/25/04

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface Conductor & Production)				
Formation	Content	From	To	Size	Put In	Pulled Out
see attached		surface	460'	2-7/8"	460'	460'

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Run 2-7/8" tubing to 460' and cement from there to surface, pulled 2-7/8" tubing and top off well to surface


RECEIVED
KANSAS CORPORATION COMMISSION

MAY 02 2006

Name of Plugging Contractor: Consolidated Oil Well Services License #: 31440 CONSERVATION DIVISION WICHITA, KS
Address: 211 W. 14th Street, Chanute, KS 66720

Name of Party Responsible for Plugging Fees: Quest Cherokee, LLC
State of Kansas County, Neosho, ss.

Quest Cherokee, LLC (Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God



(Signature) Jennifer R. Ammann
(Address) 211 W. 14th Street, Chanute, KS 66720

SUBSCRIBED and SWORN TO before me this 18th day of May, 2006
Jennifer R. Ammann My Commission Expires: July 30, 2009
Notary Public

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202


PST

Well Refined Drilling Company, Inc.

4270 Gray Road - Thayer, KS 66776

Contractor License # 33072 - FEIN # 48-1248553

620-763-2619/Home; 620-432-6270/Jeff's Pocket; 620-423-0802/Truck; 620-763-2065/FAX



Rig #:	1	S 28	T	31S	R	18E
API #:	15-099-23434-0000	Location: N/2, S/2, NE, NE				
Operator: Quest Cherokee, LLC						
Address: PO Box 100						
Benedict, KS 66714						
County: Labette, KS						

				Gas Tests			
Well #:	28-1	Lease Name:	Saye, Doyal L.	Depth	Oz.	Orifice	flow - MCF
Location:	800	ft. from (N / S) Line					
	660	ft. from (E / W) Line					
Spud Date:	3/11/2004						
Date Completed:	3/12/2004	TD:	495				
Geologist:							
Casing Record		Surface	Production				
Hole Size	12 1/4"		6 3/4"				
Casing Size	8 5/8"						
Weight							
Setting Depth							
Cement Type	Portland						
Sacks							
Feet of Casing							
Rig Time		Work Performed					

RECEIVED
KANSAS CORPORATION COMMISSION
MAY 02 2006
CONSERVATION DIVISION
WICHITA, KS

Well Log								
Top	Bottom	Formation	Top	Bottom	Formation	Top	Bottom	Formation
0	2	Overburden	408	411	shale			
2	5	clay	411	412	coal			
5	31	sand	412	463	shale			
31	53	shale	463	495	Oswego Lime			
53	71	lime	495		Total Depth			
71	200	shale						
200	215	lime						
215	224	shale						
224	228	lime						
228	241	shale						
241	254	lime						
254	261	shale						
261	272	lime						
272	381	shale						
381	403	Pink Lime						
403	405	shale						
405	408	black shale						

