RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	1-506
Effective Date:	6-5.00
District #	<u>'</u>
SGA? Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 3 0 2006

December 2002

Form must be Typed
CONSERVATION DIVISION must be Signed
WIGHTA KSAII blanks must be Filled

NOTICE OF INTENT TO DRILL

Well Drilled For: Well Class: Type Equipment: V Oil Enh Rec Infield Mud Rotary V Gas Storage Pool Ext. Air Rotary Target Formation(s): Chase, Council Grove, LKC, Nearest Lease or unit boundary:	stion stion
SPERATOR: License# Substitute Substitu	No Arbucket MSL
Name: F.G. Holl Company, L.L.C. Address: 9431 E. Central, St. #100 City/State/Zip: Wichita, KS. 67206 Contact Person: Franklin R. Greenbaum Phone: (316) 684-8481 CONTRACTOR: License# 5929 Name: Duke Drilling Company, Inc., Rig #8 CONTRACTOR: License# 5929 Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Wild Wild Rotary Wild Casa Storage Pool Ext. Air Rotary Other Other Other Other Other Other Other Other Other Other Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Arbuckle Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations:	No Arbuck
Countact Person: Franklin R. Greenbaum	Arbucket MSL
Contact Person: Franklin R. Greenbaum Chone: (316) 684-8481 CONTRACTOR: License# 5929 Name: Duke Drilling Company, Inc., Rig #8 Well Drilled For: Well Class: Type Equipment: Woll Drilled For: Well Class: Type Equipment: Water well within one-quarter mile: Yes Water well within one-quarter mile: Yes Public water supply well within one mile: Depth to bottom of fresh water: 180' Depth to bottom of usable water: 240' Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: Length of Conductor Pipe required: N/A Projected Total Depth: Arbuckle Water Source for Drilling Operations:	Arbucket MSL
Dehone: (316) 684-8481 CONTRACTOR: License# 5929 Name: Duke Drilling Company, Inc., Rig #8 Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Woll Disposal Pool Ext. Air Rotary Other Other Other Other Other Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Dease Name: BRINING Wildcat Is this a Prorated / Spaced Field? Target Formation(s): Chase, Council Grove, LkC, Nearest Lease or unit boundary: 337 Well sthis a Prorated / Spaced Field? Target Formation(s): Chase, Council Grove, LkC, Nearest Lease or unit boundary: 4337 Well within one-quarter mile: Yes Water well within one-quarter mile: Yes Public water supply well within one mile: Depth to bottom of fresh water: 180' Depth to bottom of fresh water: 240' Surface Pipe by Alternate: 1 2 Length of Conductor Pipe required: N/A Projected Total Depth: 3700' Formation at Total Depth: Arbuckle Water Source for Drilling Operations:	Arbucket MSL
Field Name: Wildcat Space Field Name: Wildcat Is this a Prorated / Spaced Field? Target Formation(s): Chase, Council Grove, LKC, Nearest Lease or unit boundary: Voil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary OWNO Disposal Wildcat Cable Seismic; # of Holes Other Other Other Other Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Seismic Pool Ext. Air Rotary Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Wildcat Is this a Prorated / Spaced Field? Target Formation(s): Chase, Council Grove, LKC, Nearest Lease or unit boundary: 337 Wearest Lease or unit boundary: 180' Water well within one-quarter mile: Yes Public water supply well within one mile: Depth to bottom of fresh water: 180' Surface Pipe by Alternate: 180' Length of Surface Pipe Planned to be set: 720' Length of Conductor Pipe required: N/A Projected Total Depth: 3700' Formation at Total Depth: Arbuckle Water Source for Drilling Operations:	Arbucket MSL
Is this a Prorated / Spaced Field? Space	Arbucket MSL
Soft Nactional Duke Drilling Company, Inc., Rig #8 State: Duke Drilling Company, Inc., Right Project Right Proje	Arbucket MSL
Well Drilled For: Well Class: Type Equipment: Oil	eet MSL No
Well Drilled For: Well Class: Type Equipment: V Oil	eet MSL No
Ground Surface Elevation: 1872 fe Water well within one-quarter mile: Yes Water supply well within one mile: Depth to bottom of fresh water: 180' Depth to bottom of usable water: 240' Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 720' Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Arbuckle Water supply well within one-quarter mile: Yes Water well within one mile: Depth to bottom of fresh water: 240' Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 720' Length of Conductor Pipe required: N/A Projected Total Depth: Arbuckle Water Source for Drilling Operations:	№ No
Water well within one-quarter mile: Yes	
OWO Disposal Wildcat Cable Seismic; # of Holes Other Other Other Operator: Well Name: Original Completion Date: Original Completion Date: OWO Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: V 1 2 Length of Surface Pipe Planned to be set: N/A Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations:	✓ No
Depth to bottom of fresh water: 100	
Other	
Surface Pipe by Alternate: I 2 Length of Surface Pipe Planned to be set: 720' Length of Conductor Pipe required: N/A Well Name: Projected Total Depth: 3700' Formation at Total Depth: Arbuckle Water Source for Drilling Operations:	
Operator:	
Well Name: Projected Total Depth: 3700' Original Completion Date: Original Total Depth: Formation at Total Depth: Arbuckle Water Source for Drilling Operations:	
Original Completion Date: Original Total Depth: Formation at Total Depth: Arbuckle Water Source for Drilling Operations:	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations:	
Nicosticost Devistod or Uniferental wellboard	
ites Well Farm Pond Other	
- Tailli Old Odlei	
Yes, true vertical depth:	
Soltom Hole Location: (Note: Apply for Permit with DWR)	
	✓ No
If Yes, proposed zone:	
AFFIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.	
is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set 	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.	eı
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug	ging:
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud days.	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cen	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing	ng.
hereby certify that the statements made herein are true and to the best of my knowledge and belief. Franklin B. Greenbaum	
Date: 05/30/2006 Signature of Operator or Agent: Track Life B. Categoria Cate Title: Exploration Manager	
Signature of Operator of Agent.	
Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intent to Drill;	L
API # 15 - 009 - 24944- 0000 - File Completion Form ACO-1 within 120 days of spud date;	\mathcal{L}
Conductor pipe required feet - File acreage attribution plat according to field proration orders;	
Minimum surface pipe required 260 feet per Alt. 1 Y Submit plugging report (CP-4) after plugging is completed;	у;
Approved by: PLH 5-31-06 Approved by: PLH 5-31-06 - Obtain written approval before disposing or injecting salt water.	L
11 20-01-	
This authorization expires: 1/- 30-06 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	S
This pullbarianting sold if drilling and standard within Consults of the standard within Consu	જ્
(This authorization void if drilling not started within 6 months of effective date.) Well Not Drilled - Permit Expired	80

Date:.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

MAY 3 0 2006

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-24944-0000	Location of Well: County: Barton
Operator: F.G. Holl Company, L.L.C.	660 feet from N / V S Line of Section
Lease: BRINING	990 feet from E / W Line of Section
Well Number: 1-2	Sec. 2 Twp. 20 S. R. 14 East West
Field:	
Number of Acres attributable to well: QTR / QTR of acreage: C W/2 - SE - SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 3 0 2006

April 2004

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate Operator Name: F.G. Holl Company, L.L.C. License Number: 5056 Operator Address: 9431 E. Central, St. #100, Wichita, KS. 67206 Phone Number: (316) 684 - 8481 Contact Person: Franklin R. Greenbaum Lease Name & Well No.: Pit Location (QQQQ): **BRINING 1-2** C W/2 SE SE Type of Pit: Pit is: Sec. 2 Twp. 20S R. 14 East V West ✔ Proposed Existing Emergency Pit Burn Pit Settling Pit If Existing, date constructed: ✔ Drilling Pit Feet from North / V South Line of Section 990 Workover Pit Haul-Off Pit Feet from 🗸 East / 🗌 West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 500 Barton (bbls) County N/A Is the pit located in a Sensitive Ground Water Area? Yes Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? ✓ Yes Yes 150 150 _ Length (feet) _ Pit dimensions (all but working pits): __ Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet) If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. N/A N/A Distance to nearest water well within one-mile of pit Depth to shallowest fresh water Source of information: KH K 65 /26__feet 1 777 feet Depth of water well ____ measured _well owner __ Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: 15-009-24944-000E Producing Formation: Type of material utilized in drilling/workover: _ Number of producing wells on lease: ___ Number of working pits to be utilized: __ Abandonment procedure: Backfill rotary pits and smooth location Barrels of fluid produced daily: _ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. May 30, 2006

Date Signature of Applicant or Agent RFA54C KCC OFFICE USE ONLY 5/30/04 Lease Inspection: K Yes No



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

May 30, 2006

Mr. Franklin R. Greenbaum F.G. Holl Company, LLC 9431 E. Central St. #100 Wichita, KS 67206

Re:

Drilling Pit Application Brining Lease Well No. 1-2 SE/4 Sec. 02-20S-14W Barton County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws**.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File