# RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:		6-5-00	
Effective	Date:_	0-300	
District #	_	3	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 3 1 2006

Form C-1 December 2002

CONSERVATION DIVISION Form must be Typed
WICHITA KS

### NOTICE OF INTENT TO DRILL

5 d	(5) days prior to commencing well		
Expected Spud Date June 6, 2006	Spot ✓ East		
month day year	NE SW Sec. 31 Twp. 27 S. R. 16 West		
OPERATOR: License#	1980 feet from N / ✓ S Line of Section		
Name: Quest Cherokee LLC	1980 Feet from E / V W Line of Section		
9520 North May Avenue, Suite 300	Is SECTION _✓_RegularIrregular?		
Address:  City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)		
Contact Person Richard Marlin	County: Wilson		
Phone: (405) 286-9316	Lease Name. Frawley, Joseph M. Well #. 31-1		
	Field Name: Cherokee Basin CBM		
CONTRACTOR: License# Will be licensed by the KCC  Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?		
Name: This advise on the 7000 1	Target Formation(s): Cherokee Coals		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660		
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 944feet MSL		
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No •		
OWO Disposal Wildcat Cable	Public water supply well within one mile:   Yes   ✓ No		
Seismic: # of Holes Other	Depth to bottom of fresh water: 100		
✓ Other Coalbed Methane	Depth to bottom of usable water: 200		
	Surface Pipe by Alternate: 1 2 2 25 Length of Surface Pipe Planned to be set: 25		
If OWWO: old well information as follows:	Length of Conductor Pipe required:		
Operator:	Projected Total Depth: 1500		
Well Name:	Formation at Total Depth: Cherokee Coals		
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR		
KCC DKT #:	Will Cores be taken? Yes ✓ No		
	If Yes, proposed zone:		
The undersigned hereby affirms that the drilling, completion and eventual p	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.		
It is agreed that the following minimum requirements will be met:			
through all unconsolidated materials plus a minimum of 20 feet into the	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;		
<ol> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement     Or pursuant to Appendix "B" - Eastern Kansas surface casing order     must be completed within 30 days of the spud date or the well shall     I hereby certify that the statements made herein are true and to the lest o	led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement     Or pursuant to Appendix "B" - Eastern Kansas surface casing order     must be completed within 30 days of the spud date or the well shall     I hereby certify that the statements made herein are true and to the lest o	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the lest of Date: May 30, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-26697-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt. X 2	led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the lest of Date: May 30, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-26697-0000  Conductor pipe required None feet per Alt. X 20 Approved by: Put 5-31-06	led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the lest of Date: May 30, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-26697-0000  Conductor pipe required	led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the lest of Date: May 30, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-26697-0000  Conductor pipe required None feet per Alt. X 20 Approved by: Put 5-31-06	led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the lest of Date: May 30, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-26697-0000  Conductor pipe required	led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please		

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-26697-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section
Lease: Frawley, Joseph M.	1980 feet from E / V W Line of Section
Well Number: 31-1	Sec. 31 Twp. 27 S. R. 16 ✓ East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## FECEIVED KANSAS CORPORATION COMMISSION

### Kansas Corporation Commission Oil & Gas Conservation Division

MAY 3 1 2006

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120						
Contact Person: Richard Marlin		Phone Number: ( 405 ) 286 - 9316				
Lease Name & Well No.: Frawley, Joseph M. #31-1			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✓ Proposed		Sec. 31 <sub>Twp.</sub> 27 <sub>R.</sub> 16			
Settling Pit	If Existing, date constructed:		1980 Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit	Workover Pit Haul-Off Pit Pit capacity:		Feet from ☐ East / ✓ West Line of Section			
(If WP Supply API No. or Year Drilled)	300 (bbls)		Wilson			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l			
			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes V No	Yes 🗸	No				
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel P						
Depth fr	rom ground level to de	eepest point:	10 (feet)			
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining			
material, thickness and installation procedure			ncluding any special monitoring.			
		Air Drilling Operation lasting approx 3 days				
		7 th Drining Operation labeling approx 5 days				
Distance to nearest water well within one-mile	e of pit		owest fresh waterfeet.			
NA feet Depth of water well _	feet	Source of infor	rnation:  uredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:			
Producing Formation:		•	Type of material utilized in drilling/workover: Air Drilled			
(			Number of working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover				
Does the slope from the tank battery allow all	I spilled fluids to					
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
5/30/2006 K. Gard 8/ Janlar						
Date		S	Signature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 5/31/06 Permit Number: Permit Date: 5/31/06 Lease Inspection: Yes No						