For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1

MAY 3 1 2006 NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed

Expected Spud DateJune 9, 2006	Spot ✓ East
month day year	NW - SE - NE Sec. 16 Twp. 30 S. R. 14E West
OPERATOR: License# 33074	3500 FSL feet from N / S Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	710 FELfeet fromfeet from E / W Line of Section
211 W. Myrtle	Is SECTION
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Willson
Phone: 620-331-7870	Lease Name: M & J Huser
CONTRACTOR: License# Unknown	Field Name: Cherokee Basin Coal Gas Area
Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field?Yes ✓ No /
Tallo.	Target Information(s): Mississippian Nearest Lease or unit boundary: 710 feet
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 942 feet MSL Water well within one-quarter mile: Yes VNo
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150' +-
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 ✓ 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1568 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well 🗸 Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
KCC DK1 #:	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decent of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the vest of	If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; is ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decent of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the vest of	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decent of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the vest of	If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the description of the well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the less of the plant of the	If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the described before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the hereby certify that the statements made herein are true and to the feet of Date: May 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26703 - 000 For KCC Use ONLY API # 15 - 205 - 26703 - 000 Feet Minimum surface pipe required feet per Alt. (2) Approved by: PLH 5-31-06	If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; If yed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the described of the well is district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the latest of the prior of the well shall in the latest of the well shall in the statements made herein are true and to the prest of the latest of	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cernenting. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified below shall be set of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug to the surface district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall in the left of the surface price of the surface price of the surface plug to the surface plug to the surface price of the surface plug to the surface plug	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cernenting. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the well is district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if thereby certify that the statements made herein are true and to the rest of Date: May 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2005 - 26703 - 000 For KCC Use ONLY API # 15 - 2005 - 26703 - 000 For KCC Use ONLY API # 15 - 2005 - 26703 - 000 For KCC Use ONLY API # 15 - 2005 - 26703 - 000 For KCC Use ONLY API # 15 - 2005 - 26703 - 000 For KCC Use ONLY API # 15 - 2005 - 26703 - 000 This authorization expires: // 30000	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

MAY 3 1 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS

If the intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	20	5-0	2670	3-00	00		[ocation of Wel	ell: County:_	Willson		
Operator: Dart Cherokee Basin Operating Co. LLC						3500 FSL feet from N / ✓ S Line of Section						
Lease: M & J Huser							710 FEL feet from ✓ E / W Line of Section					
Well Number: B4-16					8	Sec. 16	Twp. 30	S. R	14E	✓ East West		
Field: Che	rokee Ba	sin Co	al Gas A	rea								
								s Section:	Regular	or 🗍 Irre	egular	
Number of				40	\	NE						
QTR / QTF	R / QTR of	facreag	e: NV	<u> </u>	SE	- INC	f	Section is in	rregular, loc	ate well fr	om nearest co	ner boundary.
							5	Section corner	used: N	E NW	SE Sw	
			(Show	(SI	now foota			e acreage for p se or unit bour	•	spaced well	ls.)	
					T30S							
			:	:		:		:				
			•	:		·	. 710	FEL				
								••				
		٠						Ť				
							•		R14E			
			÷	·		3500	FSL	i.	EV.	114D1 F		
		•	•	<u>· </u>	16 —	•	•		EXA	AMPĻE		
			:	:	10			1:		•		
										·	I HHH Lead	980
										•	Ĭ ⊞ ⊞	
			•	·				:	' '			
											3390'	
			:				:					
				•			•	,				

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

Wilson Co.

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 3 1 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION IT WICHITA, KS

Submit in Duplicate

Operator Name: Dart Cherokee Basin	Operating Co. L	License Number: 33074					
Operator Address: 211 W. Myrtle		ependence KS 67301					
Contact Person: Tony Williams		Phone Number: (620)331 - 7870					
Lease Name & Well No.: M & J Huser	B	Pit Location (QQQQ):					
Type of Pit:	Pit is:		<u>NW</u> . <u>SE</u> . <u>NE</u>				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 16 Twp. 30 R. 14E ✓ East				
Settling Pit	If Existing, date c	constructed:	3500 FSL Feet from North / South Line of Section				
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		710 FEL Feet from ✓ East / West Line of Section				
(If WP Supply API No. or Year Drilled)	926	(bbls)	Willson				
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration:mg/l				
			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?				
Yes No	☐ Yes 🗸	No	Natural Clays				
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits							
Depth fr	Depth from ground level to deepest point: 5(feet)						
material, thickness and installation procedure. liner integrity, including any special monitoring.							
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh waterfeet. Source of information:					
feet Depth of water well	feet	measured well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Air					
Number of producing wells on lease:		Number of working pits to be utilized: One					
Barrels of fluid produced daily:		Abandonment procedure: Air dry, fill					
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
May 30, 2006 Date Jose Out Colling Signature of Applicant or Agent							
KCC OFFICE USE ONLY							
Date Received: 5/31/06 Lease Inspection: Yes No							