KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

For KCC Use: Effective Date:

# Soot Detailer por must be Vigald FD must be Signed must be Filled

	X <sub>Spot</sub> Appr SE-NW-NE-SE
xpected Spud Date June 1, 2006 month day year	Approx NO SEA Sec. 8 Twp. 15 S. R. 17 V We
PERATOR: License# 31725	2025'feet from N / ✓S Line of Section
ame: Shelby Resources, LLC	700'feet from
ddress: P.O. Box 1213	Is SECTION Regular Irregular?
try/State/Zip: Hays, Kansas 67601	· · · · · · · · · · · · · · · · · · ·
ontact Person: Brian Karlin	(Note: Locate well on the Section Plat on reverse side)  County: Ellis
hone: 785-623-3290	Lease Name: Leiker Well #: 1-8
/	Field Name: Unknown
ONTRACTOR: License# 8273	Is this a Prorated / Spaced Field?
ame: Excel Drilling Company	Target Formation(s): Arbuckle
•	Negrest Lease or unit boundary: 700'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1937 feet M
✓ Oil Enh Rec ✓ Infleld ✓ ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water
Seismic;# of Holes Other	Depth to bottom of usable water: NA 400
Other	Surface Pipe by Alternate: 1 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: +/- 1000'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: +/- 3600'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	- DWR Permit #:
	- (Note: Apply for Permit with DWR )
MAS: Appr. NW- NE- SE-SE	- Will Cores be taken? Yes ✓!  Yes, proposed zone:
CC DKT #:  WAS: Appr. NW- NE- SE-SE  IS: Appr. SE-NW-NE-SE  AF  he undersigned hereby affirms that the drilling, completion and eventual	- Will Cores be taken? Yes 1 Yes, proposed zone:
CC DKT #:  WAS: Appr. NW- NE- SE-SE  IS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	- Will Cores be taken? Yes I'll Yes, proposed zone:
CC DKT #:  WAS: Appr. NW- NE- SE-SE.  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.
CC DKT #:  WAS: Appr. NW- NE- SE-SE  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on the second sec	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.
CC DKT #:  WAS: Appr. NW- NE- SE-SE  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on the second sec	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set
CC DKT #:  WAS: Appr. NW- NE- SE-SE  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
MAS: Appr. NW- NE- SE-SE.  TS: Appr. SE-NW-NE-SE.  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on the through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus a minimum of the control of the	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging languaged or production casing is cemented in;
Appr. NW-NE-SE.  Appr. SE-NW-NE-SE.  TS: Appr. SE-NW-NE-SE.  The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved of the strong o	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cernent to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging lugged or production casing is cernented in;  ented from below any usable water to surface within 120 days of spud date.
Appr. NW-NE-SE.  TS: Appr. SE-NW-NE-SE.  The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the appropriate district office will be a minimum of 20 feet into the strong of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well is either pident of the appropriate district office will be notified before well appropriate dist	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  of the underlying formation.  of district office on plug length and placement is necessary prior to plugging larged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cement
CC DKT #:  WAS: Appr. NW-NE-SE.  TS: Appr. SE-NW-NE-SE.  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the approved notice of intent to drill shall be posted on a strong of the well is dry hole, an agreement between the operator and the strong of the strong of the strong ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  In district office on plug length and placement is necessary prior to plugging lugged or production casing is cemented in;  ented from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged. In all cases, NOTIFY district office prior to any cementing.
CC DKT #:  WAS: Appr. NW-NE-SE.  TS: Appr. SE-NW-NE-SE.  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong and unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the propriate district office will be notified before well is either plus an internal plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the propriets of the strength of the propriets and the strength of the strength of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best hereby certify that the statements made herein are true and to the best in the statements made herein are true and to the post of the statements made herein are true and to the post of the statements made herein are true and to the post of the statements made herein are true and to the post of the statements made herein are true and to the post of the statements made herein are true and to the statements are true and to the statement	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging, laugged or production casing is cemented in;  ented from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.
Appr. NW- NE- SE-SE.  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pie.  If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementiall be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
CC DKT #:  NAS: Appr. SE-NW-NE-SE  TS: Appr. SE-NW-NE-SE  The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a comminimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first that the surface will be notified before well is either plus that the surface casing ord must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging languaged or production casing is cemented in;  ented from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title: Operations Manager
MAS: Appr. NW- NE- SE-SE.  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolldated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pie. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate:  May 26, 2006  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging languaged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title: Operations Manager
MAS: Appr. NW- NE- SE-SE.  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best late: May 26, 2006  Signature of Operator or Agent: The production of the complete of the spud date or the well shall be completed.  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cernent to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging and placement in the plugging of the plugging in the plugging
MAS: Appr. SE-NW-NE-SE  the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong all unconsolldated materials plus a minimum of 20 feet into through all unconsolldated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the first of the well is dry hole. The appropriate district office will be notified before well is either place. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the besidate:  May 26, 2006  Signature of Operator or Agent: The post of the content of the post of the conte	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  In district office on plug length and placement is necessary prior to plugging, laugged or production casing is cemented in;  ented from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cementiall be plugged. In all cases, NOTIFY district office prior to any cementing.  to finy knowledge and belief.  Title: Operations Manager  Remember to:  File Drill Plt Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
MAS: Appr. NW- NE- SE-SE.  TS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: May 26, 2006  Signature of Operator or Agent: The production of the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: May 26, 2006  Signature of Operator or Agent: The production of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: May 26, 2006	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging, sorted from below any usable water to surface within 120 days of spud date, alternate il cemential be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title: Operations Manager  Remember to:  File Drill Plt Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
CC DKT #:  WAS: Appr. SE-NW-NE-SE  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill ahall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pit. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:  May 26, 2006  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  In district office on plug length and placement is necessary prior to plugging laugged or production casing is cemented in;  ented from below any usable water to surface within 120 days of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate it cementiall be plugged. In all cases, NOTIFY district office prior to any cementing.  to finy knowledge and belief.  Title: Operations Manager  Remember to:  File Drill Plt Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
MAS: Appr. NW-NE-SE.  TS: Appr. SE-NW-NE-SE.  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified b	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging languaged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date.  If it is a sea, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title: Operations Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to filed proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
MAS: Appr. SE-NW-NE-SE  the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong and unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the strength of the well is district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be returned between the operator or Agent: "May 26, 2006 Signature of Operator or Agent: "May 26, 20	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging, length of the water to surface within 120 days of spud date.  If well and the plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a green as specified below shall be through all unconsolldated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first appropriate district office will be notified before well is either please. The appropriate district office will be notified before well is either please. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be entirely certify that the statements made herein are true and to the best plate. May 26, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - SSUI-OSSUI-OSSUI-OSSUI feet per Alt.  Minimum surface pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt.  This suthorization expires: 12-1-06	Will Cores be taken?  It Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging, lagged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date.  It will be plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title: Operations Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
Approved by:  CC DKT #:  MAS: Appr. NW-NE-SE.  AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a strong and unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate well is either plus. The appropriate well is either plus. The appropriate district office will be notified before well is either plus. The appropriate well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office prior to spudding of the spud date or the well shall be come.  For KCC Use ONLY  API # 15 - QSI - QSSYI - QQU - Question plus date.  Approved by: Left 6-1-00 Question plus date.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If district office on plug length and placement is necessary prior to plugging, bugged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date, er #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing, to fmy knowledge and belief.  Title: Operations Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to fleld proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please

RECEIVED
JUN (1 + 2006
KCC WICHITA

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 051-25541-0000	Location of Well: County: Ellis
Operator: Shelby Resources, LLc	2025' feet from N / V S Line of Section
Lease: Leiker	2025' feet from N / S Line of Section 700' feet from J E / W Line of Section
Well Number: 1-8 Field: Unknown	Sec. 8 Twp. 15 S. R. 17 East ✓ West
Number of Acres attributable to well:	Is Section: 🔽 Regular or 📋 Irregular
TAPP SE-NW- NE-SE	If Section is irregular, locate well from nearest corner boundary.  Section comer used: NE NE SE SW

### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		Ellis	Count	y				
	٠.					·		
		·					:	
		:		,				
		:	· ·		·		:	EXAMP
			· · ·			: #1-8 .¶	700'	
		:					:	
						2025		
			· · · · ·					
			· ·		:		:	SEWARD



NOTE: In all cases locate the spot of the proposed drilling locaton.

# in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION APPLICATION FOR SURFACE PIT



# Submit in Duplicate

Operator Name: Shelby Resources, LLC			License Number: 31725		
Operator Address: P.O. Box 1213,		as 67601			
Contact Person: Brian Karlin		Phone Number: ( 785 ) 623 · 3290			
Lease Name & Well No Leiker #1-8			Pit Location (QQQQ). SE-NW-NE-SE		
Type of Pit:    Entergency Pit	Artificial Liner?	(bbis)	Sec. 8 Twp. 15 R. 17   East   West  2025' Feet from   North / South Line of Section  700' Feet from   East / West Line of Section  Ellis County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Lined with clay, native & fresh mud.  Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the material, thickness and installation precedure.  Distance to nearest water well within one-mile		Describe proce liner integrity, is	edures for periodic maintenance and determining notuding any special monitoring.		
N/A feet Depth of water well	feet	Source of Information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in dritting/workover: Fresh mud.			
Number of producing wells on lease:		Number of working pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment procedure: Allow liquid contents to evaporate. Let			
Does the slope from the tank bettery allow all flow into the p#?	spilled fluids to	cuttings dry and backfill.  Drill pits must be closed within 385 days of spud date.			
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.		
May 26, 2006 Date		Buas	my Harling  Ignature of Applicant or Agent		
	KCC	OFFICE USE OF	NLY		
Date Received: 6/1/06 Permit Num	ber:	Permi	t Date: 6/1/06 Lease Inspection: Yes A No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OT,