| For KCC Use: | 6-10-06 |
|-------------------|---------|
| Effective Date: _ | W 1000 |
| District # | |
| SGA? Yes | No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

| Expected Spud Date | Spot |
|--|---|
| month day year | NW NE - NW - SW Sec. 16 Twp. 16 S. R. 23 |
| OPERATOR: License#_5364 | #2550 feet from N / V S Line of Section |
| Name: Beren Corp. | 650 feet from E / W Line of Section |
| A.J. P.O. Box 20380 | Is SECTION Regular Irregular? |
| City/State/Zip: Wichita, KS 67208 | |
| Contact Person: Gary Misak | (Note: Locate well on the Section Plat on reverse side) |
| Phone: (316) 265-3311 | County: Ness Lease Name: Milton Well #: 1-16 |
| Prione: (5.5) 255 55.1 | Field Name: Osgood Well #: 1 10 |
| CONTRACTOR: License#_5147 | |
| Name: Beredco Inc. | Is this a Prorated / Spaced Field? |
| | Target Formation(s): Cherokee, Mississippi |
| Well Drilled For: Well Class: Type Equipment: | *Nearest Lease or unit boundary: 90' |
| Oil Enh Rec Infield I Mud Rotary | Ground Surface Elevation: 2466feet |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| OWO Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic;# of Holes Other | Depth to bottom of fresh water: |
| Other | Depth to bottom of usable water: 1/50 |
| | Surface Pipe by Alternate: 1 2 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 370' |
| Operator: | Length of Conductor Pipe required: N/A |
| Well Name: | Projected Total Depth: 4500' |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Mississippi / |
| / | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other |
| If Yes, true vertical depth: RECEIVED | DWR Permit #: |
| Bottom Hole Location: KANSAS CORPORATION COMMISSION | (Note: Apply for Permit with DWR 🔲) |
| KCC DKT #: | Will Cores be taken? |
| Declaration of Apoling MAY 0 4 2006 | If Yes, proposed zone: |
| CONSERVATION DIVISION AFF | DOUT THE Greated Docket Ob-CONS-188-C WIE |
| | |
| The undersigned hereby affirms that WECHTMAKSompletion and eventual p | plugging of this well will comply with K.S.A. 55 et. seg. |
| | olugging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that WCATTACKS ompletion and eventual plt is agreed that the following minimum requirements will be met: | olugging of this well will comply with K.S.A. 55 et. seq. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea | ach drilling rig; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> . | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second o | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggir gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemented. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the substitution of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggir gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be sufficient to the sufficient of the well is dry hole, an agreement between the operator and the sufficient to the sufficient will be notified before well is either plus to the sufficient to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggir gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the continuous surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall. | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemei be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the second state of the surface properties of the well is dry hole, an agreement between the operator and the second structure of the second structure of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the surf</i> | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggir gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the second state of the surface properties of the well is dry hole, an agreement between the operator and the second strict office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the supropriate district office will be notified before well is either plus of the suprop</i> | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemei be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface to the surface of the well is dry hole, an agreement between the operator and the surface of the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the surface of Operator or Agent: May 3, 2006 | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements of the complete of the statements of the spud date or the well shall be completed. Signature of Operator or Agent: | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the construction of the production of the production of the surface of the construction of the production of the surface of the su | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 24505 - 0000 Conductor pipe required None feet per Alt. 120 - 120 | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemei be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus to the surface district office will be notified before well is either plus to the surface district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface will be surface. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 24505 - 0000 Conductor pipe required None feet per Alt. X 2 Approved by: Put 6500</i></i> | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus to the surface district office will be notified before well is either plus to the surface district office will be notified before well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface will be surface. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 135 - 24505 - 0000 Conductor pipe required None feet per Alt. X 2 Approved by: Put 6500</i></i> | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is dry hole, an agreement between the operator and the construction of the well is either plus to the sufficient of the well shall in hereby certify that the statements made herein are true and to the best of the through the sufficient of the s | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the surface pipe and the surface pipe and the surface pipe shall be cemented. 5. The appropriate district office will be notified before well is either plus of the surface pipe shall be cemented. The surface pipe shall be cemented by the surface pipe shall be cemented by the surface pipe and the surface pipe required by the surface pipe required feet per Alt. Approved by: This authorization expires: Conductor pipe requires: Conductor pipe required feet per Alt. | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the center of the surface well is either plus of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall dereby certify that the statements made herein are true and to the best of the surface of the surf | ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemente be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Engineering Technician Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 135-24505-0015 | Location of Well: County: Ness |
|---|--|
| Operator: Beren Corp. | 2550 feet from N / 🗾 S Line of Section |
| Lease: Milton | 850 feet from E / W Line of Section |
| Well Number: _1-16 | Sec. 16 Twp. 16 S. R. 23 ☐ East ✔ Wes |
| Field: Osgood | |
| Number of Acres attributable to well: | Is Section: 🔽 Regular or 🔲 Irregular |
| QTR / QTR / QTR of acreage: NW NE - NW - SW | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



FRACEIVED KANSAS CORPORATION COMMISSION MAY 0 4 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION FORM COMMISSION FORM COPP-1 OIL & GAS CONSERVATION DIVISION

MAY 0 4 2006 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WISEITALKS

| | Submit in Duplicate Wistina, KS | | | | |
|---|---------------------------------|---|---|--|--|
| Operator Name: Beren Corp. | | | License Number: 5364 | | |
| Operator Address: P.O. Box 20380, Wichita, KS, 67208 | | | | | |
| Contact Person: Gary Misak | | | Phone Number: (316) 265 - 3311 | | |
| Lease Name & Well No.: Milton #1-16 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>NW - NE - NW - SW</u> | | |
| Emergency Pit Burn Pit | ✔ Proposed Existing | | Sec. 16 Twp. 16 R. 23 East West | | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | Feet from North / South Line of Section | | |
| | Pit capacity: | | 850 Feet from East / West Line of Section | | |
| <u> </u> | 7000 | (bbls) | Ness County | | |
| Is the pit located in a Sensitive Ground Water Area? Yes No | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | | |
| Yes No | Yes V | No | new to the promote in a place in the face. | | |
| Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A: Steel Pits | | | | | |
| Depth fr | om ground level to de | eepest point: 4 | (feet) | | |
| material, thickness and installation procedure | | liner integrity, in | cluding any special monitoring. | | |
| Distance to nearest water well within one-mile of pit Depth to shallo Source of infor | | west fresh water 29 feet. mation: KH K65 | | | |
| | | measu | redwell owner electric logKDWR | | |
| | | _ | Drilling, Workover and Haul-Off Pits ONLY: | | |
| | | Type of material utilized in drilling/workover: Bentonite Mud | | | |
| | | | king pits to be utilized: 4 procedure: Allow liquid to evaporate until bottom of | | |
| nit is de | | 1 | bit is dry, then fill and level to contour of ground. | | |
| Does the slope from the tank battery allow all spilled fluids to | | Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| May 3, 2006 Date May 3, 2006 Signature of Applicant or Agent | | | | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: 5/4/06 Permit Num | ber: | Perm | t Date: 5/4/06 Lease Inspection: Yes 🕻 No | | |