## RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	64000
Effective Date: _	
District #	<u>-</u>
SGA? Yes	X No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 0 4 2006

Form C-1

CONSERVATION DIVISION Form must be Typed
WICHITA, KS All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date July 1 2006	Spot	East
month day year	NW - NW - NE Sec. 16 Twp. 16 S	
OPERATOR: License# 5364	i75	S Line of Section
Name: Beren Corp.	2350feet from F E /	
Address: P.O. Box 20380	Is SECTIONRegularIrregular?	
City/State/Zip: Wichita, KS 67208		
City/State/Zip: Gapy Misak	(Note: Locate well on the Section Plat on rev	rerse side)
Contact Person: Gary Misak Phone: (316) 265-3311	County: Ness	1-16
Phone: (510) 203-3311	Lease Name: Willa	_Well #: 1-16
CONTRACTOR: License# 5147	Field Name: Osgood	
Name: Beredco Inc.	Is this a Prorated / Spaced Field?	Yes ✓ No
Name:	Target Formation(s): Cherokee, Mississippi	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 75'	
	Ground Surface Elevation: 2430	feet MSL
	Water well within one-quarter mile:	Yes 🗸 No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
OWO Disposal Wildcat Cable	Depth to bottom of fresh water:	
Seismic;# of Holes Other	Depth to bottom of usable water: 1/50 -	
Other	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350'	•
	Length of Conductor Pipe required: None	
Operator:	Projected Total Depth: 4500'	
Well Name:	Formation at Total Depth: Mississippi	
Original Completion Date:Original Total Depth:	Totalion at total Bopting	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other	
	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR	
* Declaration of pooling attached.	Will Cores be taken?	Yes ✓ No
# 120014tion of position attracted.	W V d	
W	If Yes, proposed zone:	115 - 100 A 1 11 E
	XINLE Granted Pocket Olo-Co	NS-189-CWLE
AF	FIDAVIT YWLE Granted Docket Ob-Co	NS-189-CWLE
AF The undersigned hereby affirms that the drilling, completion and eventual	FIDAVIT YWLE Granted Docket Ob-Co	ons-189-cwle
AF The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	FIDAVIT YWLE Granted Docket Ob-Co	ns-189-cwle
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface p the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; nted from below any usable water to surface within 120 or er #133,891-C, which applies to the KCC District 3 area, Il be plugged. In all cases, NOTIFY district office prior	pipe <b>shall be set prior to plugging; lays</b> of spud date.  alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface p the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; nted from below any usable water to surface within 120 or er #133,891-C, which applies to the KCC District 3 area, Il be plugged. In all cases, NOTIFY district office prior	pipe <b>shall be set prior to plugging; lays</b> of spud date.  alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface p the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; nted from below any usable water to surface within 120 or er #133,891-C, which applies to the KCC District 3 area, Il be plugged. In all cases, NOTIFY district office prior	pipe <b>shall be set prior to plugging; lays</b> of spud date.  alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface production the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in;  nted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, il be plugged. In all cases, NOTIFY district office prior of my knowledge and belief	pipe <b>shall be set prior to plugging; lays</b> of spud date.  alternate II cementing to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either ple  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  Date: May 3, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pure the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; need from below any usable water to surface within 120 or # #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to word.  Submit plugging report (CP-4) after plugging is com	pipe shall be set  prior to plugging;  lays of spud date. alternate II cementing to any cementing.  g Technician  rill; d date; ion orders; kover or re-entry; pleted;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either ple  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  Date: May 3, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface paths and placement is necessary ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spuring the surface attribution plat according to field proration.  - Notify appropriate district office 48 hours prior to work.	pipe shall be set  prior to plugging; lays of spud date. alternate II cementing to any cementing.  g Technician  rill; d date; ion orders; kover or re-entry; pleted;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plue  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  Date: May 3, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 135-24506-0000  Conductor pipe required 1000 feet per Alt. X (2)  Approved by: 245-506	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pure the underlying formation.  district office on plug length and placement is necessary ugged or production casing is cemented in; need from below any usable water to surface within 120 or # #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief  Remember to:  File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spu File acreage attribution plat according to field prorat Notify appropriate district office 48 hours prior to word.  Submit plugging report (CP-4) after plugging is com	pipe shall be set  prior to plugging;  lays of spud date. alternate II cementing to any cementing.  g Technician  rill; d date; ion orders; kover or re-entry; bleted; salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements are true and to the best that the statements are true and to the best that the statements are true and to the best that the statement are true and to the best that the statement are true and to the best that the s	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface paths the underlying formation.  district office on plug length and placement is necessary unged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to D - File completion Form ACO-1 within 120 days of spuring in the plugging report (CP-4) after plugging is communication.  - Obtain written approval before disposing or injecting	pipe shall be set  prior to plugging;  lays of spud date. alternate II cementing to any cementing.  g Technician  rill; d date; ion orders; kover or re-entry; pleted; salt water.  date) please
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plue  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme  Or pursuant to Appendix "B" - Eastern Kansas surface casing order  must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best  Date: May 3, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 135-24506-0000  Conductor pipe required 1000 feet per Alt. X (2)  Approved by: 245-506	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface paths the underlying formation.  district office on plug length and placement is necessary ungged or production casing is cemented in; inted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spuring the surface attribution plat according to field prorated in the Notify appropriate district office 48 hours prior to word in Submit plugging report (CP-4) after plugging is commodition.  - Obtain written approval before disposing or injecting - If this permit has expired (See: authorized expiration).	pipe shall be set  prior to plugging;  lays of spud date. alternate II cementing to any cementing.  g Technician  rill; d date; ion orders; kover or re-entry; pleted; salt water.  date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements made herein are true and to the best that the statements are true and to the best that the statements are true and to the best that the statements are true and to the best that the statement are true and to the best that the statement are true and to the best that the s	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface per the underlying formation.  district office on plug length and placement is necessary unged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to D.  - File completion Form ACO-1 within 120 days of sputh in the plugging report (CP-4) after plugging is commoditied. Submit plugging report (CP-4) after plugging is commoditied.  - Obtain written approval before disposing or injecting check the box below and return to the address below	pipe shall be set  prior to plugging; lays of spud date. alternate II cementing to any cementing.  g Technician  rill; d date; ion orders; kover or re-entry; pleted; salt water.  date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24506-0000	Location of Well: County: Ness
Operator: Beren Corp.	75 feet from VN / S Line of Section
Lease: Willa	2350 feet from _v E / _ W Line of Section
Well Number: 1-16	Sec. 16 Twp. 16 S. R. 23 East West
Field: Osgood	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NW - NW - NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
(Show location of the well and shade attribu	_AT utable acreage for prorated or spaced wells.) st lease or unit boundary line.)
255' 2	2350
· · ·   · · · · · ·     · ·   · ·   · ·   ·	
290'	
	•
	EXAMPLE
	<del></del>
	· · · · · · · · · · · · · · · · · · ·
	1980
	3390'

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

### RECEIVED

# KANSAS CORPORATION COMMISSION Form CDP-1 OIL & GAS CONSERVATION DIVISION MAY 1 4 2006 April 2004

MAY 0 4 2006 Form must be Typed

#### APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Beren Corp.			License Number: 5364		
Operator Address: P.O. Box 20380, Wichita, KS, 67208					
Contact Person: Gary Misak			Phone Number: ( 316 ) 265 - 3311		
Lease Name & Well No.: Willa #1-16			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>N/2</u> - <u>NW</u> - <u>NE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 16 R. 23 East 🗸 West		
Settling Pit	If Existing, date constructed:		75 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit			2350 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 7000	(bbls)	Ness		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	DO Length (fe	eet)100	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de		(feet)		
,			dures for periodic maintenance and determining ncluding any special monitoring.		
Source of in		Depth to shallo Source of infor	west fresh water 35 feet. mation: KH KC \$		
		measu	redwell owner electric logKDWR		
			Orilling, Workover and Haul-Off Pits ONLY:		
			/pe of material utilized in drilling/workover: Bentonite Mud		
		Number of working pits to be utilized: 4  Abandonment procedure: Allow liquid to evaporate until bottom of			
Barrels of fluid produced daily:		pit is dry, then fill and level to contour of ground.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
May 3, 2006 Date  May 3, 2006 Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 5/4/04 Permit Number: Permit Date: 5/4/04 Lease Inspection: Yes 1 No					