

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	Shiloh	
Expected Spud Date 06/09/06	Spot ✓ East	t
month day year	SW SE Sec. 25 Twp. 26S S. R. 17 Wes	
33583	700 feet from N / S Line of Section	ot .
OPERATOR: License# 33583 Name: Admiral Bay (USA) Inc.	1790 feet from \(\mathbb{E} \) \(\mathbb{W} \) Line of Section	
Name: Admiral Bay (USA) Inc. Address: 14550 E Easter Ave, Ste. 1000	Is SECTION Regular Irregular?	
Address: Centennial CO 80112		
City/State/Zip: Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Janet Johnson	County: Allen	_
Phone: 303.671-7242	Lease Name: Markham Well #: 15-25	-
CONTRACTOR: License# 5786	Field Name: Humboldt-Chanute	
Name: McGowan-Drilling	Is this a Prorated / Spaced Field?	0
MEGOWN	Target Formation(s): Riverton	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 700 FSL	_
Oil Enh Rec Infield	Ground Surface Elevation: 971feet MSI	L
	Water well within one-quarter mile:	سه ٥
	Public water supply well within one mile: Yes ✓ No.	0
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200'+	_
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	_
_	Length of Conductor Pipe required: None	_
	Projected Total Depth: 1400'	_
Well Name:	Formation at Total Depth: Mississippian	_
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Waler Source for Drining Operations. Well ✓ Farm Pond Other	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:	_
Bollom note Location.	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores he taken?	0
	Will Cores he taken?	o —
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATE	0
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATE	o - Ssic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone: MANSAS CORPORATION COMMIS Ungging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006	o Ssic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: MANSAS CORPORATION COMMIS Ungging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006	o — SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to soudding of well:	Will Cores be taken? If Yes, proposed zone: MANSAS CORPORATION COMMIS Ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS	o — Ssic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to soudding of well:	Will Cores be taken? If Yes, proposed zone: MANSAS CORPORATION COMMIS Ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMIS	o — Ssic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken? If Yes, proposed zone: Ves	o - Ssic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: Ves	o Ssic
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: Ves	o — SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into tr 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through the surface of	Will Cores be taken? If Yes, proposed zone: **MANSAS** CORPORATION COMMIN** Unugging of this well will comply with K.S.A. 55 et. seq.** JUN 0 6 2006 **CONSERVATION DIVISION** The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this proposed zone: **In this proposed zon	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through the surface of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all through the surface of	Will Cores be taken? If Yes, proposed zone: Ves	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. UN 0 6 2006 CONSERVATION DIVISION the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Ony knowledge and belief.	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of the surface will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	Will Cores be taken? If Yes, proposed zone: Ves	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set of the surface properties district office will be notified before well is either plug that a LITERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the left of the surface of the statements made herein are true and to the left of the surface of the statements of the surface of the surfa	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator	SSIC
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of the surface of the surface well is either plughted. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the pest of the complete of the statements made herein are true and to the pest of the complete of the statements of the statements of the statements. Signature of Operator or Agent: Date: 06/05/06 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: Vestarion Vestar	SSICO 19
The undersigned hereby affirms that the drilling, completion and eventual please that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the term of the well is dry hole, an agreement between the operator and the description of the surface of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the	Will Cores be taken? If Yes, proposed zone: Vestarion Vestar	SSIC
The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the specified below <i>shall be see</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the second o	Will Cores be taken? If Yes, proposed zone: Vestarion Vestar	SSICO 19
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the described of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the less of the spud state of the statements made herein are true and to the less of the spud state of the spud state of the statements made herein are true and to the less of the spud state of the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The proposed zone: Yes Victorial Completion Victori	SSICO 19
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the pest of Date: 06/05/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOL - 294/29 - ODO Conductor pipe required None feet per Alt. X (2)	Will Cores be taken? If Yes, proposed zone: Vestarion Vestar	SSICO 19
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decomposition of the set of the s	Will Cores be taken? If Yes, proposed zone: Ves	eg L
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Bemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	SSICO 19
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decomposition of the set of the s	If Yes, proposed zone: Ves	eg L
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Bemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	eg L

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29429-0000	Location of Well: County: Allen
Operator: Admiral Bay (USA) Inc.	
Lease: Markham	700 feet from N / ✓ S Line of Section 1790 feet from ✓ E / W Line of Section
Well Number: 15-25	Sec. 25 Twp. 26S S. R. 17 Vest West
Field: Humboldt-Chanute	
Number of Acres attributable to well: 40	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SW SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. 1790

In plotting the proposed location of the well, you must show:

- . 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			
Operator Name: Admiral Bay (USA) Inc.		License Number: 33583	
Operator Address: 14550 E Eas		e. 100	
Contact Person: Janet Johnson	· -	_	Phone Number: (303) 350 - 1255
Lease Name & Well No.: Markham 15-25		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW . SE
	Pit is: ✓ Proposed Existing		
			Sec. 25 Twp. 26S R. 17 Fast West 700
☐ Settling Pit ☐ Drilling Pit	If Existing, date constructed:		Feet from North / \(\subseteq \) South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1790 Feet from Feet / West Line of Section
(If WP Supply API No. or Year Drilled)	150	(bbls)	Allen County
Is the pit located in a Sensitive Ground Wate	r Area? Yes	No	Chloride concentration:mg/l
	T		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
	20 Length (fe		Width (feet) N/A: Steel Pits (feet)
			KANSAS CORPORATION COMMI
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water feet. Williams	
N/A / feet Depth of water wellfeet meason		uredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Wo		_	over and Haul-Off Pits ONLY:
Producing Formation: Type of mater		al utilized in drilling/workover: Fresh Water & Native mud	
Number of producing wells on lease: Number of wor		rking pits to be utilized: 2	
Barrels of fluid produced daily: Abandonmer		Abandonment	procedure: Evaporation and back fill
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		be closed within 365 days of spud date.	
I hereby certify that the above sta	tements are true and	correct to the bes	t of my knowledge and belief.
	1). 0	A)
06/05/06		al I B	meor
Date		<i>O'</i> // s	Signature of Applicant or Agent
	KCC	OFFICE USE O	NLY
. 1 1			4/./
Date Received: 6 06 Permit Nu	mber:	Perm	it Date: 6/6/06 Lease Inspection: Yes X No