

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Shiloh

| Expected Spud Date 06/09/06 | Spot ✓ East | |
|---|--|----------------|
| month day year | <u>SW - SW Sec. 01 Twp. 27S S. R. 17 </u> West | |
| OPERATOR: License# 33583 | feet from N / ✓ S Line of Section | |
| Name: Admiral Bay (USA) Inc. | 530 feet from ☐ E / ✓ W Line of Section | |
| Address: 14550 E Easter Ave, Ste. 1000 | Is SECTION Regular Irregular? | |
| City/State/Zip: Centennial, CO 80112 | (Note: Locate well on the Section Plat on reverse side) | |
| Contact Person: Janet Johnson | County: NEOSHO | |
| Phone: 303.671-7242 | Lease Name: Quinn Well #: 13-1 | |
| 5786 | Field Name: Humboldt-Chanute | - |
| CONTRACTOR: License# 5786 / Name: McGowan Drilling | Is this a Prorated / Spaced Field? | |
| Me GOW N | Target Formation(s): Riverton | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 445 FSL | |
| Oil _ Enh Rec Infield | Ground Surface Elevation: 988 | |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: Yes ✓ No | |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: Depth to bottom of fresh water: 100'+ Yes V No | |
| Seismic;# of Holes Other | Depth to bottom of usable water: | |
| Other | Surface Pipe by Alternate: 1 \(\sqrt{2} \) | |
| M CARALO, and well information on follows: | Length of Surface Pipe Planned to be set: 20' | |
| If OWWO: old well information as follows: | Length of Conductor Pipe required: None | |
| Operator: | Projected Total Depth: 1400' | |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Mississippian | |
| | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No | Well Farm Pond Other | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) | |
| KCC DKT #: | Will Cores be taken? Yes ✓ No | |
| | | |
| | If Yes, proposed zone: | |
| AFFI | | |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plu | | |
| | DAVIT KANSAS CORPORATION COMMI | SSION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | DAVIT KANSAS CRECEIVED ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 | SSION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | DAVIT KANSAS CRECEIVED ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 | SSION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | DAVIT KANSAS CRECEIVED ugging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 | 'SSION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the | DAVIT RESCRIVED Ungging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 The drilling rig; To by circulating cement to the top; in all cases surface ping a liquid to the liquid to the top; in all cases surface ping a liquid to the top; in all cases surface ping a liquid to the liqu | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difficulty is appropriate district office will be notified before well is either plugger. | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To by circulating cement to the top; in all cases surface ping an indication of the complete of the c | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dies. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To by circulating cement to the top; in all cases surface pipe stationary in the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. | ISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; The by circulating cement to the top; in all cases surface pipe and paying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the sum of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the sum of the well is dry hole, an agreement between the operator and the dient of the appropriate district office will be notified before well is either pluggent of the sum o | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To conservation committed to the top; in all cases surface pinguilloud to the top; in all cases, notify the top; in all cases, notify district office prior to any cementing. | ission |
| The undersigned hereby affirms that the drilling, completion and eventual place it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dientification of the set | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; The by circulating cement to the top; in all cases surface pipe with the complete of | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the drilling and the set of the drilling and the district of the drilling and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To conservation committed to the top; in all cases surface pinguilloud to the top; in all cases, notify the top; in all cases, notify district office prior to any cementing. | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To by circulating cement to the top; in all cases surface pipe prior to plugging; set or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator | ISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the posted on each and the second of the posted on each and the second of the secon | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; The by circulating cement to the top; in all cases surface pipe with the complete of | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the difference of the set of t | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To pure to production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: O6/05/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26634-0000 | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To posservation committed by circulating cement to the top; in all cases surface pipage in the comply surface of plugging; set or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 6. Signature of Operator or Agent: 7. Signature of Operator or Agent: 8. Signature of Operator or Agent: | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; | ission |
| The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough and the drill be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be seen that the statements made herein are true and to the best of Date: 06/05/06 Signature of Operator or Agent: The productor pipe required feet per Alt. X 2 | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; | issio a |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: 06/05/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26634-0000 Conductor pipe required Minimum surface pipe required feet Minimum surface pipe required Approved by: 244 6-6-66 | paying of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMINION OF A 2006 In drilling rig; To ye circulating cement to the top; in all cases surface pipe station of the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. | ISSIOA |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE I! COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Object | paying of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; | ISSION |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in the plate of the plate of the spud date or the well shall be set of the plate of the plate of the spud date of the spud date or the well shall be increased. For KCC Use ONLY API # 15 - 133 - 26634-0000 Conductor pipe required | paging of this well will comply with K.S.A. 55 et. seq. JUN 0 6 2006 In drilling rig; To production casing is cemented in; In deform below any usable water to surface within 120 days of spud date. It all cases, NOTIFY district office prior to any cementing. In production casing is cemented in; In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In production casing is cemented in; In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In production casing is cemented in; In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In this permit has expired (See: authorized expiration date) please | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Object | agging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMINION OF ACCEPTATION COMMINION OF ACCEPTATION COMMINION OF ACCEPTATION COMMINION OF ACCEPTATION O | ission |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE I! COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: O6/05/06 | agging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMINION OF A 2006 In drilling rig; To point of the top; in all cases surface ping an analysis of eunderlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Land Coordinator Remember to: - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired | ission |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 133-26634000 | Location of Well: County: NEOSHO |
|---|----------------------------------|
| Operator: Admiral Bay (USA) Inc. | |
| Lease: Quinn | |
| Well Number: 13-1 | Sec Twp S. R |
| Number of Acres attributable to well: 40 QTR / QTR of acreage: SW SW | Is Section: |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

445

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Oncestor Norman A 1 1 1 5 | | | |
|---|-----------------------------|--|---|
| Operator Name: Admiral Bay (| USA) Inc. | | License Number: 33583 |
| Operator Address: 14550 E East | | e. 100 | |
| Contact Person: Janet Johnson | | | Phone Number: (303) 350 - 1255 |
| Lease Name & Well No.: Quinn 13-1 | | | Pit Location (QQQQ): |
| Type of Pit: | Pit is: | | swsw |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. Of Twp. Q75 R. 17 Fast West |
| Settling Pit | If Existing, date of | onstructed: | 445 Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit | D'4 | | 530 Feet from ☐ East / ✓ West Line of Section |
| (If WP Supply API No. or Year Drilled) | Pit capacity: | (bbis) | NEOSHO County |
| Is the pit located in a Sensitive Ground Water | | No (55.5) | |
| is the probated in a densitive Ground Water | Alea: les | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? Yes No | Artificial Liner? ☐ Yes ✓ | No | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | 20 Length (fe | eet) 20 | Width (feet) N/A: Steel Pits |
| | rom ground level to de | · . | , , |
| | | | ILIAL O |
| | | | CONSERVATION DIVISION WICHITA KO |
| , | e of pit | Depth to shallo Source of infor | CONSERVATION DIVISION WICHITA, KS |
| Distance to nearest water well within one-mile N/A feet Depth of water well | · | Source of infor | CONSERVATION DIVISION WICHITA, KS |
| N/A feet Depth of water well | feet | Source of informeasu Drilling, Work | west fresh waterfeet. WICHITA, KS mation: Iredwell ownerelectric logKDWR Over and Haul-Off Pits ONLY: |
| N/A | feet | Source of informeasu Drilling, Worke Type of materia | west fresh waterfeet. WICHITA, KS mation: Iredwell owner electric logKDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud |
| N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: | feet | Source of informeasu Drilling, Work Type of materia Number of wor | west fresh waterfeet. WICHITA, KS mation: aredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 |
| N/AfeetDepth of water well | feet | Source of informeasu Drilling, Worke Type of materia | west fresh waterfeet. WICHITA, KS mation: aredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 |
| N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all | feet | Drilling, Work Type of materia Number of wor Abandonment | west fresh waterfeet. WICHITA, KS mation: aredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 |
| N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed the slope from the tank battery allow allowed. | feet | Drilling, Work Type of materia Number of wor Abandonment Drill pits must I | west fresh waterfeet. WICHITA, KS mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date. |
| N/AfeetDepth of water well | feet | Drilling, Work Type of materia Number of wor Abandonment Drill pits must I | west fresh waterfeet. WICHITA, KS mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date. |
| N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No | feet | Drilling, Work Type of materia Number of wor Abandonment Drill pits must I | west fresh waterfeet. WICHITA, KS mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date. |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No I hereby certify that the above state | I spilled fluids to | Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I | west fresh waterfeet. WICHITA, KS mation: west fresh waterfeet. WICHITA, KS mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date. t of my knowledge and belief. |
| N/Afeet Depth of water well | I spilled fluids to | Drilling, Work Type of materia Number of wor Abandonment Drill pits must I | west fresh waterfeet. WICHITA, KS mation: west fresh waterfeet. WICHITA, KS mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water & Native mud king pits to be utilized: 2 procedure: Evaporation and back fill be closed within 365 days of spud date. t of my knowledge and belief. |