For KCC Use:	6-11-06
Effective Date: District #	4
SGA? Yes	X No

Spud date:

Agent:

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date 6/12/06 month day year	Spot Spot Sw Sw Sec. 5 Twp. 9 S. R. 18 V West	
OPERATOR: License# 30606	330feet from N / V S Line of Section	
Name: Murfin Drilling Company, Inc.	900 feet from E / / W Line of Section	
Address: 250 N. Water, Suite 300	Is SECTION ✓ Regular Irregular?	
City/State/Zip: Wichita, KS 67202	·	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: David Doyel Phone: 316-267-3241	County: Rooks	
Phone: 010 207 0241	Lease Name: Rostocil Well #: 1-5	
CONTRACTOR: License# 30606	Field Name: Wildcat	
Name: Murfin Drilling Company, Inc.	Is this a Prorated / Spaced Field?Yes _✓ No	
Hamb.	Target Formation(s): LKC, Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'	
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2063 feet MSL	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No —	
OWO Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic;# of Holes Other	Depth to bottom of fresh water: 180'	
Other	Depth to bottom of usable water: 860'	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 3550'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
Signal Total Dopin.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	
	If Yes, proposed zone:	
	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met:		
through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and to the best of Date: 6/2/06 Signature of Operator or Agent:	Title: Agent	
Signature of Operator of Agent.		
	Remember to:	
API # 15 - 163 - 23535-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill;	
	- File Completion Form ACO-1 within 120 days of spud date;	
Conductor pipe required feet	File acreage attribution plat according to field proration orders;     Notify appropriate district office 48 hours prior to workover or re-entry;	
Minimum surface pipe required 200 feet per Alt. Y/2	Submit plugging report (CP-4) after plugging is completed;	
Approved by: Rul 6-6-06	Obtain written approval before disposing or injecting salt water.	
12.1-214		
This authorization expires: 10000	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
(This authorization void if drilling not started within 6 months of approval date.)	Welt Not Drilled - Permit Expired	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Signature of Operator or Agent:

Date:

RECEIVEDE JUN 0 5 2006 KCC WICHITA

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23535-0000	Location of Well: County: Rooks
Operator: Murfin Drilling Company, Inc.	feet from N / ✓ S Line of Section
Lease: Rostocil	900 feet from E / V W Line of Section
Well Number: 1-5	Sec. 5 Twp. 9 S. R. 18 East ✓ Wes
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  SE _ SW _ SW	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

# 300

900'

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Murfin Drilling Company, Inc.		License Number: 30606		
Operator Address: 250 N. Water, Suite 300, Wichita, KS 67202				
Contact Person: David Doyel			Phone Number: ( 316 ) 267 - 3241	
Lease Name & Well No.: Rostocil #1-5		Pit Location (QQQQ):		
Type of Pit:	Pit is:		90' W _ SE _ SW _ SW	
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 5 <sub>Twp.</sub> 9 <sub>R.</sub> 18 ☐ East <b>√</b> West	
Settling Pit	If Existing, date constructed:		330 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		900 Feet from East / 🗸 West Line of Section	
(II WI Guppy Al Tho. of real Difficult	600	(bbls)	Rooks County	
Is the pit located in a Sensitive Ground Water Area? Yes V No		No	Chloride concentration: mg/l	
is the bottom below ground level?	s the bottom below ground level?  Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
✓ Yes  No	☐ Yes 🗸	No	Bentonite & solids from drlg. oper. self seal pits.	
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet) N/A N/A: Steel Pits	
	om ground level to de	eepest point: 4	(feet)	
material, thickness and installation procedure			ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water 25feet. Source of information:		
feet Depth of water wellfeet		measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Bentonite		
Number of producing wells on lease:		Number of working pits to be utilized: 4  Abandonment procedure: Allow pits to evaporate until dry then		
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		backfill when conditions allow		
flow into the pit? Yes No	opined haids to	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
6/2/06 Ahaunh Dimulinan, Date Signature of Applicable or Agent				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
JUN 0 5 2006
KCC WICHITA