For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

JUN 2 2006 Form must be Typed
Form must be Signed
Form must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date	Spot
	<u> </u>
OPERATOR: License#	2506' Teet Holli N / Y 3 Line of Section
Name: Shelby Resources, LLC	
Address: P.O. Box 1213	Is SECTIONRegular Irregular?
City/State/Zip: Hays, Kansas 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brian Karlin	County: Barber
Phone: 785-623-3290	Lease Name: Thunderbird Ranch Well #: 3-7
CONTRACTOR: License# 5142	Field Name: Skinner
Name: Sterling Drilling Company	Is this a Prorated / Spaced Field?
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1188'
✓ Oil	Ground Surface Elevation: 1647 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:Yes ✓ No
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: ✓ 1
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 225'
Operator:	Length of Conductor Pipe required: Possible
Well Name:	Projected Total Depth: 4650'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Sorm Bond Other Medicine Lodge River
	YVEII FAITH FOILD OTHER
If Yes, true vertical depth:	DWR Permit #: Contractor to apply for permit.
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
Oil ! bas Leases by poxing clause Attached.	
- -	IDAVIT
AFF	
AFF The undersigned hereby affirms that the drilling, completion and eventual p	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into technique of the well is dry hole, an agreement between the operator and the center of the surface plus of the properties of the surface well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the ce 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig; In the triple of this well will comply with K.S.A. 55 et. seq. In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and the triple of triple of the triple of triple
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ch drilling rig; In the triple of this well will comply with K.S.A. 55 et. seq. In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and the triple of triple of the triple of triple
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving that the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the shall of the post of the spud date or the well shall be the shall of the post of the spud date or the well shall be completed. Signature of Operator or Agent: Date: May 30, 2006 Signature of Operator or Agent: Signature of Operator or Agent: Conductor pipe required Minimum surface pipe required feet per Alt.	ch drilling rig; In the property of the top; in all cases surface pipe shall be set the underlying formation. It is first office on plug length and placement is necessary prior to plugging; and production casing is cemented in; are from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the proposition of the spund date or the well shall be completed within 30 days of the spund date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the well shall be plus of the spund date or the spund date	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prlor to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: May 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required feet per Alt.	ch drilling rig; In the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into technique of the well is dry hole, an agreement between the operator and the center of the well is dry hole, an agreement between the operator and the center of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall of the left of of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

RECEIVED

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

UN 0 2 2006

Plat of acreage attributable to a well in a prorated or spaced field

KCC WICHITA

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 007-23030-0000	Location of Well: County: Barber		
Operator: Shelby Resources, LLC			
Lease: Thunderbird Ranch	1188' feet from N / S Line of Section 2506' feet from J E / W Line of Section		
Well Number: 3-7 Field: Skinner	Sec7		
Number of Acres attributable to well:	Is Section: Regular or 🗸 Irregular		
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.		
	Section comer used: ☐NE ☐NW ✓SE ☐SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Barber	County
•	
:	
	#3-7
:	· ·
•	1188' : .



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

JUN 0 2 2006

	Sui	bmit in Duplicat	, KCC WICHIT	A	
Operator Name: Shelby Resources, LLC			License Number: 31725		
Operator Address: P.O. Box 1213, Hays, Kansas 67601					
Contact Person: Brian Karlin			Phone Number: (785) 623 - 32	290	
Lease Name & Well No.: Thunderbird Ranch #3-7		Pit Location (QQQQ):			
Type of Pit: ☐ Emergency Pit ☐ Burn Pit ☐ Settling Pit ☐ Drilling Pit	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: 4000 (bbls)		1188' Feet from North / 🗸	East West South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			2506' Feet from 🗸 East / Barber	West Line of Section County	
Is the pit located in a Sensitive Ground Water Area? Artificial Liner?		Chloride concentration: (For Emergency Pits and Settlin How is the pit lined if a plastic liner is not			
✓ Yes No	Yes V	No	Lined with soil, native & fr		
Pit dimensions (all but working pits):					
Distance to nearest water well within one-mile of pit 1886 feet Depth of water well N/A 42 feet		Depth to shallo Source of infor measu		O KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Chemical dril	ling mud.	
Number of producing wells on lease: Number			king pits to be utilized: 3		
			Abandonment procedure: Haul off excess fluid. Allow the remainder to		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		evaporate and then refill with excavated dirt. Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
5-31-2006 Date		Bui	ignature of Applicant or Agent		
-	ксс	OFFICE USE O	NLY	Steel Pits	
Date Received: 6/2/06 Permit Num	nber:	Perm	it Date: し a しし Lease Inspection:	: 🗶 Yes 🗌 No	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

June 2, 2006

Mr. Brian Karlin Shelby Resources, LLC PO Box 1213 Hays, KS 67601

Re: Dr

Drilling Pit Application

Thunderbird Ranch Lease Well No. 3-7

SE/4 Sec. 07-31S-14W Barber County, Kansas

Dear Mr. Karlin:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (620) 225-8888. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: S Durrant

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.		DISPO	SAL OF DIKE AND PIT CONTENTS.			
(a)		Each o	perator shall perform one of the following when disposing of dike or pit contents:			
	(1)		e the liquid contents to a disposal well or other oil and gas operation approved by the commission or to naintenance or construction locations approved by the department;			
	(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or				
	(3)	•	e of the remaining solid contents in any manner required by the commission. The requirements may e any of the following:			
		(A)	Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);			
		(B)	removal and placement of the contents in an on-site disposal area approved by the commission;			
		(C)	removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or			
		(D)	removal of the contents to a permitted off-site disposal area approved by the department.			
(b)		Each v	iolation of this regulation shall be punishable by the following:			
		a \$2,50	00 penalty for the first violation; 00 penalty for the second violation; and 00 penalty and an operator license review for the third violation.			
Comple	te aı	nd retu	ırn with Haul-Off Pit Application, Form CDP1(2004)			
Haul-off	pit w	vill be l	ocated in an on-site disposal area: 🗆 Yes 🗆 No			

Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator: Yes No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment to the haul-off pit application. Conservation Division, Finney State Office Building, 130 S. Market, Room 2078, Wichita, KS 67202-3802

Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:

□Yes □No

permission to haul-off pit application.

If yes, written permission from the land owner must be obtained. Attach written