For KCC Use: Effective Date:_	6-12-00
District #	3
SGA? XYes	☐ No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date    Most	month day year TN		
OPERATOR: Licenses 3365	month day year TN		/ East
OPERATOR: Licenses Service (Licenses Service)   Licenses Service (Licenses Service)   Licenses Service)		U	
Name: Layne Energy Operating, LLC Address: 1900 Shawnee Mission Parkway City/State/2ip: Mission Woods, KS 66205 KANSAS CORPORATION COMMISSION Countary: Montgomery Name: Thorton Air  Well Drilled For: Well Class: Type Equipment: ONWO: Old Well information as follows: Seismic: # of Holes Other Original Completion Date: Original Total Depth: Off Yes, true vertical depth: Bottom Hole Location: Well Critic prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below shall be set by circulating comained in: 4. If the well is dry hole, an agreement between the operator and the complete or the KCC Distration from Intentic as purport on large and propriet district office prior to spudding from the correction of the KCC Distration and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling regionation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be nortified before well is either plugged or production easing is commended in: 6. If an ALTERNATE II COMPLETION, production pipe shall be evented from below any usable water to surface within 30 days of the spoud date or the well shall be plugged. If all cases, NOTIFY district office prior to or on commenting.	OPERATOR: License# 33365	Total India	
City/State/Zip; Mission Woods, KS 66205  WNSAS CORPORATION COMMISSION Contact Person: M. B. Nattrass  JUN U 7 2006  Contract Person: M. B. Nattrass  JUN U 7 2006  CONSERVATION DIVISION Name: Thorton Air  WICHTA, KS  CONSERVATION DIVISION Name: Thorton Air  Weil Drilled For:  Weil Class:  Type Equipment:  Ground Surface Fledd?  Target Formation(s): Cherokee Coals  Naerest Lease or unit boundary: 549  Naerest Lease or unit boundary: 549  Naerest Lease or unit boundary: 549  Water well within one-quarter mile:  Weil water supply well within one-quarter mile:  Weil Name:  Operator:  Weil Name:  Operator:  Weil Name:  Original Completion Date:  Original Total Depth:  Water Source for Drilling Operations:  Well Parm Pond Other X  Water Source for Drilling Operations:  Well Parm Pond Other X  Water Source for Drilling Operations:  Well Parm Pond Other X  Water Source for Drilling Operations:  Well Parm Pond Other X  Water Source for Drilling Operations:  Well Parm Pond Other X  Water Source for Drilling Operations:  Well Parm Pond Other X  Water Source for Drilling Operations:  Well Parm Pond Oth	Name: Layne Energy Operating, LLC		tion
Contractors: License# 33606	Address: 1900 Shawnee Mission Parkway		
Contractors: License# 33606	City/State/Zip: Mission Woods, KS 66205 ANSAS CORPORATION CO	(NOISE ECONIO NOI ON THE CONTOURS SINCE)	
CONSERVATION DIVISION Name: Thorton Air  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  OWN Disposal Wildcat Cable  Other Other  Other Office Original Completion Date: Original Total Depth:  Original Completion Date: Original Total Depth:  Office Storm of Construction of Construction Division of Construction of Constr	Contact Person: M. B. Nattrass	County: Montgomery	
CONTRACTOR: Licensell 35000 Ves Will Class: Tope Equipment:  Well Dnilled For. Well Class: Type Equipment:  Oil	Phone: 913-748-3987	Lease Name: Didin Greek Familia Well #: 15 2_	
Name: Thorton Air	CONSERVATION DIVISI	Field Name: Brewster	
Well Drilled For. Well Class: Type Equipment:    Well Drilled For. Well Class: Type Equipment:   Nearest Lease or unit boundary; 549		is this a Prorated / Spaced Field?	<b>√</b> No
Ground Surface Elevation: 761   feet MSL   Water well within one-quarter mile:   Yes   No   Own   Ow	Name:		
Coli	Well Drilled For: Well Class: Type Equipment:	·	
Gas	Oil _ Enh Rec / Infield / Mud Rotary		
OWNO Disposal Wildcat Cable  Seismic; # of Holes Other  Operator:  Original Completion Date:  Original Total Depth: Doriginal Total Depth:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Original Other  Oth		•	
Depth to bottom of usable water: 200    Other			<b>√</b> No
Surface Pipe by Alternate:	Seismic; # of Holes Other		
If OWWO: old well information as follows:  Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Original Completion:  Water Source for Drilling Operations:  Water Source for Drilling Oper	Other		
Length of Conductor Pipe required:   None	_		
Well Name: Original Comptetion Date: Original Total Depth: Original Comptetion Date: Original Total Depth: Original Comptetion Date: Original Total Depth:    Water Source for Drilling Operations:   Well   Farm Pond Other		Length of Surface Pipe Planned to be set:	
Original Completion Date:Original Total Depth:Formation at Total Depth:Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Operati	•	Projected Total Doorth, 1200 Feet	
Water Source for Drilling Operations:  Water Source for P		A4	
Directional, Deviated or Horizontal wellbore?    Yes   No	Original Completion Date:Original Total Depth:	Turnation at Total Doptin	
If Yes, true vertical depth:	Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
Bottom Hole Location:    KCC DKT #:   Will Cores be taken?   Yes   No	If Yes, true vertical depth:		
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.			_
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.	KCC DKT #:		✓ No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.		If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.	AFF	IDANIT	
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> </ol> </li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.</li></ol>			
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 days</i> of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol>		ugging of this well will comply with K.S.A. 55 et. seq.	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ol>			
<ol> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ol>		ch drilling rig:	
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ol>	, ,	• •	et
<ol> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ol>	·	. •	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.			ging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.		•	ate.
•	Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, atternate II cer	menting
I hereby certify that the statements made herein are true and to the best of my knowledge and belief.			ing.
	I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.	
Date: 6/6/06 Signature of Operator or Agent: MS Author Title: Agent		Title: Agent	
/ "-	chilor up 1		
Remember to:	Date: 6/6/06 Signature of Operator or Agent: MSA	Damanha, Ac.	
	Date: 6/6/06 Signature of Operator or Agent: MSA		
	Date: 6/6/06 Signature of Operator or Agent: MSA	- File Drill Pit Application (form CDP-1) with Intent to Drill;	
Conductor pipe required feet - Notify appropriate district office 48 hours prior to workeyer or re-entry:	Date: 6/6/06 Signature of Operator or Agent: MS A  For KCC Use ONLY  API # 15 - 125 - 3///5-0000	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> </ul>	0
Minimum surface pipe required feet per Alt. (2) - Submit plugging report (CP-4) after plugging is completed;	Date: 6/6/06 Signature of Operator or Agent: MS A  For KCC Use ONLY  API # 15 - 125 - 3///5-0000  Conductor pipe required None feet	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> </ul>	v: \
	For KCC Use ONLY  API # 15 - 125 - 3/1/5 - 0000  Conductor pipe required None feet	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-ent</li> </ul>	
12-7-760	For KCC Use ONLY  API # 15 - 125 - 3/1/5 - 000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. X (2)	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-ent</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>	ry;
check the box below and return to the address below	For KCC Use ONLY  API # 15 - 125 - 3/1/5 - 0000  Conductor pipe required None feet per Alt. X (2)  Approved by: PIH 6-7-00	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-ent</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>	ry;    W
Well Not Drilled - Permit Expired	For KCC Use ONLY  API # 15 - 125 - 3/1/5 - 0000  Conductor pipe required None feet per Alt. X (2)  Approved by: \$\mathbb{L} + \mathbb{L} - 7 - 000  This authorization expires: 12-7-000	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-ent</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please</li> </ul>	ry;    W
Spud date: Agent: Signature of Operator or Agent:	For KCC Use ONLY  API # 15 - 125 - 3/1/5 - 0000  Conductor pipe required None feet per Alt. X (2)  Approved by: PIH 6-7-00	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-ent</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> </ul>	ry;    W
Date:	For KCC Use ONLY  API # 15 - 125 - 3/1/5 - 0000  Conductor pipe required None feet per Alt. X (2)  Approved by: P(++ 6-7-00)  This authorization expires: 12-7-00  (This authorization void if drilling not started within 6 months of effective date.)	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> <li>Notify appropriate district office 48 hours prior to workover or re-ent</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.</li> <li>Well Not Drilled - Permit Expired</li> </ul>	ry;    W

JUN U 7 2006

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-125-3/115-000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	
Lease: Drum Creek Farms	feet from N / S Line of Section  1585 feet from J E / W Line of Section
Well Number: 15-2	Sec. 2 Twp. 33 S. R. 16 ✓ East Wes
Field: Brewster	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

•	· · ·		· ·
			· · · · · · · · · · · · · · · · · · ·
•		•	
			· · · · · · · · · · · · · · · · · · ·
•	· ·		· :
	· · · · · · · · · · · · · · · · · · ·		
•		· ·	: :
•			· · ·
			· · · · · · · · · · · · · · · · · · ·
:	•	•	· ·
	• • • • • • • • • • • • • • • • • • •	•	 
· · · . · · · .		٠	1585
		ं भू	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## RECEIVED KANSAS CORPORATION COMMISSION

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN U 7 2006 April 2004 Form must be Typed

Form CDP-1

CONSERVATION DIVISION WICHITA, KS

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy O	perating, LL0		License Number: 33365	
Operator Address: 1900 Shawnee Mission Parkway, Mission Woods, KS 66205				
Contact Person: M. B. Nattrass			Phone Number: ( 913 ) 748 - 3987	
Lease Name & Well No.: Drum Cree	ek Farms 1	5-2	Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec2Twp33R16	
Settling Pit	If Existing, date on	onstructed:	Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1585 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bЫs)	Montgomery County	
Is the pit located in a Sensitive Ground Water	Area? // Yes	No	Chloride concentration: mg/l	
· · · · · · · · · · · · · · · · · · ·			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Ves No	Artificial Liner?  ☐ Yes	No	How is the pit lined if a plastic liner is not used?	
v 1es 140		<del></del>	Self-sealing pit	
Pit dimensions (all but working pits): 30' Length (feet) 20'			Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	epest point: 3'	(feet)	
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining				
material, thickness and installation procedure.			ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallow			west fresh waterfeet.	
Sour			Source of information:	
		measuredwell owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Mud		
		Number of working pits to be utilized: Two		
Barrels of fluid produced daily:		Abandonment procedure: Let Evaporate until dry and then backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		restore.		
		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
k = 0.7				
6/6/06 MR HATTER				
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 6/7/06 Permit Number: Permit Date: 6/7/06 Lease Inspection: Yes X No				