For KCC Use: 6-13-00 Effective Date: a District # ____ &

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

JUN 0 7 2006 December 2002 Form must be Typed Early must be Signed

NOTICE OF INTENT TO DRILL

Expected Spud Date 6-19-06	Spot	East
month day year	9. N/2 - NW - NE Sec. 31 Twp. 15 S. R. 10	_ ✓ West
PERATOR: License# 5259 V	1840 feet from VN / S Line of	
ame: Mai Oil Operations, Inc.		f Section
ddress: P.O. Box 33	Is SECTION RegularIrregular?	
ity/State/Zip: Russell, Ks. 67665	(Note: Locate well on the Section Plat on reverse side)	
ontact Person. Allen Bangert	County: Ellsworth	
hone: 785 483 2169	Lease Name: Charvat Well #:1	
33350	Field Name: Wildcat	
ONTRACTOR: License# 33350 // lame: Southwind Drilling, Inc.	Is this a Prorated / Spaced Field?	Yes [√]No
ame: Odditalio Dilitaly, tito.	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 370'	
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 1830	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes ✓ No
	Public water supply well within one mile:	Yes ✓ No
OMMO Disposal Wildcat Cable	Depth to bottom of fresh water: 260'	
Seismic;# of Holes Other	Depth to bottom of usable water: 380'	
Other	Surface Pipe by Alternate: 1 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 3350'	
Original Completion Date: Original Total Deoth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
	· · · · · · · · · · · · · · · · · · ·	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
	(Note: Apply for Permit with DWR) Will Cores be taken?	Yes ✓ No
CCC DKT #:		Yes No
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone:	Yes V No
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the second of the sec	Will Cores be taken? If Yes, proposed zone: ***PDAVIT** blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; of by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any cell.	be set plugging; and date.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather of the approved notice of intent to drill shall be posted on eather of the approved notice of intent to drill shall be posted on eather of the approved notice of intent to drill shall be considered in the statement of the specified below shall be set into the statement of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the specified befor	Will Cores be taken? If Yes, proposed zone: #IDAVIT blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any cell of my knowledge and belief.	be set plugging; and date.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather of the approved notice of intent to drill shall be posted on eather of the approved notice of intent to drill shall be posted on eather of the approved notice of intent to drill shall be considered in the statement of the specified below shall be set into the statement of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the specified befor	Will Cores be taken? If Yes, proposed zone: #DAVIT blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any cell of my knowledge and belief. Title: Prod. Supt.	be set plugging; and date.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather an amount of surface pipe as specified below shall be athrough all unconsolidated materials plus a minimum of 20 feet into a through all unconsolidated materials plus a minimum of 20 feet into a through all unconsolidated materials plus a minimum of 20 feet into a strength of the second of the	Will Cores be taken? If Yes, proposed zone: **PDAVIT** blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any cell of my knowledge and belief. **Title: Prod. Supt.** **Remember to:**	be set plugging; and date.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into a through all unconsolidated materials plus a minimum of 20 feet into a strict office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the spud date or the well shall be certified. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: #DAVIT blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any cell of my knowledge and belief. Title: Prod. Supt.	be set plugging; and date.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first office will be notified before well is either plus first an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the case of the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the case of the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the case of the complete of the case of the complete of the case of th	Will Cores be taken? If Yes, proposed zone: #DAVIT blugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to gged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any cell of my knowledge and belief. ### Title: Prod. Supt. ###################################	be set plugging; and date. If cementing,
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator or agent or described by the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of	Will Cores be taken? If Yes, proposed zone: ### Prod. Supt. ### Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or residual proposed and placement in the series of the serie	be set plugging; and date. If cementing, menting.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the second of 20 feet into the strong all unconsolidated materials plus a surface of 20 feet into the second of 20 feet in	Will Cores be taken? If Yes, proposed zone: **IDAVIT** blugging of this well will comply with K.S.A. 55 et. seq. **Ich drilling rig; **et by circulating cement to the top; in all cases surface pipe **shaft the underlying formation.* district office on plug length and placement is necessary **prior to* gged or production casing is cemented in; ted from below any usable water to surface within **120 days** of sp. **133,891-C, which applies to the KCC District 3 area, alternate be plugged. **In **all cases, **NOTIFY district office** prior to any center in the case of the c	be set plugging; and date. If comenting menting.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator or agent or described by the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of	Will Cores be taken? If Yes, proposed zone: **PDAVIT** Blugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drill	be set plugging; oud date. If cementing. menting.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the first three well is dry hole, an agreement between the operator and the statement of the sport of the spudding of the spudding order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spudding of the spudding of the spudding order. For KCC Use ONLY API # 15 - D53 - 21183 - DDCC Conductor pipe required feet per Alt. 1	Will Cores be taken? If Yes, proposed zone: **PDAVIT** Blugging of this well will comply with K.S.A. 55 et. seq. **Charlet drilling rig; **The blugging of this well will comply with K.S.A. 55 et. seq. **Charlet drilling rig; **The blugging formation.* **Charlet district office on plug length and placement is necessary **prior to** **Green below any usable water to surface within **120 days* of sp.** **The district office prior to any centre of the plugged. **In all cases, **NOTIFY district office** **The Drill Pit Application (form CDP-1) with Intent to Drill; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to field proration orders.* **Notify appropriate district office 48 hours prior to workover or a submit plugging report (CP-4) after plugging is completed; **Obtain written approval before disposing or injecting salt water.*	be set plugging; oud date. If cementing, menting.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the statement of 20 feet into the statement between the operator and the statement of the second of the sec	Will Cores be taken? If Yes, proposed zone: **PDAVIT** Blugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Inch drill	be set plugging; oud date. If cementing, menting.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the uniform of 20 feet into the un	Will Cores be taken? If Yes, proposed zone: **PDAVIT** Blugging of this well will comply with K.S.A. 55 et. seq. **Charlet drilling rig; **The blugging of this well will comply with K.S.A. 55 et. seq. **Charlet drilling rig; **The blugging formation.* **Charlet district office on plug length and placement is necessary **prior to** **Green below any usable water to surface within **120 days* of sp.** **The district office prior to any centre of the plugged. **In all cases, **NOTIFY district office** **The Drill Pit Application (form CDP-1) with Intent to Drill; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to field proration orders.* **Notify appropriate district office 48 hours prior to workover or a submit plugging report (CP-4) after plugging is completed; **Obtain written approval before disposing or injecting salt water.*	be set plugging; oud date. If cementing, menting.

RECEIVED JUN 0 7 2006 KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-053-21183-0000	Location of Well: County: Ellsworth
Operator: Mai Oil Operations, Inc.	feet from N / S Line of Section
Lease: Charvat	feet from E / W Line of Section
Well Number: 1 Field: Wildcat	Sec. 31 Twp. 15 S. R. 10 East ✓ West
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular ✓
QTR / QTR / QTR of acreage: N/2 - NW - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

DI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-		370' 1840'
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
		· · ·
		. : :
	:	
· ·		



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show.

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

JUN 0 7 2006 Form must be Typed

KCC WICHITA

Submit in Duplicate

APPLICATION FOR SURFACE PIT

Operator Name: Mai Oil Operations, Inc.		License Number: 5259			
Operator Address: P.O. Box 33, Russell, Ks. 67665		3233			
			Phone Number: (705) 402 - 0460		
Contact Person: Allen Bangert		Phone Number: (785) 483 - 2169			
Lease Name & Well No.: Charvat #1	Name & Well No.: Charvat #1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		N/2 NW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 15 R. 10 ☐ East ✓ West		
Settling Pit Drilling Pit	If Existing, date constructed:		370 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1840 Feet from 🗸 East / 🗌 West Line of Section		
(II VVF Supply AFT No. Of Year Diffied)	500	(bbis)	Ellsworth County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
	1		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit fined if a plastic liner is not used?		
			Drilling Mud		
Pit dimensions (all but working pits):		_			
Depth fi	rom ground level to de	eepest point: 3	(feet)		
and a substitute of the substi			ribe procedures for periodic maintenance and determining ntegrity, including any special monitoring.		
,		,			
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of infor	west fresh water		
4564 feet Depth of water well	230_feet	measu	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	<u> </u>	Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease:		Number of wor	king pits to be utilized: 3		
Barrels of fluid produced daily: Abandonmer		Abandonment	procedure: Let Dry and Backfill		
Does the slope from the tank battery allow at	spilled fluids to				
		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
Ω_{1}					
6-5-06 Allen Bangut			Bangut		
Date		S	ignature of Applicant of Agent		
KCC OFFICE USE ONLY					
. / /					
Date Received: 6/7/06 Permit Num	nber:	Perm	it Date: 6/7/06 Lease Inspection: Yes 1 No		