For KCC Use:	1-12-01
Effective Date:	6-13-06
District #	
	(A)

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 0 7 2006 Form must be Typed

Must be approved by KCC five	(5) days prior to commencing well (CC)
Expected Spud Date 7/2/06	(5) days prior to commencing well KCC WICHITA Spot 80'5 4 30'E East
month day year	C W/2 NE Sec. 28 Twp. 10 S. R. 20 West
OPERATOR: License# 30606 🗸	1400 feet from \checkmark N / \bigcirc S Line of Section
Name: Murfin Drilling Company, Inc.	leet from V E / W Line of Section
Address: 250 N. Water, Suite 300	Is SECTION Regular trregular?
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: David Doyel	County: Rooks
Phone: 316-267-3241	Lease Name: Romine Well # 1-28
CONTRACTOR: License# 30606	Field Name: Wildcat
Name: Murfin Drilling Company, Inc.	Is this a Prorated / Spaced Field? Yes ✓ No
	Target Formation(s): LKC, Arbuckle Nearest Lease or unit boundary: 690'
Well Drilled For: Well Class: Туре Equipment:	0.177
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 21// feet MSL Water well within one-quarter mile: Yes √No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
☐ OWWO ☐ Disposal ☑ Wildcat ☐ ☐ Cable	Depth to bottom of fresh water: 180'
Seismic; # of Holes Other	Depth to bottom of usable water: 940'
Other	Surface Pipe by Alternate: 1 / 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #	
KCC DKT #:	Will Cores be taken?
KCC DKT #:	
	Will Cores be taken? Yes ✓ No
	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If the drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In underlying formation. If Yes I No
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If he drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district of the set of th	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If the drilling rig; If the circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; and it is roculating cemented in; and for production casing is cemented in; and for below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I I hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If the drilling rig; If the circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. It is trict office on plug length and placement is necessary prior to plugging; and it is roculating cemented in; and for production casing is cemented in; and for below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pleated that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; and group of production casing is cemented in; and for production desired within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decent of the well is dry hole, an agreement between the operator and the decent of the surface propriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the later than the statements made herein are true and to the best of the production pipe required. Signature of Operator or Agent: Signature of Operator or Agent: Market 15 - 163 - 23537 - 0000 For KCC Use ONLY API # 15 - 163 - 23537 - 0000 Conductor pipe required Nore feet Minimum surface pipe required feet Market Minimum surface pipe required feet Market Mark	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. If the drilling rig; If the by circulating cement to the top; in all cases surface pipe shall be set in eunderlying formation. In istrict office on plug length and placement is necessary prior to plugging; is ged or production casing is cemented in; is ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ### Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decent of the well is dry hole, an agreement between the operator and the decent of the surface propriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plant of the plant of the surface price of the spud date of the well shall to the left of the surface o	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; and group of production casing is cemented in; and for production desired within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decent of the well is dry hole, an agreement between the operator and the decent of the surface propriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the later than the statements made herein are true and to the best of the production pipe required. Signature of Operator or Agent: Signature of Operator or Agent: Market 15 - 163 - 23537 - 0000 For KCC Use ONLY API # 15 - 163 - 23537 - 0000 Conductor pipe required Nore feet Minimum surface pipe required feet Market Minimum surface pipe required feet Market Mark	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decent of the well is dry hole, an agreement between the operator and the decent of the surface propriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plant of the plant of the surface price of the spud date of the well shall to the left of the surface o	Will Cores be taken? If Yes, proposed zone: DAVIT


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23537-0000	Location of Well: County: Rooks
Operator: Murfin Drilling Company, Inc.	1400 feet from V N / S Line of Section
Lease: Romine	1950 feet from 🗸 E / W Line of Section
Well Number: 1-28	Sec. 28 Twp. 10 S. R. 20 East ✓ Wes
Field: Trico	
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

RECEIVED Form CDP-1
April 2004
Form must be Typed
JUN 0 7 2006

Submit in Duplicate

KCC WICHITA

Operator Name: Murfin Drilling Company, Inc.			License Number: 30606		
Operator Address: 250 N. Water, Suite 300, Wichita, KS 67202					
Contact Person: David Doyel			Phone Number: (316) 267 - 3241		
Lease Name & Well No.: Romine #1-28			Pit Location (QQQQ):		
Type of Pit:	Pit is:		Apprx _ C _ W/2 _ NE		
Emergency Pit Burn Pit	Proposed Existing		Sec28		
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity: 600 (bbls)		Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Rooks		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l		
· 		•	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓1	No	Bentonite & solids from drlg. oper. self seal pits.		
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A N/A: Steel Pits					
Depth fr	om ground level to de	epest point: 4	(feet)		
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining		
material, thickness and installation procedure) .	liner integrity, i	ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallong		Depth to shallo	west fresh water 13 feet.		
	. o. p		Depth to shallowest fresh water 13 feet. Source of information:		
N/A feet Depth of water well	feet	measu	ured well owner electric log✓ KDWR		
Emergency, Settling and Burn Pits ONLY:			Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: Bentonite		
		l .	Number of working pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment procedure: Allow pits to evaporate until dry then			
Does the slope from the tank battery allow all	spilled fluids to	backfill when conditions allow.			
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		27	4		
6/6/06 Phaune Smylman					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 6/7/06 Permit Number: Permit Date: 6/7/06 Lease Inspection: Yes 🔊 No					