For KCC Use:	6-17-06
Effective Date:	<u>G-11-00</u>
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date	0
month day year	SpotSESESec. 36Twp. 21S. R. 16✓ West
	-SE - SE - Sec. 36 Twp. 21 S. R. 16 V West 420
OPERATOR: License# 6569	420feet from/ E / W Line of Section
Name: Carmen Schmitt Inc. Address: PO Box 47	Is SECTION ✓ RegularIrregular?
Address: PO Box 47 City/State/Zip: Great Bend, KS 67530 Control Paragraphy Jacob Porter	•
City/State/Zip: Contact Person: Jacob Porter	(Note: Locate well on the Section Plat on reverse side) County: Pawnee
Phone: 620-793-5100	Lease Name: Prosser Well #:1
	Field Name: WC
CONTRACTOR: License# 4958	Is this a Prorated / Spaced Field?
Name: Mallard JV, Inc.	Target Formation(s): LKC, Simpson, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 420' South, 420' East
	Ground Surface Elevation: ~1985 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal V Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 180'
	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: Length of Conductor Pipe required: -0- RECEIVED
Operator:	Length of Conductor Pipe required: -0- Projected Total Depth: 4000'
Well Name:	Formation at Total Depth: Arbuckle JUN 0 6 2006
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other KCC WICHIT
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR ✓)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doing to the surface district office will be notified before well is either pluging the lift an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugglng;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	In the property of the set of the set of the set of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of th
 Notify the appropriate district office <i>prlor</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the complete of the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall be completed within the complete of the spud date or the well shall be completed within the complete of the spud date or the	In the process of the set of the set of the set of the underlying formation. In the underlying
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the specific or the specific that the statements made herein are true and to the best of the specific or the specific that the statements made herein are true and to the best of the specific or the specific	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illistrict office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manage
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the decomposition of the sequence of the well is either plug of the sequence of the sequence of the well is either plug of the sequence of the well is either plug of the sequence of the sequence of the well shall in the sequence of the sequence of the well shall in the sequence of the well shall in the sequence of the well shall in the sequence of the sequence of the well shall in the sequence of the sequence of the well shall in the sequence of the s	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. #Ittle:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall in the plug of the statements of the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud date or the well shall in the plug of the spud of the plug of the spud of the plug of the spud of the spud of the plug of the spud of the	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugglng; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the specific will be notified before well is either plug of the specific will be notified before well is either plug of the specific will be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plug of the specific plug of the specific will be second of the specific plug of the spe	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. #Ittle:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the s	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugglng; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 145-21544-0000	Location of Well: County: Pawnee
Operator: Carmen Schmitt Inc.	
Lease: Prosser	420 feet from N / S Line of Section 420 feet from Y E / W Line of Section
Well Number: 1	Sec. 36 Twp. 21 S. R. 16 East ✓ West
Field: WC Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:SESESE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:	· · · · · · · · · · · · · · · · · · ·			
	·		•	
:	· · ·			
		. '		
		· 76		
			· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	·	·	
		.		
	· · · · · · · · · · · · · · · · · · ·	:		<-429 -

RECEIVED
JUN 0 6 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, $you\ must\ show$:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.			License Number: 6569		
Operator Address: PO Box 47, Great Bend, KS 67530					
Contact Person: Jacob Porter			Phone Number: (620) 793 - 5100		
Lease Name & Well No.: Prosser #1	_		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SESESE		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 36 Twp. 21 R. 16 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		420 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		420 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	1500	(bbls)	Pawnee County		
Is the pit located in a Sensitive Ground Water	Area? 🕢 Yes	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner? ✓ Yes	No	How is the pit lined if a plastic liner is not used?		
			natural clays and bentonite		
Pit dimensions (all but working pits):1		_	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the			edures for periodic maintenance and determining		
material, thickness and installation procedure	•	liner integrity, including any special monitoring. RECEIVER			
		visual inspection JUN 0 6 2006			
			KC0		
			KCC WICHI		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	owest fresh water 10 feet.		
		measu	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: bentonite mud			
Number of producing wells on lease:		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment procedure: evaporate and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
1					
June 5, 2006 Jacol C Portes					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY REASO					
Date Received: 6/7/06 Permit Number: Permit Date: 6/9/06 Lease Inspection: X Yes N					



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

June 9, 2006

Mr. Jacob Porter Carmen Schmitt, Inc. PO Box 47 Great Bend, KS 67530

Re:

Drilling Pit Application

Prosser Lease Well No. 1 SE/4 Sec. 36-21S-16W Pawnee County, Kansas

Dear Mr. Porter:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File