# For KCC Use: Effective Date: District # SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Must be approved by KCC five  | (5) days prior to commencing well   |
|---|---|
| Expected Spud Date June 12, 2006  month day year  | Spot  |
| 5192  | 330 Sec. Wp. S. H. West   |
| OPERATOR: License# 5192 VANAME: Shawmar Oil & Gas Company, Inc.   | 990feet from E_ / _ W Line of Section   |
| Address: PO Box 9   | Is SECTION ✓ RegularIrregular?  |
| Address: Gity/State/Zip: Marion, KS 66861   |   |
| Contact Person: Beau J. Cloutier  | (Note: Locate well on the Section Plat on reverse side)  County: Chase  |
| Phone: 620-382-2932   | Lease Name: WILDCAT CREEK FARMS Well #: 1   |
| _   | Field Name: Koegoboehn  |
| CONTRACTOR: License# 32548  | Is this a Prorated / Spaced Field? Yes ✓ No   |
| Name: Kan-Drill, Inc.   | Target Formation(s): Viola  |
|   | Nearest Lease or unit boundary: 330'  |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation: 1290' estfeet MSL   |
| ✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary  | Water well within one-quarter mile:   |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile Yes VNo  |
| OWWO Disposal Wildcat Cable   | Depth to bottom of fresh water: 150'  |
| Seismic;# of Holes Other  | Depth to bottom of usable water: 180'   |
| Other   | Surface Pipe by Alternate: 1 2  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set: 200'  |
| Operator:   | Length of Conductor Pipe required: none   |
| Well Name:  | Projected Total Depth: 2200   |
| Original Completion Date:Original Total Depth:  | Formation at Total Depth: Viola   |
|   | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No  | Well ✓ Farm Pond Other  |
| If Yes, true vertical depth:  | DWR Permit #:   |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR )  |
| KCC DKT #:  | Will Cores be taken? Yes ✓ No   |
|   | If Yes, proposed zone:  |
| AFF   | IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  KCC WICH  |
| The undersigned hereby affirms that the drilling, completion and eventual p   | lugging of this well will comply with K.S.A. 55 et. seg.  |
| It is agreed that the following minimum requirements will be met:   | KCC   |
|   | "OC WICK  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> </ol> | ch drilling rig.  |
|   | et by circulating cement to the top; in all cases surface pipe shall be set   |
| through all unconsolidated materials plus a minimum of 20 feet into the   | he underlying formation.  |
|   | district office on plug length and placement is necessary prior to plugging;  |
| 5. The appropriate district office will be notified before well is either plug  | gged or production casing is cemented in;<br>ted from below any usable water to surface within 120 days of spud date. |
|   | #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
|   | be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| I hereby certify that the statements made herein are true and to the best o   | of my knowledge and belief.   |
|   | - ' (" \ () )   |
| Date: June 7, 2006 Signature of Operator or Agent:  | Title: Vice-President   |
|   | Remember to:  |
| For KCC Use ONLY  | - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| API # 15 - 017 - 20886-0000   | - File Completion Form ACO-1 within 120 days of spud date;  |
| Mone  | - File acreage attribution plat according to field proration orders;  |
| Conductor pipe required rect  | <ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>                        |
| Minimum surface pipe required 200 feet per Alt. 1   | - Submit plugging report (CP-4) after plugging is completed;  |
| Approved by: Kell 6-12-06   | - Obtain written approval before disposing or injecting salt water.   |
| This authorization expires: 12-12-06  | - If this permit has expired (See: authorized expiration date) please   |
| (This authorization void if drilling not started within 6 months of approval date.)   | check the box below and return to the address below.  |
|   | Well Not Drilled - Permit Expired   |
| Spud date:Agent:  | Signature of Operator or Agent:   |
|   | Date:   |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 017-20886-000  | Location of Well: County: Chase  |
|---|--|
| Operator: Shawmar Oil & Gas Company, Inc.   |  |
| Lease: WILDCAT CREEK FARMS  | feet from N / S Line of Section  990 feet from E / W Line of Section                                 |
| Well Number: 1  | Sec. 18 Twp. 19 S. R. 6  |
| Field:_Koegoboehn   |  |
| Number of Acres attributable to well:  QTR / QTR / QTR of acreage: SW/4 - SE/4 - SE/4 | Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary. |
|   | Section corner used: NE NW SE SW   |

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

|     | <br>          |   |                                       |     |                                 |
|-----|---------------|---|---------------------------------------|-----|---------------------------------|
| :   | : :           |   | •                                     |     |                                 |
|     | <br>          |   |                                       |     |                                 |
|     |               |   |                                       |     |                                 |
|     | <br>          |   | ·                                     | ·   | RECEU                           |
|     |               |   |                                       |     | RECEIN<br>JUN 0 9 2<br>KCC WICH |
|     | :             |   | :                                     | :   | JUN 09 2                        |
| • • | <br>          |   |                                       |     | KCC WICE                        |
| :   | : :           |   |                                       | :   | EXAMPLE                         |
|     | · ·           |   | · · · · · · · · · · · · · · · · · · · | · · |                                 |
|     |               | 1 |                                       | :   |                                 |
| . , | <br>          |   |                                       |     | 1980                            |
| :   | <br>          |   |                                       | :   |                                 |
|     | <br>· · · · · |   | ·                                     | ·   |                                 |
|     | · · · · · ·   |   |                                       | :   |                                 |
|     | <br>          |   |                                       |     |                                 |
|     |               |   |                                       | 991 | ,                               |
|     |               |   | i i                                   | : " | SEWARD CO.                      |

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Shawmar Oil & Gas Company, Inc.  |   |   | License Number: 5192  |
|---|---|---|---|
| Operator Address: PO Box 9  |   |   |   |
| Contact Person: Beau J. Cloutier  |   |   | Phone Number: ( 620 ) 382 - 2932  |
| Lease Name & Well No.: Wildcat Creek Farms #1   |   |   | Pit Location (QQQQ):  |
| Type of Pit:  |   |   | SW/4 SE/4 SE/4  |
| Emergency Pit Burn Pit  | ✓ Proposed Existing   |   | Sec. 18 Twp. 19 R. 6 ✓ East ☐ West  |
| Settling Pit  | If Existing, date co  | onstructed:   | Feet from North / 🗸 South Line of Section   |
| Workover Pit Haul-Off Pit   | Dit consoitu:   |   | 990 Feet from 🗸 East / West Line of Section   |
| (If WP Supply API No. or Year Drilled)  | Pit capacity: 800   | (bbls)  | Chase   |
| Is the pit located in a Sensitive Ground Water Area? Yes  |   |   | Chloride concentration: mg/l  |
| <u> </u>  |   |   | (For Emergency Pits and Settling Pits only)   |
| Is the bottom below ground level?  Yes No   | Artificial Liner?   | No  | How is the pit lined if a plastic liner is not used?  |
| v res No  | Yes   | No<br>  | Clay sides and bottom   |
| Pit dimensions (all but working pits):  | BO Length (fe   | eet)20  | Width (feet) N/A: Steel Pits  |
| Depth fo  | rom ground level to de  | eepest point: 5   | (feet)  |
|   |   |   |   |
| If the pit is lined give a brief description of the material, thickness and installation procedure  |   | liner integrity, i  | edures for periodic maintenance and determining RECEIVE JUN 0 9 2006  |
|   | <b>.</b>  | Depth to shallo   | JUN 0 9 2006<br>KCC WICHIT  |
| material, thickness and installation procedure  | e of pit  | Depth to shallo   | JUN 0 9 2006<br>KCC WICHIT  |
| Distance to nearest water well within one-mile  | e of pit 40feet   | Depth to shalld<br>Source of infor<br>measu<br>Drilling, Work   | JUN 0 9 2006 KCC WICHIT  west fresh water 22 feet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY:   |
| Distance to nearest water well within one-mile.  Net feet Depth of water well   | e of pitfeet  | Depth to shalld<br>Source of infor<br>measu<br>Drilling, Work   | JUN 0 9 2006 KCC WICHIT  west fresh water 22 feet. rmation: ured ✓ well owner electric log KDWR   |
| Distance to nearest water well within one-mile  Net Depth of water well  Emergency, Settling and Burn Pits ONLY   | e of pit  40feet  | Depth to shallo<br>Source of infor<br>measu<br>Drilling, Work<br>Type of materia<br>Number of wor   | JUN 0 9 2006 KCC WICHIT  owest fresh water 22feet.  rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: air/mud  rking pits to be utilized: 2   |
| Distance to nearest water well within one-mile  Note: feet Depth of water well  Emergency, Settling and Burn Pits ONLY:   | e of pit  40feet  | Depth to shallo<br>Source of infor<br>measu<br>Drilling, Work<br>Type of materia<br>Number of wor   | JUN 0 9 2006 KCC WICHIT  west fresh water 22 feet. rmation: ured ✓ well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: air/mud  rking pits to be utilized: 2  procedure: let dry and cover   |
| Distance to nearest water well within one-mile  Note: Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:   | e of pit  40feet  | Depth to shallo<br>Source of informeasu<br>Drilling, Work<br>Type of materia<br>Number of work<br>Abandonment   | JUN 0 9 2006 KCC WICHIT  west fresh water 22 feet. rmation: ured ✓ well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: air/mud rking pits to be utilized: 2 procedure: let dry and cover   |
| Distance to nearest water well within one-mile  Net feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed.   | e of pit  40feet  | Depth to shallo<br>Source of informeast<br>Drilling, Work<br>Type of materia<br>Number of work<br>Abandonment<br>Drill pits must  | JUN 0 9 2006  KCC WICHIT  Invest fresh water 22 feet.  Invest fresh water |
| Distance to nearest water well within one-mile  Note:   | e of pit  40feet  | Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the besides and the source of the second | JUN 0 9 2006  KCC WICHIT  Invest fresh water 22 feet.  Invest fresh water |
| Distance to nearest water well within one-mile  Note  feet  Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  June 7, 2006 | e of pit  40feet  I spilled fluids to  ements are true and of | Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the besides and the source of the second | JUN 0 9 2006 KCC WICHIT  Invest fresh water 22 feet.  Invention:  |
| Distance to nearest water well within one-mile  Note: feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  June 7, 2006  | e of pit  40feet  I spilled fluids to ements are true and of  | Depth to shallo Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the besides Source Office USE O   | JUN 0 9 2006 KCC WICHIT  Invest fresh water 22 feet.  Invention:  |