For KCC Use:	10-19-06
Effective Date:	6-17-00
District #	
SGA? X Yes	No

# Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

pected Spud Date June 9, 2006	
Pecies Optis Date	_ Spot
month day year	C - NE4 - SE4 Sec. 36 Twp. 28S S. R. 13 West
ERATOR: License# 33342	1980'feet from N / ✓ S Line of Section
ne: Blue Jay Operating, LLC	660'feet from F E / W Line of Section
trace: 4916 Camp Bowie Blvd., Suite 204	is SECTION _✓ _Regularirregular?
y/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
ntact Person: Jimmy McGuire	County: Wilson
one: 405-279-4313	Lease Name: Applehans Well #: A-2
	Field Name: Cherokee Basin Coal Gas
NTRACTOR: License# 33539	
ne: Cherokee Wells, LLC	ls this a Prorated / Spaced Field?
	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	
Oil _ Enh Rec  Infield _ Mud Rotary	Ground Surface Elevation: 937' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water: 100+
Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
WWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1350'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
es, true vertical depth:	DWR Permit #:
Itom Hole Location:	(Note: Apply for Permit with DWR
C DKT #:	
	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
e undersigned hereby affirms that the drilling, completion and eventu	Will Cores be taken? Yes ✓ No If Yes, proposed zone: Yes
e undersigned hereby affirms that the drilling, completion and eventure is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet if  4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either for pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well s	Will Cores be taken?  If Yes, proposed zone:  **PFIDAVIT**  all plugging of this well will comply with K.S.A. 55 et. seq.  The each drilling rig;  The eset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. The right of the end of
e undersigned hereby affirms that the drilling, completion and eventures agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the surface properties of the surface of the surfa	Will Cores be taken?  If Yes, proposed zone:  **PFIDAVIT**  all plugging of this well will comply with K.S.A. 55 et. seq.  The each drilling rig;  The set by circulating cement to the top; in all cases surface pipe shall be set and to the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. The right of the set
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either for pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well sereby certify that the statements made herein are true and to the best of the specific or the statements.	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seq.  The each drilling rig;  The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  The mented from below any usable water to surface within 120 days of spud date.  The recorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.  The set of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well sereby certify that the statements made herein are true and to the best te:  June 2, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 267 U4-0000  Geet per Alt.  Minimum surface pipe required feet per Alt.	Will Cores be taken?  If Yes, proposed zone:  **PFIDAVIT**  all plugging of this well will comply with K.S.A. 55 et. seq.  The each drilling rig;  The eset by circulating cement to the top; in all cases surface pipe shall be set and to the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  The mented from below any usable water to surface within 120 days of spud date. The ender #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.  The ender #133,891-C and belief.  **Title: Agent**  **Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and to the state of the appropriate district office will be notified before well is either for an ALTERNATE II COMPLETION, production pipe shall be cere. Or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well is ereby certify that the statements made herein are true and to the best terms are true and to the best terms.  For KCC Use ONLY  API # 15 - 205-26704-0000  Conductor pipe required feet	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seq.  The each drilling rig;  The set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  The mented from below any usable water to surface within 120 days of spud date.  The refer #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.  The refer to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere. Or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well sereby certify that the statements made herein are true and to the best te:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required  Feet Minimum surface pipe required  Approved by:  12-14-21-	Will Cores be taken?  If Yes, proposed zone:  NFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  If e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If the underlying formation is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere. Or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well sereby certify that the statements made herein are true and to the best te:  June 2, 2006  Signature of Operator or Agent:  Signature of Operator or Agent:  Minimum surface pipe required feet per Alt.  Approved by:  This authorization expires:  Description of the drilling, completion and eventure and to the description of the provided feet per Alt.  This authorization expires:  Description of the drilling, completion and eventure and to the description of the provided feet per Alt.  This authorization expires:	Will Cores be taken?  If Yes, proposed zone:  NFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  If e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If the underlying formation is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below
e undersigned hereby affirms that the drilling, completion and eventus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere. Or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well sereby certify that the statements made herein are true and to the best te:  June 2, 2006  Signature of Operator or Agent:  Signature of Operator or Agent:  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt.  Approved by:  This authorization expires:  D-14-06  This authorization expires:	Will Cores be taken?  If Yes, proposed zone:  NFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  If ese set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation.  If the underlying formation is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date.  If the plugged. In all cases, NOTIFY district office prior to any cementing.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

JUN 13 2006 KCC WICHITA

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-205-26764-0000	Location of Well: County: Wilson
Operator: Blue Jay Operating, LLC	
Lease: Applehans	1980' feet from N / S Line of Section 660' feet from E / W Line of Section
Well Number: A-2 Field: Cherokee Basin Coal Gas	Sec. 36 Twp. 28S S. R. 13 ✓ East Wes
Number of Acres attributable to well: 80 acres	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE4 SE4	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	·	•	<u> </u>		•	
		:	:	:	:	
				:	:	
 •						
	<u>:</u>	<u>:</u>	<u> </u>	<i>fo</i>	:	· 
		:		J		(deb)
 		:				
			·			
 			:			1980
					•	
		·	•			·



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for RECEIVED CG-8 for gas wells). JUN 1 3 2006

KCC WICHITA

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Blue Jay Operating, LLC			License Number: 33342		
Operator Address: 4916 Camp Bowie Blvd., Suite 204					
Contact Person: Jimmy McGuire			Phone Number: ( 405 ) 279 -4313		
Lease Name & Well No.: Applehans A-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		C . <u>NE4</u> . <u>SE4</u> .		
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 <sub>Twp.</sub> 28S <sub>R.</sub> 13		
Settling Pit	If Existing, date constructed:		1980' Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		660' Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	400	(bbls)	Wilson		
Is the pit located in a Sensitive Ground Water	Area? Ves ✓.	No-	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	N.a.	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes ✓		Dirt		
Pit dimensions (all but working pits):			i de la companya de		
Depth fr	om ground level to de	eepest point: 10	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		· .	edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water 100+ feet.		
City Water feet Depth of water well	feet	measu	uredwell owner _ ✓ electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Wor			over and Haul-Off Pits ONLY:		
I			Type of material utilized in drilling/workover: Fresh Water		
			rking pits to be utilized: One		
Barrels of fluid produced daily: Abandonment procedure: Remove Fluids, Allow to Dry, Level Surface					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			rill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.		
June 2, 2006 Date		has	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 4/13/06 Lease Inspection: Yes A No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KECFINED

JUN 13 2006

KCC WICHITA