SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed
Form must be Signed

(10017444) 1017 (101111 10111 1	Must be approved by KCC five	e (5) days prior to commencing well
PERATOR: Licenset 33753	xpected Spud Date	Spot ✓ Eas
Section Sect	month day year	SW - SENE - SE Sec. 5 Twp. 24 S. R. 12 Wes
Section Regular Integrating Regular Integrat	PERATOR: License# 33753	icct irotti it / O Elife of dection
Section Regular Irregular?	ame: Lockard Petroleum, Inc.	lest from V E / W Line of Section
Wistland Exposer Wallage Leckard Well #.14	tdress: 2781 Highway 99	Is SECTION Regular Irregular?
County: Greenwood County: Green	ty/State/Zip: Hamilton, KS 66853	
Sease Name: Beuchat Sease Name: Beach Name: Seas	ontact Person: Wallace Lockard	County: Greenwood
Second Surface Supposed Supposed Second Surface S	hone: (620) 678-3373 (620) 437-6305	Lease Name: BeuchatWell #: 14
Target Formation(s): Mississippian Nearest Lease or unit boundary: 340' Nearest Leas	20567	
Weil Drilled For: Weil Class: Type Equipment: Ground Surface Elevation: 10 Multiple M	ONTRACTOR: License# 50507	Is this a Prorated / Spaced Field?
Ground Surface Elevation: nate Special Company Special Company	ame: Rig 6 Drilling, Inc.	Target Formation(s): Mississippian
Ground Surface Elevation:	Well Drilled For Well Class: Type Equipment:	Nearest Lease or unit boundary: 340'
Gas		Ground Surface Elevation: n/afeet MS
OWWO Disposal Wildcat Cable Cable Other		Water well within one-quarter mile: Yes ✓ N
Depth to bottom of tresh water: Depth to bottom of tresh water: Depth to bottom of usable water: Depth to the usable water: Depth to the usable water to usabl		
Other		Depth to bottom or fresh water.
Surface Pipe by Alternate: 1		Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Irectional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Other Hole Location: Well Farm Pond Other DWR Permit #: Well Farm Pond Other DWR Permit #: Will Cores be taken? If Yes, proposed zone: Mississippian AFFIDAVIT AFFIDAVIT AFFIDAVIT In Notify the appropriate district office prior to spudding of well: 2. A copy of the appropriate district office prior to spudding of well: 2. A copy of the appropriate district office prior to spudding of well: 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is exemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansass surface casing order #133,891-C, which applies water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent For KCC Use ONLY API # 15 - O 3 - 240 3 - O 0 - Eet Into Members of Provided Provided or Provi	Utner	Surface Pipe by Alternate: 1 2
Consideration Conductor Pipe required:	OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: 1,850'		Length of Conductor Pipe required: none
Original Completion Date:	•	
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations one: Water Source for Drilling Operations one: Water Source for Drilling Operations one: Water Source for Drilling Operation Source for Drilling Operation Source for Drilling Operation Source for Drilling Operation Source for Drilling Operati		Formation at Total Depth: Mississippian
Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR)		Water Source for Drilling Operations:
Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be returned its district office prior to spudding of well; 2. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set to consider through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Easterm Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent For KCC Use ONLY API # 15 - OT3 - 240 33 - ODDD For KCC Use ONLY API # 15 - OT3 - 240 33 - ODDD This authorization expires: 1. Peter or required None Feet Minimum surface pipe required None Feet Minimum su		Well ✓ Farm Pond Other
Will Cores be taken? If Yes, proposed zone: Mississippian AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT In was, proposed zone: Mississippian AFFIDAVIT AFFIDAVIT AFFIDAVIT A copy of the appropriate district office prior to spudding of well; A copy of the approval define to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement down and pl	Yes, true vertical depth:	DWR Permit #:
AFFIDAVIT API # 15 - O73 - 2403 3 0000 For KCC Use ONLY API # 15 - O73 - 2403 3 0000 AFFIDAVIT	ottom Hole Location:	(Note: Apply for Permit with DWR)
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2006 is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 _ O73 - 24033 ODDD Conductor pipe required	CC DKT #:	
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2006 is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 _ O73 - 24033 ODDD Conductor pipe required		If Yes, proposed zone: Mississippian
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office shall be set by circulating cement to the underlying formation. 4. If the well is dry hole, an agreement between the operator or pluggling; 5. The appropriate district office shall be set by circulating cement to the dole shall be set by circulating cement to the underlying formation. 5. The appropriate district office shall be set by circulating cement on the district office shall be says of spud date; 6. If all cases, NOTIFY district office prior to any cementing. 8. File Drill Pit	A.F.	KANSAS CORPORATOLIO
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. ate: June 14, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 073 - 240 3 3 0000 For KCC Use ONLY API # 15 - 073 - 240 3 0000 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent:		-IDAVII
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugglng; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the pest of my knowledge and belief. ate: June 14, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O73 - 2403 - OOO Approved by: April 14 - OO		olugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2006
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of my knowledge and belief. The substituting placement of Operator or Agent: For KCC Use ONLY API # 15 - O73 - 240 33 - OOOO Conductor pipe required	is agreed that the following minimum requirements will be met:	COMPANY
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of my knowledge and belief. The substituting placement of Operator or Agent: For KCC Use ONLY API # 15 - O73 - 240 33 - OOOO Conductor pipe required		CONSERVATION DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Approved by: Signature of Operator or Agent: Approved by: Puth to 14-00 This authorization expires: Agent: Agent: Agent: Agent: Agent: Title: Agent Title: Agent Alternation form ACO-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Signature of Operator or Agent:	2. A copy of the approved notice of intent to drill shall be posted on ea	ach drilling rig;
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - O73 - 240 33 - 0000 Conductor pipe required	through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Title: Agent For KCC Use ONLY API # 15 - O73 - 240 33 OOOO Conductor pipe required		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Apple	5. The appropriate district office will be notified before well is either plu	ugged or production casing is cemented in;
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Agent		
hereby certify that the statements made herein are true and to the best of my knowledge and belief. Agent For KCC Use ONLY API # 15 - 073 - 24033 - 0000 Conductor pipe required	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·
For KCC Use ONLY API # 15 - O73 - 24033 - OOOO Minimum surface pipe required 40 feet per Alt. X2 Approved by: Pub 6-14-06 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY API # 15 - 073 - 240 35 0000 Conductor pipe required None feet	hereby certify that the statements made herein are true and to the pest of	of my knowledge and belief.
For KCC Use ONLY API # 15 - 073 - 240 35 0000 Conductor pipe required None feet	lung 14 2006	Agent
For KCC Use ONLY API # 15	late: June 14, 2006 Signature of Operator or Agent: V	Title: Agent
File Completion Form ACO-1 within 120 days of spud date; Conductor pipe required		Remember to:
File Completion Form ACO-1 within 120 days of spud date; Conductor pipe required	For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Signature of Operator or Agent:	API # 15 073-24035-0000	
Minimum surface pipe required feet per Alt. Approved by: Pub 6-14-06 This authorization expires: 12-14-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature	Alone	- File acreage attribution plat according to field proration orders;
Approved by: Put 6-14-06 This authorization void if drilling not started within 6 months of approval date.) Spud date:Agent:	Un local pipe required 40	N · · · · · · · · · · · · · · · · · · ·
This authorization expires: 12-14-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date:Agent:	Minimum surface pipe required reet per Ait	
This authorization expires: 12-14-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date:Agent:	Approved by: Put 6-14-06	Obtain written approval before disposing or injecting salt water.
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent:		- If this permit has expired (See: authorized expiration date) please
Spud date: Agent: Signature of Operator or Agent:	12-14-06	
	This authorization expires: 12-14-06	check the box below and return to the address below.
Date:	This authorization expires: 12-14-06	'
	This authorization expires: 12-14-06 (This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 073-24033-0000	Location of Well: County: Greenwood
Operator: Lockard Petroleum, Inc.	1520 feet from N / S Line of Section
Lease: Beuchat	feet from ✓ E / W Line of Section
Well Number: 14	Sec. 5 Twp. 24 S. R. 12 ✓ East Wes
Field:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW _ SENE _ SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				
.				
				•
:				
'			[.]	
			:	· · ·
:				
		•	' : :	:
			.	
l [*]				
	•	•		
			i i	. :
			:	· ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lockard Petroleum, Inc.		License Number: 33753			
Operator Address: 2781 Highway 99, Hamilton, KS 66853					
Contact Person: Wallace Lockard		Phone Number: (620) 678 - 3373			
Lease Name & Well No.: Beuchat #			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW . SE . NE . SE</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 5 Twp. 24 R. 12 Fast West		
Settling Pit	If Existing, date of	onstructed:	Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 📝 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbls)	Greenwood County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
	L AND THE STATE OF		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	NO	native clay		
Pit dimensions (all but working pits):5	60 Length (fe	eet) 10	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	eepest point: 4	(feet)		
Depth from ground level to deepest point: 4					
·		Depth to shallor Source of infor	west fresh waterfeet.		
NIA		measu	redwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:		
Producing Formation: Type of material utilized in drilling/workover: drilling mud			l utilized in drilling/workover: drilling mud		
Number of producing wells on lease: Number of wo		Number of work	mber of working pits to be utilized:		
Barrels of fluid produced daily: Abandonment		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
June 14, 2006 Date Dat					
KCC OFFICE USE ONLY					
Date Received: 6 14 06 Permit Number: Permit Date: 4/14/06 Lease Inspection: Yes K No					