# For KCC Use: Effective Date: District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

must be approved by KCC live	(5) days pnor to commencing well
Expected Spud Date June 19, 2006	Spot
month day year	<u>CW/2</u> - <u>NW</u> - <u>NW</u> Sec. 27 Twp. 7 S. R. 22
OPERATOR: License#_30259	660feet from ✓N / S Line of Section
Name: Werth Exploration Trust	feet fromE /W Line of Section
1309 Sebugilor Avenue	te SECTION V Bogular Irregular?
Address: 1908 Schwaller Aveilde KANSAS CORPORATION COMMISSI City/State/Zip: Hays, KS 67601	ON (Note: Locate well on the Section Plat on reverse side)
Contact Person: Andy Werth	County: Graham
Phone: (785) 625-3531	Lease Name: Stevenson-SOL Well #:4
CONCERNATION OF THE PROPERTY O	Field Name:
CONTRACTOR. LICENSER———————————————————————————————————	Is this a Prorated / Spaced Field? Yes ✓ No ∽
Name: Anderson Drilling	Target Formation(s): Kansas City - Arbuckle
W. II D. III. I E. W. II Olean T. a. E. Carleson	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2213 est. feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic;# of Holes Other	Depth to bottom of usable water: 1040'
Other	Surface Pipe by Alternate:  1 ✓ 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3,750'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kansas City - Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other haul
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes   ✓ No
	If Yes, proposed zone:
AEE	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
It is agreed that the following minimum requirements will be met:	agging of the war will comply mark. o.s. t. co. ci. coq.
·	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> </ol>	ch drilling rig:
	of by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	he underlying formation.
	listrict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best o	
(,)	
Date: June 14, 2006 Signature of Operator or Agent:	na Thanda Title: Agent
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15. 065-23192-000	- File Completion Form ACO-1 within 120 days of spud date;
1 040	- File acreage attribution plat according to field proration orders;
-1/37 V	- Notify appropriate district office 48 hours prior to workover or re-entry;
William duridoc pipo requiredrect per Ait. Af 2	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Put 6-14-06	Obtain written approval before disposing or injecting salt water.
This authorization expires: 12-79-00	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.
Out date.	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-23192-000	Location of Well: County: Graham
Operator: Werth Exploration Trust	660 feet from N / S Line of Section
Lease: Stevenson-SOL	330 feet from E / W Line of Section
Well Number: 4	Sec. <u>27</u> Twp. <u>7</u> S. R. <u>22</u>
Field:	
Number of Acres attributable to well:  OTR / OTR / OTR of acreage: OW2 NW NW	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		_		
				•
		•	•	
		•	•	
l				<i></i> .
			_	
			•	
1				
				•
		•		
		-	•	•
		•	•	•
			•	
	· .			· ·
				•
	: .::			: :
	: .::			: :
	: :	: 	: 	: :
	: :	:		: :
	: :	: 	: 	: :
	: :	: 	: 	: :
		:  : 		
		: 	: 	
		:  : 		
		:  : :	:  : 	
		:  : :	:  : 	
		:  : 	:  : 	
		:  : :	:  : 	
		:  : :	:  : 	



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Werth Exploration	on Trust	<u> </u>	License Number: 30259	7
Operator Address: 1308 Schwall		avs. KS 6		7
Contact Person: Andy Werth	,	,	Phone Number: ( 785 ) 625 - 3531	7
Lease Name & Well No.: Stevensor	ı - SOL	4	Pit Location (QQQQ):	7
Type of Pit:	Pit is:		C <u>IW2</u> NW <u>NW</u> _	
Emergency Pit Burn Pit	Proposed Existing		Sec. 27 Twp. 7 R. 22 East 🗸 West	
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / 🗌 South Line of Sectio	n
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		330 Feet from East / 🗸 West Line of Section	n
(п вег Заррку Агт но. от теат Бинеа)	3,600	(bbls)	Graham Count	y
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 📝	No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	$\dashv$
✓ Yes No	☐ Yes 🗸 I	No	native clay	
Pit dimensions (all but working pits):	60 Length (fe	eet) 60	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner	Describe proce	edures for periodic maintenance and the maining CEIVED and the components of the com	,
If the pit is lined give a brief description of the	e liner	Describe proce liner integrity, i	edures for periodic maintenance and CANTENTION CORPORATION CONSERVATION DIVISION LOSS	3
If the pit is lined give a brief description of the	e liner e.		CONSERVATION DIVISK WIGHITA, KS	3
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e. e of pit	Depth to shallo Source of infor	CONSERVATION DIVISK WIGHITA, KS	3
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile	e liner e. e of pit	Depth to shallo Source of infor measu Drilling, Work	west fresh waterfeet. mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:	3
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Note: The pit is lined give a brief description of the material.	e liner e of pit feet	Depth to shallo Source of information measure.  Drilling, Work Type of materia	west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud	3
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Night feet Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	e liner e. e of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor	west fresh waterfeet. mation:  well ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud  king pits to be utilized: 1	15-0a
Distance to nearest water well within one-mile    Name   Performance	e liner e. e of pit feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor	west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud	15-0a
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Night feet Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	e liner e. e of pit feet	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. mation:  well ownerelectric logKDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud  king pits to be utilized: 1	15-0a
Distance to nearest water well within one-mile  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	e liner e of pit feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must it	west fresh waterfeet. mation:  well ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: air dry and backfill  be closed within 365 days of spud date.	15-0a
Distance to nearest water well within one-mile    Name   Producing Formation:	e liner e of pit feet spilled fluids to	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the besides and the second of the s	west fresh waterfeet. mation:  well ownerelectric logKDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: air dry and backfill  be closed within 365 days of spud date.	3
Distance to nearest water well within one-mile.    Distance to nearest water well within one-mile.   Depth of water well.   Emergency, Settling and Burn Pits ONLY:   Producing Formation:	e liner e.  e of pit  feet  spilled fluids to  ements are true and c	Depth to shallo Source of informeast Drilling, Work Type of materia Number of wor Abandonment Drill pits must correct to the besides and the second of the s	CONSERVATION DIVISION WIGHTIN, KS  Inwest fresh water	15-0a