Effective Date: 6-19-00 District # SGA? Yes No NOTICE OF IN 1	All blanks must be Filled
Expected Spud Date June 22, 2006 month day year OPERATOR: License# 33074 Name: Dart Cherokee Basin Operating Co. LLC Address: 211 W. Myrtle	Spot NW SE NW Sec. 16 Twp. 34 S. R. 14E West 3410 FSL feet from N / S Line of Section Is SECTION Regular Irregular?
Contract Person: Tony Williams Phone: 620-331-7870 CONTRACTOR: License# Unknown	(Note: Locate well on the Section Plat on reverse side) County: Montgomery Lease Name: Stritzke Well #: B2-16 Field Name: Cherokee Basin Coal Gas Area
Name: Will advise of licensed contractor on ACO-1 Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable Seismic; # of Holes Other	Is this a Prorated / Spaced Field? Target Information(s): Mississippian Nearest Lease or unit boundary: 420 feet Ground Surface Elevation: 830 feet MSL Water well within one-quarter mile: Yes V No Public water supply well within one mile: Yes No Depth to bottom of fresh water: 150'+- Depth to bottom of usable water: 175' Surface Pipe by Alternate: 1 V 2
If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Directional, Deviated or Horizontal wellbore? Yes V No If Yes, true vertical depth:	Length of Surface Pipe Planned to be set: 40' Length of Conductor Pipe required: Projected Total Depth: 1732 feet Formation at Total Depth: Mississippian Water Source for Drilling Operations: Well Farm Pond Other
Bottom Hole Location: KCC DKT #:	DWR Permit #:
AFFII	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.

- 1. Notify the appropriate district office prior to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top, in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Date: June 12, 2006 Signature of Operator or Agent:

For KCC Use ONLY	124-000	w		
Conductor pipe required Minimum surface pipe require Approved by: Publo 14	None	feetfeet per Alt.		
This authorization expires: 10 -14-06 (This authorization void if drilling not started within 6 months of effective date.)				
Spud date:	Agent:			

Remember to:

- File Drill Pit Application (form CDP-1) with Intent to Drill;

- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed;
- Obtain written approval before disposing or injecting salt water.
- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well Not Drilled - Permit Expired
Signature of Operator or Agent:
Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW | JUN 1/4/2005

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 125-31 124-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	
Lease: Stritzke	3410 FSL feet from N / ✓ S Line of Section 3720 FEL feet from ✓ E / W Line of Section
Well Number: B2-16	Sec. 16 Twp. 34 S. R. 14E VEast Wes
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: Regular or □ Irregular
QTR / QTR / QTR of acreage: NW - SE - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T34S



NOTE: In all cases locate the spot of the proposed drilling locaton.

1980

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION JUN 1 4 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074			
Operator Address: 211 W. Myrtle Inde			ependence KS 67301		
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870			
Lease Name & Well No.: Stritzke	B	2-16	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NW</u> SENW_		
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 _{Twp.} 34 _{R.} 14E		
☐ Settling Pit ☐ Drilling Pit	If Existing, date constructed:		3410 FSL Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3720 FEL Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	926	(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	Natural Clays		
		_	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	eepest point: 5	(feet)		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water feet. mation: KHKG-S		
4609 feet Depth of water well 50 feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	ıl utilized in drilling/workover: Air		
Number of producing wells on lease: Number of wo			king pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Air dry, fill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and	correct to the best	of my knowledge and belief.		
June 12, 2006 Date		Jony Co	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 6/14/06 Permit Numl	per:	Permi	t Date: 6/14/06 Lease Inspection: Yes 🖪 No		