| For KCC    | Use:    | 6-19-00 |  |
|------------|---------|---------|--|
| Effective  | Date: _ | 0-17 00 |  |
| District # | 3       |         |  |
|            |         | □ 1     |  |

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# Form C-1 December 2002 Form must be Typed Form must be Signed

| SGA: LIFES KING  | TENT TO DRILL Form must be Signed All blanks must be Filled  |
|--|--|
| Must be approved by KCC five   | (5) days prior to commencing well  |
| Expected Spud Date June 9, 2006  | Spot   |
| month day year   | E2 - SE4 - SW4 Sec. 32' Two. 28S S. R. 14E West  |
| ODED 1700 1 1 33342  | 665' feet from N / S Line of Section   |
| OPERATOR: License#   | 2270' feet from E / _ W Line of Section  |
| Name: Blue Jay Operating, LLC Address: 4916 Camp Bowie Blvd., Suite 204  | Is SECTION   Regular Irregular?  |
| Address: 4516 Cathy Detrie 2577  City/State/Zip: Fort Worth, TX 76107  |  |
| City/State/Zip:Contact Person: Jimmy McGuire   | (Note: Locate well on the Section Plat on reverse side)  County: Wilson  |
| Phone: 405-279-4313  | Lease Name: Wadel Well #: A-2  |
|  | Field Name: Cherokee Basin Coal Gas  |
| CONTRACTOR: License# 33539   | Is this a Prorated / Spaced Field? Yes ✓ No  |
| Name: Cherokee Wells, LLC  | Target Formation(s): Mississippian   |
|  | Nearest Lease or unit boundary: 665'   |
| Well Drilled For: Well Class: Type Equipment:  | Ground Surface Elevation: 888' feet MSL  |
| Oil Enh Rec Infield - Mud Rotary   | Water well within one-quarter mile: Yes ✓ No   |
| ✓ Gas ✓ Storage Pool Ext. ✓ Air Rotary   | Public water supply well within one mile: Yes ✓ No   |
| OWWO Disposal Wildcat Cable  | Depth to bottom of fresh water: 100+   |
| Seismic;# of Holes Other   | Depth to bottom of usable water: 200+  |
| Other  | Surface Pipe by Alternate:   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 40' Minimum  |
| Operator:  | Length of Conductor Pipe required: None  |
| Well Name:   | Projected Total Depth: 1350'   |
| Original Completion Date:Original Total Depth:   | Formation at Total Depth: Mississippian  |
|  | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No   | Well ✓ Farm Pond Other   |
| If Yes, true vertical depth:   | DWR Permit #:  |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR )   |
| KCC DKT #:   | Will Cores be taken?   |
|  | If Yes, proposed zone:   |
| AFF  | IDAVIT   |
| The undersigned hereby affirms that the drilling, completion and eventual p  | lugging of this well will comply with K.S.A. 55 et. seq.   |
| It is agreed that the following minimum requirements will be met:  |  |
| 1. Notify the appropriate district office prior to spudding of well;   |  |
| 2. A copy of the approved notice of intent to drill shall be posted on ea  |  |
|  |  |
| 3. The minimum amount of surface pipe as specified below shall be se   | et by circulating cement to the top; in all cases surface pipe shall be set  |
| <ol><li>The minimum amount of surface pipe as specified below shall be so<br/>through all unconsolidated materials plus a minimum of 20 feet into t</li></ol>  | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be so<br/>through all unconsolidated materials plus a minimum of 20 feet into t</li> <li>If the well is dry hole, an agreement between the operator and the operator</li> </ol>   | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the surfa</li></ol> | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surfaced structure.</li> <li>If the well is dry hole, an agreement between the operator and the construction of the surfaced structure.</li> <li>The appropriate district office will be notified before well is either plus of the surfaced structure.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement.</li> </ol>   | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surfaced structure.</li> <li>If the well is dry hole, an agreement between the operator and the construction of the surfaced structure.</li> <li>The appropriate district office will be notified before well is either plus of the surfaced structure.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>  | et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.   |
| <ol> <li>The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surfaced structure.</li> <li>If the well is dry hole, an agreement between the operator and the construction of the surfaced structure.</li> <li>The appropriate district office will be notified before well is either plus of the surfaced structure.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>  | be the process of the set of the set of the underlying formation.  In all cases surface pipe shall be set the underlying formation.  In all cases surface pipe shall be set the underlying formation.  In all cases, NOTIFY district office prior to any cementing.  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface of the</li></ol>  | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| <ol> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface of the appropriate district office will be notified before well is either plus of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>  | be the process of the set of the set of the underlying formation.  In all cases surface pipe shall be set the underlying formation.  In all cases surface pipe shall be set the underlying formation.  In all cases, NOTIFY district office prior to any cementing.  |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order.  Signature of Operator or Agent:  | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  **Title: Agent**  **Remember to:**  |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order.  Signature of Operator or Agent:  **Date: June 2, 2006**  Signature of Operator or Agent: **Date: June 2, 2006**  **For KCC Use ONLY**  **Date: June 2, 2006**  **Provided The Minimum of 20 feet into the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall the statements must be completed within 30 days of the spud date or the well shall the statements must be completed within 30 days of the spud date or the well shall the statements must be completed within 30 days of the spud date or the well shall the statements must be completed within 30 days of the spud date or the well shall the statement within 30 days of the spud date or the well shall the statement within 30 days of the spud date or the well shall the statement within 30 days o        | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  ### Title: Agent    Remember to:   File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall the statement of the surface casing order must be completed within 30 days of the spud date or the well shall be surface.   | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;  |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the seco        | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;   |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certified and the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the surface casing order must be completed.  | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface and the surface and the surface pipe is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface pipe is equired.    For KCC Use ONLY   API # 15 - 205 - 26761 - 0000  | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the plus of the surface plus of the surface plus of the plus of the surface plus of the surfac       | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.   |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus and the surface will be notified before well is either plus and the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface plus and the surfa       | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.   |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the secon       | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  |
| 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus a minimum of 20 feet into the surface and the consolidated materials plus and the surface will be notified before well is either plus and the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface plus and the surfa       | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced fleid, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 205-26761-0000  | Location of Well: County: Wilson   |
|--|--|
| Operator: Blue Jay Operating, LLC  | •  |
| Lease: Wadel   | 665' feet from N / ✓ S Line of Section  2270' feet from E / ✓ W Line of Section  |
| Well Number: A-2 Field: Cherokee Basin Coal Gas  | Sec. 32' Twp. 28S S. R. 14E ✓ East Wes   |
| Number of Acres attributable to well: 80 acres  QTR / QTR / QTR of acreage: E2 _ SE4 _ SW4 | Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

|                                       |        | :           | :             |                                       |
|---------------------------------------|--------|-------------|---------------|---------------------------------------|
|                                       | :      |             | · · · · · ·   | · · · · · · · · · · · · · · · · · · · |
| · · · · · · · · · · · · · · · · · · · |        |             | · · · · · ·   | ·                                     |
|                                       |        |             |               |                                       |
| : :                                   | · 3    | 2— <u>:</u> |               |                                       |
|                                       | :      |             |               | :                                     |
| : :                                   |        |             | · · · · · · · |                                       |
| 2270                                  | ·<br>· |             | :             | •                                     |
|                                       | 665    |             |               | :                                     |



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 REGEIVED CG-8 for gas wells).

  JUN 13 2006

JUN 13 2006 KCC WICHITA

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Blue Jay Operating, LLC  |                                |                                    | License Number: 33342                                 |  |  |
|---|--------------------------------|------------------------------------|---|--|--|
| Operator Address: 4916 Camp Bowie Blvd., Suite 204  |                                |                                    |   |  |  |
| Contact Person: Jimmy McGuire   |                                |                                    | Phone Number: ( 405 ) 279 -4313                       |  |  |
| Lease Name & Well No.: Wadel #A-  | 2                              |                                    | Pit Location (QQQQ):                                  |  |  |
| Type of Pit:  | Pit is:                        |                                    | _E2 . <u>SE4</u> . <u>SW4</u>                         |  |  |
| Emergency Pit Burn Pit  | ✓ Proposed                     |                                    | Sec. 32 <sub>Twp.</sub> 28S <sub>R.</sub> 14E         |  |  |
| Settling Pit  | If Existing, date constructed: |                                    | 665' North / 🗸 South Line of Section                  |  |  |
| Workover Pit Haul-Off Pit   | Off Pit Pit capacity:          |                                    | 2270' Feet from East / V West Line of Section         |  |  |
| (If WP Supply API No. or Year Drilled)  | 400                            | (bbls)                             | Wilson  |  |  |
| Is the pit located in a Sensitive Ground Water  | Area? ☐ Yes ✓                  |                                    | Chloride concentration:mg/l                           |  |  |
|   | T                              |                                    | (For Emergency Pits and Settling Pits only)           |  |  |
| Is the bottom below ground level?  Ves No   | Artificial Liner?  ☐ Yes  ✓    | No                                 | How is the pit lined if a plastic liner is not used?  |  |  |
|   |                                |                                    | Dirt  |  |  |
| Pit dimensions (all but working pits):  |                                |                                    | Width (feet) N/A: Steel Pits                          |  |  |
| Depth fr  | om ground level to de          | epest point: 10                    | (feet)  |  |  |
| If the pit is lined give a brief description of the   |                                |                                    | edures for periodic maintenance and determining       |  |  |
| material, thickness and installation procedure  |                                | iner integrity, i                  | ncluding any special monitoring.                      |  |  |
|   |                                |                                    |   |  |  |
|   |                                |                                    |   |  |  |
|   |                                |                                    |   |  |  |
| Distance to nearest water well within one-mile  | e of pit                       | Depth to shallo<br>Source of infor | west fresh water 100+feet.                            |  |  |
| N (A<br>City Water feet Depth of water wellfeet   |                                |                                    | ıredwell owner electric log KDWR                      |  |  |
| Emergency, Settling and Burn Pits ONLY:   |                                | Drilling, Work                     | over and Haul-Off Pits ONLY:                          |  |  |
| Producing Formation:  |                                | Type of materia                    | al utilized in drilling/workover: Fresh Water         |  |  |
| Number of producing wells on lease:   |                                | l                                  | king pits to be utilized: One                         |  |  |
| Barrels of fluid produced daily:  |                                |                                    | procedure: Remove Fluids, Allow to Dry, Level Surface |  |  |
| Does the slope from the tank battery allow all  | spilled fluids to              |                                    |   |  |  |
| flow into the pit? Yes No   | opoc manao to                  | Drill pits must                    | be closed within 365 days of spud date.               |  |  |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. |                                |                                    |   |  |  |
| 2   |                                |                                    |   |  |  |
| June 2, 2006 (Marlotte, D. Kephart  |                                |                                    |   |  |  |
| Date Signature of Applicant or Agent  |                                |                                    |   |  |  |
| KCC OFFICE USE ONLY   |                                |                                    |   |  |  |
| Date Received: 6 13 6 Permit Number: Permit Date: 4 13 6 Lease Inspection: Yes X No                     |                                |                                    |   |  |  |
| Date Received: 6 13 6 Permit Number: Permit Date: 6 13 06 Lease Inspection: Yes No                      |                                |                                    |   |  |  |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

JUN 13 2006

**NOC WICHITA**