For KCC Use:	
Effective Date:	
District #3	
SGA2 TYON VINE	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commercing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot V	East
month day year N	INCE ON NO 22 15 01	West
OPERATOR: License# 32218		
Name: TDR Construction, Inc.	4455feet from X E / W Line of Section	
Address: 1207 N. 1st Street East	is SECTION X Regular Irregular?	711
City/State/Zip: Louisburg, KS. 66053	4	
Tanga Marin	(Note: Locate well on the Section Plat on reverse side)	
Phone: (913) 710-5400	County: Franklin	
Prione: (313) 710-3400	Lease Name: COONS	
CONTRACTOR: License# 61.42	Field Name: Paola-Rantoul	
Name: Town Oil Company, Inc.	Is this a Prorated / Spaced Field?	X No
	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 825	
X Oil — Enh Rec X Infield — Mud Rotary —		MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	X No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100	
Other	Depth to bottom of usable water:	
	Surface Pipe by Alternate: 1 1 X 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 750'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other X	
Bottom Hole Location:	DWR Permit #:	ر
		_
	(Note: Apply for Permit with DWR)	. ∕ ⊽∷
KCC DKT #:	Will Cores be taken?	X No
	Will Cores be taken? If Yes, proposed zone:	
KCC DKT #:	Will Cores be taken?	
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED	VE D
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: PRECEIVALE IDAVIT	VE D
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 15	VED 2006
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 1.5 Ch drilling rig;	 VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 Ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set.	 VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 Ch drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	ZED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 Ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be selected to the selected complete to the property of the complete to the selected compl	ZED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constitution of the second of th	Will Cores be taken? If Yes, proposed zone: IDAVIT Unugging of this well will comply with K.S.A. 55 et. seq. IDAVIT Unugging of this well will comply with K.S.A. 55 et. seq. IDAVIT UN 15 Ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to en underlying formation. Unitarity office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.	ZO06 CHITA
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 Ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be selected to the underlying formation. Idistrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementer.	VED 2006 CHITA ring; e. enting
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the search of the minimum amount of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill the search of the search	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 KCC WICE The the drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing	VED 2006 CHITA ring; e. enting
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 KCC WICE The the drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing	VED 2006 CHITA ring; e. enting
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the search of the minimum amount of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill the search of the search	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 KCC WICE The the drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing	VED 2006 CHITA ring; e. enting
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set o	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Idiation of the set of the second of the sec	VED 2006 CHITA ring; e. enting
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 KCC WICK To be drilling rig; The underlying formation. Sistrict office on plug length and placement is necessary prior to plugging good or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief. Title: Remember to:	VED 2006 CHITA ring; e. enting
AFF The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme to be plugged. In all cases, NOTIFY district office prior to any cementing the knowledge and belief. Title:	VED 2006 CHITA ing; e. enting g.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIV Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 KCC WICE In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In the underlying formation. In the underlying formation. In the underlying formation is necessary prior to pluggingled or production casing is cemented in; and placement is necessary prior to pluggingled or production casing is cemented in; and the plugged. In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the set of the s	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIN	VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the destance of the well is dry hole, an agreement between the operator and the destance of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY API # 15 - OS9-25140-000 Conductor pipe required None feet per Alt. X (2)	Will Cores be taken? If Yes, proposed zone: IDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 KCC WICE To the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Identification or plug length and placement is necessary prior to plugging ged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date; the standard placement is necessary prior to plugging the plugged. In all cases, NOTIFY district office prior to any cementing the knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed;	VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug of the analyse of the surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date of the well shall. I hereby certify that the statements made herein are true and to the best of Date: Land Completed	Will Cores be taken? If Yes, proposed zone: DAVIT RECENT Ugging of this well will comply with K.S.A. 55 et. seq.	VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug of the analyse of the surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date of the well shall. I hereby certify that the statements made herein are true and to the best of Date: Land Completed	Will Cores be taken? If Yes, proposed zone: DAVIT RECENT Ugging of this well will comply with K.S.A. 55 et. seq. JUN 15	VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the destance of the well is dry hole, an agreement between the operator and the destance of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY API # 15 - OS9-25140-000 Conductor pipe required None feet per Alt. X (2)	Will Cores be taken? If Yes, proposed zone: DAVIT RECENT Ugging of this well will comply with K.S.A. 55 et. seq.	VED 2006 CHIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is either plus of the sum of the set	Will Cores be taken? If Yes, proposed zone: PRECEIN	VED 2006 CHIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	Will Cores be taken? If Yes, proposed zone: DAVIT RECENT Ugging of this well will comply with K.S.A. 55 et. seq.	VED 2006 CHIT

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25140 -000	Location of Well: County:
Operator:	feet from N / S Line of Section
Lease:	feet from N / S Line of Sectionfeet from E / W Line of Section
Well Number:	Sec Twp S. R East West
Field:	,
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

4455

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit In Duplicate

Operator Name: TDR Construction, Inc.			License Number: 32218
Operator Address: 1207 N. 1st	Street Eas	t Louis	sburg, Ks. 66053
Contact Person: Lance Town			Phone Number: (913)710 - 5400
Lease Name & Well No.: Coons #23			Pit Location (QQQQ):
Type of Pit:	Pit is:		NW SE SW NW
Emergency Pit Workover Pit	X Proposed Existing		Sec. 32 Twp. 15 R. 21
Settling Pit X Drilling Pit	If Existing, date constructed:		3135 Feet from North / X South Line of Section
Burn Pit Haul-Off Pit	Pit capacity:		4455 Feet from X East / West Line of Section
(If WP Supply API No. or Year Drilled)	1.0.0	(bbis)	Franklin County
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? \overline{X} Yes $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	Artificial Liner?	10	How is the pit lined if a plastic liner is not used?
(5)	[<u>A</u>]	Pit	s not lined unless not holding fluid
Pit dimensions (all but working pits):		,	. ,
Depth	from ground level to de	epest point:	(feet)
			JUN 15 KCC WIC
Distance to nearest water well within one-mile of pit		Depth to shall Source of info	lowest fresh water
4482 feet Depth of water well	60 feet	meas	sured well owner electric log KDWR
Emergency, Settling and Burn Pits ONL	Y:	1	kover and Haul-Off Pits ONLY:
Producing Formation:			rial utilized in drilling/workover: <u>fresh</u> water
Number of producing wells on lease:			orking pits to be utilized: 2
		Abandonmer	n procedure.
boes the slope from the tank battery allow all spines holds to		is comp	t be closed within 365 days of spud date.
I hereby certify that the above st	atements are true and	correct to the be	est of my knowledge and belief.
<u> </u>		Hor	Signature of Applicant or Agent
	KCC	OFFICE USE	ONLY
111			
Date Received: 6/15/05 Permit N	umber:	Pe	rmit Date: 4/15/o Lease Inspection: Yes A No