For KCC Use: SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (
Expected Spud Date	Spot X East
month day year	NE - SW - NW Sec. 32 Twp. 15 S. R. 21 West
OPERATOR: License# 32218	1eet from N / N S Line of Section
Name: TDR Construction, Inc.	4290 feet from KE / W Line of Section
Address: 1207 N. 1st Street East	Is SECTION X Regular Irregular?
City/State/Zip: Louisburg, KS. 66053	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Lance Town	County: Franklin
Phone: (913) 710-5400	Lease Name: Coons Well #: W-21
Phone: (313) 710-3400	Field Name: Paola-Rantoul
CONTRACTOR: License# 6142	Is this a Prorated / Spaced Field?
Name Town Oil Company, Inc.	Target Formation(s): Squirre1
	Nearest Lease or unit boundary: 990'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil X Enh Rec X Infield Mud Rotary	Water well within one-quarter mile: Yes X No
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:
O/W/O Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: 1 X 2
WOUND A STATE OF THE STATE OF T	Length of Surface Pipe Planned to be set: 20
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator;	Projected Total Depth: 750 '
Well Name:	Formation at Total Depth: Sqiurrel
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
KCC DKT #:	Will Cores be taken?
	Will Cores be taken? If Yes, proposed zone: Yes X No
AFFI	Will Cores be taken? If Yes, proposed zone: PECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: PECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2006
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2006 ch drilling rig; KCC WICLUTA
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2006 Ch drilling rig; th by circulating cement to the top; in all cases surface pipe WAIGHLTA the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the fifthe well is dry hole, an agreement between the operator and the drilling that the second surface is the second surface of the second surface is the second surface of the second surface is the second surface of the se	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2006 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall he underlying formation. listrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the constitution of the surpropriate district office will be notified before well is either pluces.	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. UN 1 5 2006 Ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall characteristic office on plug length and placement is necessary prior to plugging; used or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the second of the seco	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. Let drilling rig; the by circulating cement to the top; in all cases surface pipe shall. Listrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; underlying formation. Listrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PLANT The proposed zone: JUN 15 2006 The drilling rig; The by circulating cement to the top; in all cases surface pipe shall. The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and placement is necessary prior to plugging; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search of the search of the search of the well is dry hole, an agreement between the operator and the complete of the search of th	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. FECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shalletter ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the set of the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shall be underlying formation. district office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. FECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shalletter ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search of the search of the search of the well is dry hole, an agreement between the operator and the complete of the search of th	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. FECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shalled the underlying formation. listrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agust
The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the control of the state of the specified belove well is either plug of the state of the state of the specified belove the well shall hereby certify that the statements made herein are true and to the best of the specified belove. Date: C-13-DG Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. Let by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; is cemented in; in the top; in all cases surface pipe shall. It by circulating cement to plugging; is cemented in; in the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the second of the	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. FECEIVED JUN 15 2006 The drilling rig; to by circulating cement to the top; in all cases surface pipe shallested and the underlying formation. iistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; in the top pipe shall. It by circulating cement to plugging; in the top plugging; in the top plugging; in the top plugging; in the top plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belies. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the s	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; in the top plugging; in the top plugging; is deferred below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the state of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the composition of the property of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - OS9 - 2514/-000 Conductor pipe required Nove feet Minimum surface pipe required feet	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It is complete on plug length and placement is necessary prior to plugging; and ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the appropriate of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug of the appropriate district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constitution of the statements made herein are true and to the best of the constitution of the statement of the plant of the statement of th	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PLANT PRECEIVED JUN 15 2006 Ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; to plugging; to plugging; to plugging; to plugging; to plugging to pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; to plugging; to plugging to pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; to plugging; to plugging to
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the second of the posted on each and the interval of the second of the second of the well is dry hole, an agreement between the operator and the interval of the well is dry hole, an agreement between the operator and the interval of the well is either plug of the appropriate district office will be notified before well is either plug of the proposition of the proposition of the plug of the spud date or the well shall of the proposition of the well shall of the proposition of the spud date of the well shall of the proposition of t	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. Fig. 1 by circulating cement to the top; in all cases surface pipe shalled that to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. The member to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the well is driven and the operator and the construction of the seen of the seen of the seen through	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. PRECEIVED JUN 15 2006 The drilling rig; the by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; to plugging; to plugging; to plugging; to plugging to pipe shall. It by circulating cement to the top; in all cases surface pipe shall. It by circulating cement to plugging; to plugging; to plugging is completed; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the second of the posted on each and the interval of the second of the second of the well is dry hole, an agreement between the operator and the interval of the well is dry hole, an agreement between the operator and the interval of the well is either plug of the appropriate district office will be notified before well is either plug of the proposition of the proposition of the plug of the spud date or the well shall of the proposition of the well shall of the proposition of the spud date of the well shall of the proposition of t	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUN 15 2006 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shallow the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and the follow any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and it is a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the well is driven and the operator and the construction of the seen of the seen through through the seen through thr	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. RECEIVED JUN 15 2006 th drilling rig; the by circulating cement to the top; in all cases surface pipe shallother. ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belies. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25141-0000	Location of Well: County:
Operator:	feet from N / S Line of Section
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Well Number:	Sec Twp S. R East West
Field:	· -
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: T.D.R. Construction, Inc.		License Number: 32218		
Operator Address: 1207 N. 1st Str	eet East I	ouisburg.	Kansas 66053	
Contact Person: Lance Town			Phone Number: (913) 710-5400	
Lease Name & Well No.: Coons W-21			Pit Location (QQQQ):	
Type of Pit:	Pit is:		N/2 _ NE _ SW _ NW	
Emergency Pit Workover Pit	_X_ Proposed Existing		Sec. 32 Twp. 15 R. 21 X East West	
Settling Pit Drilling Pit	If Existing, date constructed:		3690 Feet from North / South Line of Section	
Burn Pit Haul-Off Pit	Pit capacity:		4290 Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)	1 ' '	00 (bbls)	Franklin County	
Is the pit located in a Sensitive Ground Water	Area? Yes XI		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? X Yes No	Artificial Liner?	4o	How is the pit lined if a plastic liner is not used? Pits not lined unless not holding fluid	
-	1	····		
Pit dimensions (all but working pits):	8 Length (fe	et) <u>1.2</u>	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	epest point:	_5(feet)	
Distance to nearest water well within one-mi		Source of info	owest fresh water	
		Drilling, Workover and Haul-Off Pits ONLY:		
		1	ype of material utilized in drilling/workover: fresh water	
ì		İ	per of working pits to be utilized: 2	
l I		1	pandonment procedure: Pits filled as soon as well	
Does the slope from the tank battery allow an spilled holds to		is com	is completed	
		Drill pits mus	Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above sta	itements are true and	correct to the be	st of my knowledge and belief.	
Date Signature of Applicant (Agent)				
	ксс	OFFICE USE	ONLY	
Date Received: 6 15 06 Permit No	umber:	Pei	mit Date: 6/IS/GC Lease Inspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
JUN 1 5 2006
KCC WICHITA

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.