For KCC Use:	For KCC
Effective Date: 6-20-06	Effective
2	District #
SGA2 Type IZ No	SGA2

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-! December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot X Ea.	s1
month day year	SE SW NW Sec. 32 Twp. 15 S. R. 21 We	
OPERATOR: License# 32218	2700 leet from N / X S Line of Section	
Name TDR Construction, Inc.	4290 leet from X E / W Line of Section	
Address: 1207 N. 1st Street East	is SECTION X Regularirregular?	
City/State/Zip: Louisburg, Ks. 66053	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Lance Town	County: Franklin	
Phone: (913) 710-5400	Lease Name: Coons Well #:W-24	
6142	Field Name: Paola-Rantoul	
CONTRACTOR: License# 6142	Is this a Promited / Spaced Field?	vin
Name: Town Oil Company, Inc.	Target Formation(s): Squirre1	•0
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990 *	
The Edupates	Ground Surface Elevation:	SI
	Water well within one-quarter mile: Yes X	
Gas Storage Pool Ext. X Air Rotary OWO Disposal Wildcat Cable	Public water supply well within one mile:	
Seed 1	Depth to bottom of fresh water: 100	
Seismic, of Holes Other	Depth to bottom of usable water: _200	
Other	Surface Pipe by Alternate: 1 X 2	
If OWWO old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 750'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel!	-
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes X No	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes X	No
	land the	No.
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: PRECEIVE	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants.	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVE	D
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: PRECEIVE	D
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 200	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. Uh drilling rig; KCC WICH	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. Un 1 5 200 KCC WICH The by circulating cement to the top; in all cases surface pipe shall be set.	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the minimum amount of surface pipe as specified below <i>shall</i> be seen through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the second of	Will Cores be taken? If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. UN 1 5 200 KCC WICH of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging.	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the district of the minimum amount of surface pipe as specified below <i>shall</i> be see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. UN 1 5 200 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as the minimum amount of surface pipe as specified below <i>shall</i> be seen through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging the first an ALTERNATE II COMPLETION, production pipe shall be cement.	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. FIGURE SECTION JUN 1 5 200 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and placement in the second plugging is defined below any usable water to surface within 120 days of spud date.	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as the minimum amount of surface pipe as specified below <i>shall</i> be seen through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. WCC WICH The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and placement in the complete shall be set to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementic	D 06
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the intended of the minimum amount of surface pipe as specified below <i>shall</i> be see through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	Will Cores be taken? If Yes, proposed zone: PACTIVE DAVIT Under this well will comply with K.S.A. 55 et. seq. Under this well will comply with K.S.A. 55 et. seq. Which drilling rig; The drilling rig; The drilling rig; The underlying formation. In this well will comply with K.S.A. 55 et. seq. Which drilling rig; Which drilling rig; The drilling rig; Which applies to the top; in all cases surface pipe shall be set the underlying formation. In this well will comply with K.S.A. 55 et. seq. Which drilling rig; Which drilling rig; Which drilling rig; Which drilling rig; Which applies to the this well with the prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	D 8
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of	Will Cores be taken? If Yes, proposed zone: PACEIVE ACC WICH The drilling rig; The drilling rig; The underlying formation. The underlying formation. The underlying formation. The underlying to production casing is cemented in; The drilling rig is the underlying to production casing is cemented in; The underlying formation. The underlying formation. The underlying formation is necessary prior to plugging, and the underlying formation. The underlying formation is necessary prior to plugging, and the underlying for production casing is cemented in; The plugged of this well with any lies and placement is necessary prior to plugging, and the underlying for production casing is cemented in; The plugged of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will be plugged of this well will be plugg	D 8
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the second of	Will Cores be taken? If Yes, proposed zone: PACEIVE ACC WICH The drilling rig; The drilling rig; The underlying formation. The underlying formation. The underlying formation. The underlying to production casing is cemented in; The drilling rig is the underlying to production casing is cemented in; The underlying formation. The underlying formation. The underlying formation is necessary prior to plugging, and the underlying formation. The underlying formation is necessary prior to plugging, and the underlying for production casing is cemented in; The plugged of this well with any lies and placement is necessary prior to plugging, and the underlying for production casing is cemented in; The plugged of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will comply with K.S.A. 55 et. seq. The plugging of this well will be plugged of this well will be plugg	D 8
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each and the intended of the minimum amount of surface pipe as specified below <i>shall</i> be see through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 20 Ch drilling rig; the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Hyes X 1 **RECEIVE JUN 1 5 20 **KCC WICH **RECEIVE JUN 1 5 20 **R	D 8
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant of	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 20 KCC WICH the drilling rig; the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #1133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to:	D 8
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the search of the minimum amount of surface pipe as specified below shall be search through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the search of the	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 20 KCC WICH the drilling rig; the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drilt;	D 8
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 20 KCC WICH the drilling rig; the drilling rig; the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date.	ED 06 UTA
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants o	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 20 KCC WICH the drilling rig; the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date, File acreage attribution plat according to field proration orders;	D 8
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the search of the minimum amount of surface pipe as specified below shall be sea through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plant of the p	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 20 KCC WICH the drilling rig; the drilling rig; the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date.	ED 06 UTA
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed within 30 days of the spud date or the well shall shall be completed within 30 days of the spud date or the well shall shall shall shall be completed. [Por KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: PACEIVE RECEIVE JUN 1 5 200 Ch drilling rig; Ch dril	D 06 1174
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant	Will Cores be taken? If Yes, proposed zone: PRECEIVE RECEIVE JUN 1 5 200 Ch drilling rig; Ch dri	ED 06 UTA
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the	Will Cores be taken? If Yes, proposed zone: PRECEIVE JUN 1 5 200 Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the follow any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drilt; File completion Form ACO-1 within 120 days of spud date, File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry, Submit plugging report (CP-4) after plugging is completed, Obtain written approval before disposing or injecting salt water.	D 06 1174
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVE JUN 1 5 20 KCC WICH the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drilt; File completion Form ACO-1 within 120 days of spud date, File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry, Submit plugging report (CP-4) after plugging is completed, Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	D 06 17/2 15 .
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVE JUN 1 5 20 KCC WICH the drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drilt; File completion Form ACO-1 within 120 days of spud date, File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry, Submit plugging report (CP-4) after plugging is completed, Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	D 06 1174

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25144-000	Location of Well: County:
Operator:	feet from N / S Line of Section leet from E / W Line of Section
Lease:	leet from E / W Line of Section
Well Number:	Sec Twp S. R East West
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1 The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells, CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit In Duplicate

Operator Name: T.D.R. Construction, Inc.			License Number: 32218
Operator Address: 1207 N. 1st Str	eet East I	ouisburg.	Kansas 66053
Operator Address: 1207 N. 1st Street East Louisbu			Phone Number: (913) 710-5400
Lease Name & Well No.: Coons W-24			Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>S/2 _ SE _ SW _ NW</u>
Emergency Pit Workover Pit	X Proposed Existing		Sec. 32 Twp. 15 R. 21 X East West
Settling PitX_ Drilling Pit	If Existing, date constructed:		2700 Feet from North / X South Line of Section
Burn Pit Haul-Off Pit	Pit capacity:		4290 Feet from X East / West Line of Section
(If WP Supply API No. or Year Drilled)		.00 (bbls)	_ , , ,
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
X Yes No	Yes X	40	Pits not lined unless not holding fluid
Pit dimensions (all but working pits):			
Depth f	rom ground level to de	eepest point:	5(feet)
material, thickness and Installation procedur	e.	liner integrity,	including any special monitoring.
material, unckness and installation procedur	e.	liner integrity,	JUN 1 5 2006
Distance to nearest water well within one-m			JUN 1 5 2006 KCC WICHITA
Distance to nearest water well within one-m	ile of pit	Depth to shal Source of inf	RECEIVED JUN 1 5 2006 KCC WICHITA Illowest fresh water
Distance to nearest water well within one-m	ile of pit	Depth to shall Source of info	Ilowest fresh water Feet. ormation: KHKGS O KDWR
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL	ile of pil feet	Depth to shal Source of information mea	RECEIVED JUN 1 5 2006 KCC WICHITA Illowest fresh water
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL' Producing Formation:	ile of pil (a) feet	Depth to shal Source of informed mea Drilling, Work Type of mate	Illowest fresh water feet. ormation: KHKGS
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL' Producing Formation: Number of producing wells on lease:	ile of pil (a) feet	Depth to shall Source of informea Drilling, Wood Type of mate Number of w	Illowest fresh water feet. ormation:
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	ile of pit (a) feet Y:	Depth to shall Source of informea Drilling, Wood Type of mate Number of w	Illowest fresh water feet. ormation:
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL' Producing Formation: Number of producing wells on lease:	ile of pit (a) feet Y:	Depth to shal Source of informea Drilling, Work Type of mate Number of w Abandonmer is com	Illowest fresh water feet. ormation:
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allows	ile of pit feet Y: all spilled fluids to	Depth to shal Source of informea Drilling, Work Type of mate Number of w Abandonmer is com	RECEIVED JUN 15 2008 KCC WICHITA Illowest fresh water
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit?	ile of pit feet Y: all spilled fluids to	Depth to shal Source of informea Drilling, Work Type of mate Number of w Abandonmer is com	RECEIVED JUN 15 2008 KCC WICHITA Illowest fresh water
Distance to nearest water well within one-m 4934 feet Depth of water well Emergency, Settling and Burn Pits ONL Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above sta	feet feet	Depth to shal Source of informea Drilling, Work Type of mate Number of w Abandonmer is com	RECEIVED JUN 15 2008 KCC WICHITA Flowest fresh water

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.