RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form C-1 December 2002 Form must be Typed

NOTICE OF INTENT TO DRILL

Form must be Signed

Expected Spud Date June 20, 2006 month day year	Spot East
	SENW - NE - SW Sec. 19 Twp. 23 S. R. 20 West
OPERATOR: License# 30993	2080 feet from N / ✓ S Line of Section 3520 feet from ✓ E / W Line of Section
Name: M.A.E. Resources, Inc.	Is SECTION ✓ RegularIrregular?
Address: P.O. Box 257	
City/State/Zip: Parker, KS 66072 Contact Person: Brad Cook	(Note: Locate well on the Section Plat on reverse side)
Phone: (620) 852-3333	County: Allen Lease Name: Conley Well #: 14-I
	Field Name: Iola
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Hat Drilling, LLC	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,760'
	Ground Surface Elevation: n/a feet MSL
Oil	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well ✓ Farm Pond Other
	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT
	usging of this well will comply with K.C.A. EE at one
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the degree of the surface of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; In the top in all cases surface pipe shall be set the underlying formation. In the set is underlying formation in the set is underlying formation. In the set is underlying formation in the set is underlying formation. In the set is underlying formation in the set is underlying formation. In the set is underlying formation in the set is underlying formation. In the set is underlying formation in the set is underlying formation. In the set is
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the specific terms of the set of the set of the set of the surface of the set of the set of the surface of the surface of the set of the set of the surface of the set of the set of the surface of the set of the set of the set of the surface of the set	ch drilling rig; In the top content to the top; in all cases surface pipe shall be set the underlying formation. In the instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second of the second of the well is dry hole, an agreement between the operator and the degree of the second of the se	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging ; If ged or production casing is cemented in; If yeld from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the setting of the well is dry hole, an agreement between the operator and the description of the setting of the specific terms of the setting of the setting of the specific terms of the setting of the specific terms of the setting of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the specific that the statements made herein are true and to the specific that the statements made herein are true and to the specific that the statements made herein are true and to the specific that the statements made herein are true and to the specific that the statements made herein are true and to the specific that the specific true true that the specific true that the specific true true true true true true true true	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging ; If ged or production casing is cemented in; If yellow any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the set of	ch drilling rig; In the policy of the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; Inged or production casing is cemented in; In it is is is included in the set of the set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed into the seed through all unconsolidated materials plus a minimum of 20 feet into the seed into the see	ch drilling rig; In the policy of the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; Inged or production casing is cemented in; In it is is is in the first office of plugging; In it is is in the first office of plugging; In all cases, NOTIFY district office prior to any cementing. In it is in the plugged. In all cases, NOTIFY district office prior to any cementing. In it is in the plugging in the plugging is in the plugging is in the plugging is plugging in the plugging is completed; In all cases in all cases in all cases in the plugging is completed; In it is plugging is performed in the plugging is completed; In other plug
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	ch drilling rig; In the process of t
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29459-0000	Location of Well: County: Allen
Operator: M.A.E. Resources, Inc.	2080 feet from N / S Line of Section
Lease: Conley	3520 feet from 🗸 E / 🔲 W Line of Section
Well Number:	Sec. 19 Twp. 23 S. R. 20 ✓ East Wes
Field: Iola	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗀 Irregular
QTR / QTR / QTR of acreage: SENW - NE - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

							_
		•					•
		•					•
	•		•				•
	-						•
				١.			
				.			
				١.			-
		•	-		· ·		-
							•
			•				•
	•		•			•	•
				•	•	_	
		•				•	
		· ·					
		•				•	
		•		ļ [:]			
		•		· · · · · ·			
		•		· · · · · ·			
		•		· · · · · ·			
	•	•		· · · · · ·			
	•	•		:			
	· · · · · · · · · · · · · · · · · · ·	•		:			
		•		:			
		•		:			
		•		:			
		•		:			
		•		:			
		•		:			
		•		:			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

ではしたことにと KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form CDP-1

APPLICATION FOR SURFACE PIT

April 2004
Form must be Typed
CONSERVATION DIVISION
WICHITA KO

Submit In Duplicate

Operator Name: M.A.E. Resources, Inc.			License Number: 30993		
Operator Address: P.O. Box 257, Parker, KS 66072					
Contact Person: Brad Cook			Phone Number: (620) 852 - 3333		
Lease Name & Well No.: Conley 14-I			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NW NE SW		
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 19 Twp. 23 R. 20		
Settling Pit	If Existing, date co	onstructed:	2080 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3520 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	250	(bbls)	Allen County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓		Chloride concentration: mg/l		
	1		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? ☐ Yes ✓ I	No	native clay		
Pit dimensions (all but working pits):1		_	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: U	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.		
			1		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.		
310	·	Source of infor	mation:		
N\Afeet	feet	measu	redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:	l		over and Haul-Off Pits ONLY:		
Producing Formation:			al utilized in drilling/workover: utiling mud		
Number of producing wells on lease:			Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must l	to of my knowledge and belief.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
June 15, 2006	ω	nna	Thanda		
Date		ignature of Applicant or Agent			
KCC OFFICE USE ONLY					
NOO OFFICE USE ONLY					
Date Received: 65 06 Permit Number: Permit Date: 65 06 Lease Inspection: Yes X No					