RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION For KCC Use: Effective Date: OIL & GAS CONSERVATION DIVISION District #

JUN 1 5 2006

Form C-1 December 2002

Form must be Typed

	N/2-H/2-N/2_
Expected Spud Date June 20, 2006	Spot ✓ East
month day year	NENW NE - SW Sec. 19 Twp. 23 S. R. 20 West
OPERATOR: License#	2580feet from N / 🗸 S Line of Section
Name: M.A.E. Resources, Inc.	3960feet from Feet from E / W Line of Section
Address, P.O. Box 257	Is SECTION Regular rregular?
City/State/Zip: Parker, KS 66072	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brad Cook	County: Allen
Phone: (620) 852-3333	Lease Name: Conley Well #: 21-I
33734	Field Name: lola
CONTRACTOR: License# 33734 Name: Hat Drilling, LLC	Is this a Prorated / Spaced Field?
Name: Flot Symmig, 225	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,320'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200+
Other	Surface Pipe by Alternate: 1 2
K OMBOO - and small before a training and falleness	Length of Surface Pipe Planned to be set: 20'
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator: Well Name:	Projected Total Depth: 800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	DAVIT
AFFI	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants and eventual plants.	ugging of this well will comply with K.S.A. 55 et. seq.
	ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the proving all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the search of th	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved in the sufficient of the second of the sec	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the provided all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the properties of the appropriate district office will be notified before well is either plug that a LTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling and to the drilling and the drilling	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill are the drill and the drill and the drill and the drill are the drill and the drill and the drill and the drill are the drill and the drill and the drill are the drill are the drill and the drill are the drill are the drill and the drill are the drill and the drill are the drill are the drill and the drill are the drill and the drill are the drill and the drill are the drill are the drill and the drill are	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the company to the case of the case
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent of the district of intent of the intent of the intent of the district of intent of the	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the copy of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the copy of the copy of the plug of the spud date. For KCC Use ONLY API # 15 - College ONLY API # 15 - Conductor pipe required feet	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is presented in the underlying formation of the underlying formation. It is presented in the underlying is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is prior to any cementing. If it is prior to any cementing. If it is prior to any cementing in the underlying
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent of the operator and the district office of intent of the operator and the district office of intent of the operator and the district office of intent of the operator of the drill be seen that the operator of the drill be seen of the operator of the	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If it is a prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the later of the plus of the spud date or the well shall to the later of the plus of the spud date or the well shall to the later of later of the later of the later of later o	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If it is a prior to any cementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pile is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant of the plant statements are true and to the best of the plant statement of the plant	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is perfect to the top; in all cases surface pipe shall be set the underlying formation. It is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the later of the plus of the spud date or the well shall to the later of the plus of the spud date or the well shall to the later of later of the later of the later of later o	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is provided in the set of the underlying formation. It is provided in the set of the set of the set of the underlying formation. It is necessary prior to plugging; It is necessary prior to plugging. It is necessary prior to plu
The undersigned hereby affirms that the drilling, completion and eventual pile is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plant of the plant statements are true and to the best of the plant statement of the plant	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is perfect to the top; in all cases surface pipe shall be set the underlying formation. It is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001 29466-0000	Location of Well: County: Allen
Operator: M.A.E. Resources, Inc.	2580 feet from N / 📝 S Line of Section
Lease: Conley	3960 feet from 🗸 E / W Line of Section
Well Number: 21-l	Sec19
Field: Iola	_
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NENW - NE - SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

_																							_			
1																										
1																										
1																										
												1														
١.		•								•		١.								•		٠				
	•														•								•			
	•			•				•							•				•				•			
1	•							•							-								-			
] .									•	•	•	١.	•	•		•	•	•		•	•	•	,	•	•	•
															•								•			
												l														
1																										
												i														
Ι.		•	٠.	٠.	•	•	•		•	•	•	١.	•	•		•	٠	٠		•	•	•	•	•	•	•
				•								l			-				•							
	•			•				•				l			•				•				•			
	•			•				•				•			•				•				•			
1																										
1				•				•							•				•				٠			
		_		_		_		<u>.</u>							•			_	· ·			_	<u>·</u>	_		
_	<u>.</u>	_					- •	<u>.</u>							· :		-	_	· ·				· ·			
_	<u>:</u>						- •					ı			•								· ·			
_	:														:								· · ·			
	 :								_			.	_	_	:			_					· · ·	_	_	
	 :											.											· · ·	_	_	
	 :													•	:		•						· · ·			•
	 :																						· · ·			
	 																•						· · · ·			•
	 																						· · · ·			
	 																		:				· · · · ·			
	 :																		:				· · · · · · · · · · · · · · · · · · ·			
				:											:				· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·			
				:											:				· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·			
															:				· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·			
															:				· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·			
															:				· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·			
															:				· · · · · · · · · · · · · · · · · · ·				<u> </u>			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

Lease Inspection: Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate License Number: 30993 Operator Name: M.A.E. Resources, Inc. Operator Address: P.O. Box 257, Parker, KS 66072 Phone Number: (620) 852 - 3333 Contact Person: Brad Cook Lease Name & Well No.: Conley 21-I Pit Location (QQQQ): NE NW NE SW Type of Pit: **✓** Proposed Existing Sec. 19 Twp. 23 R. 20 Fast West Emergency Pit Bum Pit 2580 **✓** Drilling Pit If Existing, date constructed: Settling Pit Feet from North / South Line of Section Haul-Off Pit 3960 Workover Pit Feet from 🗸 East / 🗌 West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Allen <u>250</u> (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? ✓ Yes No ☐ Yes 🗸 No native clay 12 6 __ Length (feet) . Pit dimensions (all but working pits): Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 6 If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit Depth to shallowest fresh water _ Source of information: Depth of water well feet measured _well owner __ electric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: 5-001-294166-000 Type of material utilized in drilling/workover: drilling mud Producing Formation: Number of working pits to be utilized: $\frac{2}{}$ Number of producing wells on lease:_ Abandonment procedure: air dry and backfill Barrels of fluid produced daily:_ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. June 15, 2006 Date Signature of Applicant or Agent KCC OFFICE USE ONLY

Permit Date:

Date Received: 6/15/06 Permit Number: