RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form C-1 December 2002

For KCC Use:	6-21-06
Effective Date:	6-21-00
District #	
0040	[V] No

Spot Marker Support of Delign Operator Well Class: Type Equipment: Well Drilled For Well Class: Type Equipment: Other Well Drilled For Well Class: Type Equipment: Other Well Drilled For Well Class: Type Equipment: Other Other Well Class: Type Equipment: Other Other	District # NOTICE OF IN SGA? Yes X No Must be approved by KCC five	ITENT TO DRILL CONSERVATION DIVISIONI blanks must be Filled of (5) days prior to commencing well-WICHITA, KS
West Sec. 9 Tops S. R. A.U. West Sec. 9 Tops S. R. A.U. West Sec. 9 Tops S. R. A.U. West Sec. 9 Tops Sec.		WICHIA, KS
West Sec. 9 Tops S. R. A.U. West Sec. 9 Tops S. R. A.U. West Sec. 9 Tops S. R. A.U. West Sec. 9 Tops Sec.	Expected Spud Date	
Agency A	month day year	•
Section Regular Regu	OPERATOR: License# 30993	Teet none in 7 V 3 Line of deciding
SECTION Regular regular?	Name: M.A.E. Resources, Inc.	
County: Allen	Address: P.O. Box 257	is SECTION Regular rregular?
Country_Blien Countr	City/State/Zip: Parker, KS 66072	(Note: Locate well on the Section Plat on reverse side)
Common C	Contact Person: Brad Cook	County: Allen
South Sout	Phone: (620) 852-3333	Lease Name: ConleyWell #: 22-I
Target Formation(s): Squirred Squirred Target Formation(s): Squirred	22724	Field Name: Iola
Well Drilled For Weil Class: Type Equipment: Ground Surface Elevation: \(\text{Na} \)	CONTRACTOR: License# 55754	Is this a Prorated / Spaced Field?
Oil	Name: Hat Dilling, LLC	
Ground Surface Elevation:	Well Drilled For Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,320'
Gas Storage Pool Ext. Gable Pool Ext. Poo		Ground Surface Elevation: n/afeet MSL
CWWC: old well information as follows: Cable Other Oth		
Seismic;		
Common		
Surface Pipe By Affernate:		Depth to bottom of usable water:
Derator: Well Name: Original Completion Date: Original Completion Date: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Well V Farm Pond Other Vest V Pond If Yes, true vertical telephic Vest V Pond If Yes, proposed zone: Approved that the following minimum requirements will be met. The undersigned hereby affirms that the drilling, completion of the taken. The undersigned hereby affirms that the drilling not surface pipe a specified below after the underlying formation. Approved by: Authorized district office of intent to drill after the underlying formation. The well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriated district office will be notified before well is either plugging or to the K		
Derator: Well Name: Original Completion Date: Original Completion Date: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Directional, Deviated or Horizontal wellbore? Ves Vo If Yes, true vertical depth:: Well V Farm Pond Other Vest V Pond If Yes, true vertical telephic Vest V Pond If Yes, proposed zone: Approved that the following minimum requirements will be met. The undersigned hereby affirms that the drilling, completion of the taken. The undersigned hereby affirms that the drilling not surface pipe a specified below after the underlying formation. Approved by: Authorized district office of intent to drill after the underlying formation. The well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriated district office will be notified before well is either plugging or to the K	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Original Completion Date: Original Total Depth: Squirrel Water Source for Drilling Operations: Water Source or Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source with Dward Water Source or Dward Dward Water Source or Dward Dwa	Operator:	
Original Completion Date:	Well Name:	
Yes, true vertical depth:	Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrei
Pyes, true vertical depth:	Disartinat Designated and Universal confliction	
Note: Apply for Permit with DWR		Well ✓ Farm Pond Other
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. tt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: Approved by: Cut be ONLY API #15 -		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to help best of my knowledge and belief. Per KCC Use ONLY API # 15 -		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Inhereby certify that the statements made herein are true and to MB best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office without adverse below. This authorization vold if drilling not started within 6 months of approval date.) Spud date: Agent: Approved by: Agent: Agent Agent: Agent	KCC DKT #:	Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Inhereby certify that the statements made herein are true and to problems of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 29 467-000 Conductor pipe required leave feet per Alt. (2) Approved by: Path b-16-06 This authorization expires: Pathologous feet per Alt. (2) This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Spud date: Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent:		If Yes, proposed zone:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materiats plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOL - 29467-DOO Conductor pipe required	AFF	IDAVIT
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	The undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	It is agreed that the following minimum requirements will be met:	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Inhereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: Signature of Operator or Agent: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Oll - 29467-DOO Conductor pipe required NONLY feet provided by: Part bold feet per Alt. Approved by: Part bold feet per Alt. Title: Agent Remember to: Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Spud date: Agent: Spud date: Agent: Spud date: Agent: Signature of Operator or Agent: Expired Signature of Operator or Agent: Signature of O		ach drilling rig:
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOL - 29467-DOOD Conductor pipe required NON feet per Alt. Approved by: Pub b-16-06 This authorization expires: 12-16-06 This authorization expires: 12-16-06 Spud date: Agent: Spud date: Agent: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent:		• •
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to interpret to the production of the post of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 29467-DOOD Conductor pipe required NON feet per Alt. Approved by: Path b-16-06 Minimum surface pipe required feet per Alt. Approved by: Path b-16-06 This authorization expires: 13-16-06 Chair in ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 -		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 -		55 F
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 -		
For KCC Use ONLY API # 15 - COL - 29467-DOOD Conductor pipe required	must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY API # 15	I hereby certify that the statements made herein are true and to the best of	of my knowledge and belief.
For KCC Use ONLY API # 15	(,)	
For KCC Use ONLY API # 15	Date: June 15, 2006 Signature of Operator or Agent:	na Manda Title: Agent
For KCC Use ONLY API # 15		Remember to:
API # 15	For KCC Use ONLY	
File acreage attribution plat according to field proration orders; Minimum surface pipe required feet per Alt. Approved by: 224 b-16-06 This authorization expires: 12-16-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	- 19467-DOO	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required feet Minimum surface pipe required feet feet per Alt. Approved by: 2ut 6-16-06 This authorization expires: 12-16-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	11.040	
Approved by: 244 6-16-06 This authorization expires: 12-16-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Agent: Signature of Operator or Agent: Rent: Agent: Agent: Rent:		
This authorization expires: 12-16-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature of Ope	// -/	, , , , , , , , , , , , , , , , , , , ,
This authorization expires: 12-16-06 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature of Ope	Approved by: 244 6-16-06	- Obtain written approval before disposing or injecting salt water.
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent:	12-/(/2/0	- If this permit has expired (See: authorized expiration date) please
Spud date:Agent:Signature of Operator or Agent:	•	check the box below and return to the address below.
		Well Not Drilled - Permit Expired
	Spud date:Agent:	Signature of Operator or Agent:
		Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29467-0000	Location of Well: County:_Allen
Operator: M.A.E. Resources, Inc.	3080 feet from ☐ N / ✓ S Line of Section
Lease: Conley	3960 feet from 🗸 E / Tw Line of Section
Well Number: _22-l	Sec. 19 Twp. 23 S. R. 20 V East West
Field: lola	
Number of Acres attributable to well:	Is Section:
QTR / QTR / QTR of acreage: N2S2 - S2 - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1		•			•
l					
1					
	•				
1	٠				
		- ∳			
					•
	•			•	
					
				:	: :
	:		•	•	
	:	:	•	•	
	:	:	•	•	
	:			:	: :
				:	
				:	: :
				:	: :
				:	
	:			:	: :
				:	
				:	
				:	
				:	
				:	
				:	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT CONSERVATION DIVISION

Submit in Dupilcate

WICHITA, KS

Operator Name: M.A.E. Resources, Inc.			License Number: 30993		
Operator Address: P.O. Box 257, Parker, KS 66072					
Contact Person: Brad Cook			Phone Number: (620) 852 - 3333		
Lease Name & Well No.: Conley 22-I			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>N2 _ S2 _ S2 _ NW</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec19Twp23R20		
Settling Pit	If Existing, date constructed:		3080 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3960 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	250	(bbls)	Allen County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
1. W. b. W b. d d. b 10	Audit sign time of		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? ☐ Yes	No	How is the pit lined if a plastic liner is not used? native clay		
	2 Length (fe	•	Width (feet) N/A: Steel Pits		
	om ground level to de	· ·	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shallowest fresh waterfeet.					
Source of					
			uredwell owner electric logKDWR		
1			over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud		
1			king pits to be utilized: 2		
1			Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must			be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
June 15, 2006 Urnna Thanda					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: ២/ いん (a Permit Num	ber:	Perm	it Date: 6 15 (06 Lease Inspection: Yes 🗓 No		