### RECEIVED KANSAS CORPORATION COMMISSION

District # SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form C-1 December 2002 Form must be Typed

Form must be Signed

NOTICE OF INTENT TO DRILL CONSERVATION DIVISION...

Expected Spud Date	Spot SENW NW NW Sec. 19 Two. 23 S. R	✓ East West
30993	4700	Line of Section
DPERATOR: License# 30993 Anne: M.A.E. Resources, Inc.	4840feet from	
Address: P.O. Box 257	Is SECTION ✓ RegularIrregular?	
City/State/Zip: Parker, KS 66072	-	!-
Contact Person: Brad Cook	(Note: Locate well on the Section Plat on reverse County: Allen	e side)
Phone: (620) 852-3333	Lease Name: Holt W	,
•	Field Name: Iola	/eii #:
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Hat Drilling, LLC	Target Formation(s): Squirrel	
	Nearest Lease or unit boundary: 440'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a	feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No-
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water: 200+	
Other	Surface Pipe by Alternate:  1 ✓ 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 800'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )	
(CC DKT #:	Will Cores be taken?	Yes ✓ No
(CC DKT #:	Will Cores be taken?  If Yes, proposed zone:	Yes ✓ No
		Yes ✓ No
AFF	If Yes, proposed zone:	Yes ✓ No
AFF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	Yes ✓ No
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the puriod of the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary properties or production casing is cemented in;  In the plugged of the top; in all cases surface pipe the underlying formation.  In the underlying formation to the top; in all cases surface pipe the underlying formation.  It is the underlying formation to the top; in all cases surface pipe the underlying formation.  It is the underlying formation to the top; in all cases surface pipe the underlying formation.	e shall be set for to plugging; s of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the puriod of the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary properties or production casing is cemented in;  In the plugged of the top; in all cases surface pipe the underlying formation.  In the underlying formation to the top; in all cases surface pipe the underlying formation.  It is the underlying formation to the top; in all cases surface pipe the underlying formation.  It is the underlying formation to the top; in all cases surface pipe the underlying formation.	e shall be set for to plugging; s of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the state of the provided shall unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the state of the well is either plug to the state of the well is either plug to the state of the well is either plug to the state of the well is either plug to the state of the well is either plug to the state of the well shall the tereby certify that the statements made herein are true and to the best of the well shall the statements of the well shall the statements of the well and to the best of the well shall the statements of the well and the well and the statements of the well and the well and the statements of the well and the well and the well and the statements of the well and the well	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the puriod of the top; in all cases surface pipe the underlying formation.  Idistrict office on plug length and placement is necessary properties or production casing is cemented in;  In the plugged of the top; in all cases surface pipe the underlying formation.  In the underlying formation to the top; in all cases surface pipe the underlying formation.  It is the underlying formation to the top; in all cases surface pipe the underlying formation.  It is the underlying formation to the top; in all cases surface pipe the underlying formation.	e shall be set for to plugging; s of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set.  5. The appropriate district office will be notified before well is either pluging the set of the	If Yes, proposed zone:  IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the proposed zone to the top; in all cases surface pipe the underlying formation.  Ilistrict office on plug length and placement is necessary proposed or production casing is cemented in;  In the plugged of the case to surface within 120 days.  In all cases, NOTIFY district office prior to a firmy knowledge and belief.	e shall be set for to plugging; s of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the substitution of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the substitution of the substitut	IDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the proposed zone:  In the underlying formation.  Illistrict office on plug length and placement is necessary proposed from below any usable water to surface within 120 days:  #133,891-C, which applies to the KCC District 3 area, altered the plugged.  In all cases, NOTIFY district office prior to a first my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud decent in the plugged of the proposition of the plugged.  Notify appropriate district office 48 hours prior to workow.	e shall be set  for to plugging; s of spud date. emate II cementing any cementing.  ate; orders; er or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  It by circulating cement to the top; in all cases surface pipe in the underlying formation.  listrict office on plug length and placement is necessary proged or production casing is cemented in; ed from below any usable water to surface within 120 days:  #133,891-C, which applies to the KCC District 3 area, altered be plugged. In all cases, NOTIFY district office prior to a firm knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defined acceptable in the completion of the complete in the complete i	e shall be set  for to plugging; s of spud date. mate II cementing any cementing.  ate; orders; er or re-entry; ed;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the foliation of the statement of the specified before well is either plug of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the surface of the surface of the specified before well is either plug of the spud date or the well shall the shall the statements of the spud date or the well shall the statements of the specified best of the spud date or the specified best of the specified best of the spud date or the specified best of the	IDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the proposed zone:  In the proposed zone zone zone zone zone zone zone zone	e shall be set  for to plugging; s of spud date. mate II cementing any cementing.  ate; orders; er or re-entry; ed;
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the description of the approved notice of intent to drill shall be posted on each and the description of the approved notice of intent to drill shall be posted on each and the description of the approved notice of intent to drill shall be posted on each and the description of the shall be posted on the description of the shall be described before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be provided by the shall be provided by the shall be provided as a specified before well is either plug of the spud date or the well shall be provided by the shall be	IDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the price of plug length and placement is necessary price or production casing is cemented in;  Juged or production casing is cemented in;  Juged or production casing is cemented in;  Juged from below any usable water to surface within 120 days:  Juged from	e shall be set  for to plugging; s of spud date. mate II cementing any cementing.  ate; orders; er or re-entry; ed;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statements and the vell is dry hole, an agreement between the operator and the first office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be rement of the spud date or the well shall be rement of the appropriate district office will be notified before well is either plug of the spud date or the well shall be rement of the spud date or the well shall be rement of the plug of the spud date or the well shall be rement of the plug of the spud date or the well shall be rement of the plug of the spud	IDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  In the proposed zone:  In the proposed zone zone zone zone zone zone zone zone	e shall be set  ior to plugging; s of spud date. mate II cementing any cementing.  ate; orders; er or re-entry; ed; it water.
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the description of the approved notice of intent to drill shall be posted on each and the description of the approved notice of intent to drill shall be posted on each and the description of the approved notice of intent to drill shall be posted on each and the description of the shall be posted on the description of the shall be described before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be provided by the shall be provided by the shall be provided as a specified before well is either plug of the spud date or the well shall be provided by the shall be	IDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the price of plug length and placement is necessary price or production casing is cemented in;  Juged or production casing is cemented in;  Juged or production casing is cemented in;  Juged from below any usable water to surface within 120 days:  Juged from	e shall be set  for to plugging; s of spud date. mate II cementing any cementing.  ate; orders; er or re-entry; ed;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29475-000	Location of Well: County: Allen
Operator: M.A.E. Resources, Inc.	
Lease: Holt	4730 feet from N / S Line of Section 4840 feet from Feet from F E / W Line of Section
Well Number: 30-I	Sec. 19 Twp. 23 S. R. 20 ✓ East West
Field: Iola	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SENW - NW - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•	•	
			•	
1				
		•		
		•		•
		•		
			_	
		•	•	
		•		
			_	
		•	•	
			•	_
	: :	:		
	: :	:	•	· · ·
	: :		•	
	: :	:	•	· · ·
	: :	:	•	· · ·
	: :	:		
	: :	·		
		: : :		: ::
	: :	: : :		
		: : :		: ::
		: : :		: ::
		: : :		: ::
		: : :		



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# RECEIVED

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Dupiicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: M.A.E. Resources, Inc.			License Number: 30993		
Operator Address: P.O. Box 257, Parker, KS 66072					
Contact Person: Brad Cook		Phone Number: ( 620 ) 852 - 3333			
Lease Name & Well No.: Holt 30-I		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE NW NW NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 19 Twp. 23 R. 20 Fast West		
Settling Pit	If Existing, date constructed:		Feet from ☐ North / ✓ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4840 Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	250	(bbls)	Allen County		
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l		
	T		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?    Ves   No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?		
			native clay		
Pit dimensions (all but working pits):	12 Length (fe	eet) 6	Width (feet) N/A: Steel Pits		
Depth f	rom ground level to de	eepest point: 6	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:		
NA feet Depth of water well	feet	measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Drillin		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of material		al utilized in drilling/workover: drilling mud			
Number of producing wells on lease: Number of wor		king pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
June 15, 2006  Date  Oanna Manda Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 6/15/05 Permit Number: Permit Date: 6/15/05 Lease Inspection: Yes No					

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.