RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	/a- 01-04
Effective Date:_	6-21-06
District #	<u>3</u>
CCA2 DVac	√ No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

December 2002

Form must be Typed

NOTICE OF INTENT TO DRILL

CONSERVATION [)[V]S|ORDrm must be Signed
WICHITIA K.C. All blanks must be Filled

Expected Spud Date	Spot	✓ East
month day year	SwsE - NE - NW Sec. 19 Twp. 23	
OPERATOR: License#		/ S Line of Section
Name: M.A.E. Resources, Inc.	leet from A	/ W Line of Section
Address: P.O. Box 257	Is SECTIONRegularIrregular?	
City/State/Zip: Parker, KS 66072	(Note: Locate well on the Section Plat	on reverse side)
Contact Person: Brad Cook	County: Allen	10.1
Phone: (620) 852-3333	Lease Name: Matney Field Name: Iola	Well #: 10-1
CONTRACTOR: License# 33734		
Name: Hat Drilling, LLC	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel	Yes ✓ No
	Nearest Lease or unit boundary: 1,200'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a	feet MSL
Oil Finh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 200+	-
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 800'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DV	VR [_])
KOO DICT II		
KCC DKT #:	Will Cores be taken?	Yes Vo
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	
AFFII	If Yes, proposed zone:	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ugging of this well will comply with K.S.A. 55 et. set. th drilling rig; they circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necested from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office	ace pipe shall be set ssary prior to plugging; 120 days of spud date. urea, alternate II cementing
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be	DAVIT ugging of this well will comply with K.S.A. 55 et. set. th drilling rig; th by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is neceged or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office my knowledge and belief.	ace pipe shall be set ssary prior to plugging; 120 days of spud date. urea, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the dient of the specified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: Date: June 15, 2006 Signature of Operator or Agent:	DAVIT ugging of this well will comply with K.S.A. 55 et. set. set. th drilling rig; th by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is neceged or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. Title: Agent Remember to:	ace pipe shall be set essary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the displayment of 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a completed. Signature of Operator or Agent: The for KCC Use ONLY API # 15 - 29455-2000	DAVIT ugging of this well will comply with K.S.A. 55 et. set. th drilling rig; th by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necested from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. **Remember to: - File Drill Pit Application (form CDP-1) with Intenti File Completion Form ACO-1 within 120 days of	ace pipe shall be set ssary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY	DAVIT ugging of this well will comply with K.S.A. 55 et. set. th drilling rig; th by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necestiged or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. **Remember to: - File Drill Pit Application (form CDP-1) with Intentional File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field to	ace pipe shall be set ssary prior to plugging; 120 days of spud date. trea, alternate II cementing. It to Drill; of spud date; proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the approved notice of intent to drill <i>shall be</i> posted on each an expective of the plant of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the difference of the well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order of must be completed within 30 days of the spud date or the well shall be appropriated by that the statements made herein are true and to the best of the plant of the	DAVIT ugging of this well will comply with K.S.A. 55 et. set. set. th drilling rig; the by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necested from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intentional File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in the property of the set of the s	ace pipe shall be set ssary prior to plugging; 120 days of spud date. trea, alternate II cementing prior to any cementing. It to Drill; of spud date; proration orders; o workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statements of the well is dry hole, an agreement between the operator and the dient of the well is dry hole, an agreement between the operator and the dient of the well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plate: June 15, 2006	DAVIT ugging of this well will comply with K.S.A. 55 et. set. th drilling rig; th by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necestiged or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. **Remember to: - File Drill Pit Application (form CDP-1) with Intentional File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field to	ace pipe shall be set ssary prior to plugging; 120 days of spud date. trea, alternate II cementing prior to any cementing. It to Drill; of spud date; corroration orders; o workover or re-entry; completed; acting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 15, 2006	DAVIT ugging of this well will comply with K.S.A. 55 et. set. th drilling rig; th by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necested or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intenting File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field produced in the property of the submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injection.	ace pipe shall be set ssary prior to plugging; 120 days of spud date. trea, alternate II cementing prior to any cementing. It to Drill; of spud date; corroration orders; o workover or re-entry; completed; ecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29455-000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. set. set. the drilling rig; the by circulating cement to the top; in all cases surface underlying formation. strict office on plug length and placement is necestiged or production casing is cemented in; and from below any usable water to surface within #133,891-C, which applies to the KCC District 3 are plugged. In all cases, NOTIFY district office my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intensification in the plugging in the plugging is set. Submit plugging report (CP-4) after plugging is	ace pipe shall be set ssary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing. It to Drill; of spud date; proration orders; o workover or re-entry; completed; pacting salt water. reation date) please
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 15, 2006	DAVIT ugging of this well will comply with K.S.A. 55 et. set. set. set. set. set. set. set.	ace pipe shall be set ssary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing. It to Drill; of spud date; proration orders; o workover or re-entry; completed; pacting salt water. reation date) please
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluge. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - ONL - 29455-DOO Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. set. set. set. set. set. set. set.	ace pipe shall be set ssary prior to plugging; 120 days of spud date. urea, alternate II cementing prior to any cementing. It to Drill; of spud date; proration orders; o workover or re-entry; completed; pacting salt water. reation date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29455-0000	Location of Well: County:_Allen
Operator: M.A.E. Resources, Inc.	•
Lease: Matney	4080 feet from N / S Line of Section 3080 feet from F E / W Line of Section
Well Number:	Sec. 19 Twp. 23 S. R. 20 Fast Wes
Field: lola	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:SWSENENW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-																									
-												1													
١											.	l													
	•	•	•		٠	•	٠			•	•	٠	•	٠.	٠	٠		•	٠			•	•	٠	•
1				•							•	1					•					•			
ı				•			•					•					•			•		•			
				•							٠.			١.			•				 	٠.			
				•							•						٠			•		•			
				•							•						•			•		•			
				•							•						٠			•		•			
														١.							 				
				-													-								
ł									_				_							_					
				•			•				•						•			•		•			
				•																					
																	•			•		•			
																				•					
				•									_							•		•			
										•															
								•		•															
								•		•															
																						·			
								•														· · · · · · · ·			
																				:	 				
																				:	 				
																				:					



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSION FORM CORPORATION COMMISSION FORM CDP-1 OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit In Duplicate

CONSERVATION DIVISION WICHTIA, KS

Operator Name: M.A.E. Resource	es, Inc.	License Number: 30993							
Operator Address: P.O. Box 257, Parker, KS 66072									
Contact Person: Brad Cook		Phone Number: (620) 852 - 3333							
Lease Name & Well No.: Matney 10		Pit Location (QQQQ):							
Type of Pit:	Pit is:		SW _ SE _ NE _ NW						
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 19 Twp. 23 R. 20						
Settling Pit	If Existing, date co	onstructed:	4080 Feet from North / South Line of Section						
Workover Pit Haul-Off Pit	Dit conscitu:		3080 Feet from 🗸 East / 🗌 West Line of Section						
(If WP Supply API No. or Year Drilled)	Pit capacity: 250	(bbls)	Allen						
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l						
is the pit located in a desistave diodrid viduel	7464: [165 4-		(For Emergency Pits and Settling Pits only)						
Is the bottom below ground level? Ves No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?						
			native clay						
Pit dimensions (all but working pits):		_	Width (feet) N/A: Steel Pits						
Depth fr	om ground level to de	epest point: O	(feet)						
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.						
Distance to nearest water well within one-mike	e of pit		west fresh waterfeet.						
NA feet Depth of water well _	feet	Source of infor	rred well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:						
Producing Formation:		Type of materia	al utilized in drilling/workover: drilling mud						
Number of producing wells on lease:		Number of wor	king pits to be utilized: 2						
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill							
Does the slope from the tank battery allow all	spilled fluids to								
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.						
I hereby certify that the above state	ements are true and c	correct to the bes	t of my knowledge and belief.						
)	t of my knowledge and belief. Manda identifying of Applicant or Agent						
June 15, 2006	100	nna	ignature of Applicant or Agent						
Date			agriculto of Applicant of Agent						
	KCC (OFFICE USE O	NLY						
Date Received: 6 IS OF Permit Num	ber:	it Date: 4/15/64 Lease Inspection: Yes 4 No							