RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use: Effective Date: District # SGA? Yes X No

Spud date:_

Agent:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 1 5 2006

Form C-1 December 2002

Form must be Typed

NOTICE OF INTENT TO DRILL

CONSERVATION DIVISION blanks must be Filled

Expected Spud Date	Spot ✓ East SESW - NE - NW Sec. 19 Twp. 23 S. R. 20 West
OPERATOR: License# 30993	4080feet fromN / ✓ S Line of Section
Name: M.A.E. Resources, Inc.	3520feet from F E / W Line of Section
Address: P.O. Box 257	Is SECTION Regular Irregular?
City/State/Zip: Parker, KS 66072	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brad Cook	County: Allen
Phone: (620) 852-3333	Lease Name: Matney Well #: 18-I
	Field Name: lola
CONTRACTOR: License# 33734	ls this a Prorated / Spaced Field?
Name: Hat Drilling, EEC	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,200
Oil Enh Rec Infield Mud Rotary —	Ground Surface Elevation: n/afeet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic:# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 20'
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 800'
Well Name:	Formation at Total Depth: Squirrel
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
A EE	
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the provided in the search of the search	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the spropriate district office will be notified before well is either plug for the surface of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the provided in the search of the search	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It istrict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be completed in the drill shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 -	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district of spipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drill of the well is dry hole, an agreement between the operator and the drill of the well is dry hole, an agreement between the operator and the drill of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the well shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plants of t	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the state of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the well is either plug of the specified before well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plug of the specified best of the s	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district of spipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drill of the well is dry hole, an agreement between the operator and the drill of the well is dry hole, an agreement between the operator and the drill of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the well shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plants of t	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;

Signature of Operator or Agent:

Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001 - 29463 - 0000	Location of Well: County: Allen
Operator: M.A.E. Resources, Inc.	
Lease: Matney	4080 feet from N / S Line of Section 3520 feet from Feet from F / E / W Line of Section
Well Number: 18-I	Sec. 19 Twp. 23 S. R. 20 VEast West
Field: Iola	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SESW - NE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

								_			Т													_				_				
1				-				•			- 1	-								-												
1				•				•			- 1	•								•				•				•				
1				•							1																	•				
1											- 1																					
1											٠l						١.															
1											- 1																					
1											- 1	٠																•				
1											Į																					
1								•			٠																					
1				-								-					Ι.			•					_			•				
1	•	•	•		•	•	•		•	•	•		•	•	•	•	Ι.	•	•		•	•	•		•	•	•		•	•	•	•
1																																
1																																
1				•				•				•								•				•				•				
1				•				•				•								•				•				•				
1																	Ι.															
1	٠	•	•		•	•	•		•	•	•		•	•	•	•	١.	•	•		•	•	•		•	•	•		•	•	•	•
1				•								-								•												
1				•				•				•								•				•				•				
1																																
1																																
-				-				•				•												-								
Ì															_					_					_	_						
Ì															_					•					_	_		•				
								•																				:				
								•									ı											:				
								•							_													:				
								•																				:				
				:				:				:								:				:				:				
								:				:								:				:				:				
				:				· ·				:								:				:								
				:				· ·				:								:				:								
				:				· ·				:								:				:								
				:				:				:								:				:								
				:				:				:								:				:								
				:				:				:								:				:								
				:								:								:				:								
				:								:								:				:								
				:								:								:				:								
				:								:								:				:								
				:								:								:				:								
				:								:								:				:								
				:								:								:				:								
				:								:								:				:								



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

JUN 1 5 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PITCONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: M.A.E. Resource	es, Inc.	License Number: 30993							
Operator Address: P.O. Box 257	, Parker, K								
Contact Person: Brad Cook		Phone Number: (620) 852 - 3333							
Lease Name & Well No.: Matney 18	-l	Pit Location (QQQQ):							
Type of Pit:	Pit is:		SE SW NE NW						
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 19 Twp. 23 R. 20						
Settling Pit	If Existing, date co	onstructed:	4080 Feet from North / South Line of Section						
Workover Pit Haul-Off Pit			3520 Feet from ✓ East / West Line of Section						
(If WP Supply API No. or Year Drilled)	Pit capacity:		Allen						
	<u>250</u>	(bbls)	County						
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🚺	No	Chloride concentration:mg/l						
Is the bottom below ground level?	Artificial Liner?	_	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?						
✓ Yes No	☐ Yes 🗸	No	native clay						
Pit dimensions (all but working pits):	2	- 6							
		_							
	om ground level to de		(feet)						
If the pit is lined give a brief description of the material, thickness and installation procedure		•	edures for periodic maintenance and determining ncluding any special monitoring.						
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	shallowest fresh waterfeet. of information:						
feet Depth of water well	feet	measu	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Dritting, Work	ng, Workover and Haul-Off Pits ONLY:						
Producing Formation:		Type of materia	f material utilized in drilling/workover: drilling mud						
Number of producing wells on lease:		Number of wor	rking pits to be utilized: 2						
Barrels of fluid produced daily:		Abandonment	nt procedure: air dry and backfill						
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	be closed within 365 days of spud date.							
I hereby certify that the above state	ments are true and o	correct to the best	t of my knowledge and belief.						
			1						
June 15, 2006	K	Luna	Thanda						
Date		S	ignature of Applicant or Agent						
	KCC	OFFICE USE OF	NLY						
\ 1			1 1						
Date Received: 415 06 Permit Num	ber:	it Date: 6 15 06 Lease Inspection: Yes 6 No							